

BioRay
All Systems Glow
Certificate of Analysis

VITALITY WORKS



Date: August 4, 2022
Fill Volume: 2 fluid ounces (59 ml)
Serving Size: 2 ml

Composition:

Active Ingredients:	Amount
Proprietary Blend	320 mg/ml
Nettle Leaf	
Alfalfa Herb	
Kelp Thallus	
Horsetail Herb	
Oatstraw Aerial Parts	
Red Raspberry Leaf	
Red Clover Flowering Herb	
ASG Fermented Fruit & Herb Blend w/MCC (N.O.)	

Other Ingredients:

Vegetable Glycerin, Raspberry Natural Flavor, Peach Natural Flavor, Orange Natural Flavor, Deionized Water

Lot Number: 072522
Expiration Date: 07/2027
Manufacturing Date: 07/22/2022
Kosher Certified: No
Preservatives: None

Microbiology:

<u>Test Attribute</u>	<u>Specification</u>	<u>Test Method</u>	<u>Result</u>
Total Plate Count	<10,000 CFU/g	AOAC 990.12	<10 CFU/g
Mold	<1,000 CFU/g	AOAC 2014.05	<10 CFU/g
Yeast	<1,000 CFU/g	AOAC 2014.05	<10 CFU/g
Coliforms	<10 CFU/g	AOAC 991.14	<10 CFU/g
E. coli	ND in 10g	AOAC 991.14 & 2017.01	ND in 10g
Staph. Aureus	ND in 10g	AOAC 2003.07	ND in 10g
Salmonella	ND in 10g	AOAC 2013.09	ND in 10g

Caution and Storage:

Store away from direct sunlight, excessive heat and cold.

Allergens:

To the best of our knowledge, this product does not contain any milk or dairy, egg, fish, shellfish, tree nuts, peanuts, wheat, gluten or soy. The items on this COA have not been tested to verify as such.

GMO Statement:

To the best of our knowledge, no materials used to manufacture this product contain any Genetically Modified Organisms (GMO's). The item on this COA has not been tested to verify as such.

Statement of

Continuous Guarantee:

Vitality Works hereby guarantees that no article listed herein is adulterated or misbranded within the meaning of the Federal Food, Drug, and Cosmetic Act, or is an article which may not, under the provisions of section 404, 505, or 512 of the act, be introduced into interstate commerce.

Country of Manufacture:

United States

State of Manufacture:

New Mexico

BioRay
All Systems Glow
Certificate of Analysis

VITALITYWORKS



Revisions: Updated lot number to lot number on bottle per customer request.
8/9/2022

Approved,

Cesar Bilbao,
Quality Control