



# CERTIFICATE OF ANALYSIS

**Date:** 08/20/2023  
**Product Name:** Thinking Cap 2oz  
**Composition:** Liquid

**Active Ingredients:** Micronized Chlorella, Fermented NDF® Concentrate, 11-Strain Proprietary Probiotic blend (Lactobacillus rhamnosus, Bifidobacterium bifidum, Bifidobacterium infantis, Bifidobacterium longum, Lactobacillus acidophilus, Lactobacillus plantarum, Lactobacillus acidophilus DDS-, Lactobacillus helveticus, Lactobacillus casei, Lactobacillus reuteri, Lactobacillus salivarius), Agaricus Blazei fruiting body, Lions Mane fruiting body, Cordyceps mycelia, Milk Thistle Seed Extract Powder, Reishi fruiting body, Horsetail Aerial Parts.

**Other Ingredients:** Kosher USP Glycerin (50/50), Deionized Water, Flower Essences of Cherry Plum, Clematis, Hornbeam, Impatiens, Larch, Olive, Rock Rose, Star of Bethlehem.

**Color:** Opaque green  
**Appearance:** Dark Olive Green  
**Taste:** Slightly Sweet/'Grassy'  
**Caution & Storage:** Store at Room Temperature  
**Part Number:** # GT808C / Item #: 1007535  
**Lot Number:** 062923  
**Expiration Date:** 06/28  
**Manufacturing Date:** 06/2023

**Allergens:** This product does not contain any milk, dairy, egg, fish, shellfish, tree nuts, peanuts, wheat, gluten, or soy.


**GMO Statement:** No materials used to produce this product are derived from or contain any Genetically Modified Organisms (GMOs).

Microbial:	<u>Test Attribute</u>	<u>Specification</u>	<u>Method</u>	<u>Result</u>
	E.Coli	<10 CFU/gram	Petrifilm	Negative (<10 est CFU/g)
	Listeria		AOAC-RI 081401	Negative
	Pseudomonas			<10 est CFU/g
	Salmonella	<10 CFU/gram	AOAC 2013-02	Negative
	S. aureus	<10 CFU/gram	Petrifilm	<10 est CFU/g
	Total Coliform	<1,000 CFU/gram	Petrifilm	<10 CFU/g
	Mold	<10,000 CFU/gram	FDA/BAM	<10 CFU/g
	Yeast	<10,000 CFU/gram	FDA/BAM	<10 CFU/g

Heavy Metals:	<u>Test Attribute</u>	<u>Method</u>	<u>PQL</u>	<u>Result</u>
	Arsenic	ICP MS	<1.5	<0.001 µg/g
	Cadmium	ICP MS	<0.5	0.002 µg/g
	Lead	ICP MS	< 1	0.038 µg/g
	Mercury	ICP MS	<1.5	<0.001µg/g

Identity:	<u>Test</u>	<u>Method</u>	<u>Result</u>
	Identity Test by NIR	USP 40 <1119>	Confirmed

Approved

  
Stephanie Ray, ND, CEO

Bioray Inc | 10 Mason Suite 150, Irvine CA 92618 | 949.305.7454 | [bioray.com](http://bioray.com)