



CHEMICAL SOLUTIONS
LABORATORIES, INC.

Analytical Report

February 23, 2022

Justin James
BioRay, Inc.
10 Mason
Unit B
Irvine, CA 92618

Page 1 of 1
WO Number: W22B0497


Client: BioRay, Inc.
Client #: B4672
Sample Type: Drop
Collector: Client

Customer PO:
Date Received: 2/16/2022
Date Completed: 02/18/2022
Discard Date: 03/04/2022

CSL#: 22B1261 NDF Plus 1oz - Lot#: 010422

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS	02/17/22	300D	CJS
Cadmium	<0.25 ug/g	0.25	ICP MS	02/17/22	300D	CJS
Lead	<0.060 ug/g	0.060	ICP MS	02/16/22	2000	HG
Mercury	<0.10 ug/g	0.10	ICP MS	02/17/22	300D	CJS

Reviewed and Approved,
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:

B5FDB2177FCD488...
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.