



Analytical Report

January 27, 2023

Justin James
BioRay, Inc.
10 Mason
Unit B
Irvine, CA 92618

Page 1 of 1
WO Number: W23A0400

Client: BioRay, Inc.
Client #: B4672
Sample Type: Drop
Collector: Client

Customer PO:
Date Received: 01/20/2023
Date Completed: 01/27/2023
Discard Date: 02/10/2023

CSL#: 23A0968 NDF Happy - Lot#: 011123 - 4 oz

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS	01/23/23	7900-2	HG
Cadmium	<0.25 ug/g	0.25	ICP MS	01/23/23	7900-2	HG
Lead	<0.50 ug/g	0.50	ICP MS	01/23/23	7900-2	HG
Mercury	<0.10 ug/g	0.10	ICP MS	01/23/23	7900-2	HG

Reviewed and Approved,
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:
Elizabeth Stevenson
5118D0DF17F6470...
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.

This report can only be reproduced in full.

The units for the PQL are the same as those shown for the result.