

## Analytical Report

March 15, 2022

Justin James  
BioRay, Inc.  
10 Mason  
Unit B  
Irvine, CA 92618

Page 1 of 1  
WO Number: W22C0242

Client: BioRay, Inc.  
Client #: B4672  
Sample Type: Drop  
Collector: Client

Customer PO:  
Date Received: 3/8/2022  
Date Completed: 03/10/2022  
Discard Date: 03/24/2022

**CSL#: 22C0669      Microbe Slayer 2oz - Lot#: 011822**

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS/KED	03/09/22	7900	CJS
Cadmium	<0.25 ug/g	0.25	ICP MS	03/09/22	7900	CJS
Lead	<0.050 ug/g	0.050	ICP MS	03/09/22	300D	RBP
Mercury	<0.10 ug/g	0.10	ICP MS	03/09/22	7900	CJS

Reviewed and Approved,  
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:  
*Emely Jimenez*  
FA53742ED58549A...  
Quality Assurance

Notes:  
CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.  
This report can only be reproduced in full.  
The units for the PQL are the same as those shown for the result.