

## Analytical Report

March 29, 2022

Justin James  
BioRay, Inc.  
10 Mason  
Unit B  
Irvine, CA 92618

Page 1 of 1  
WO Number: W22C0577


Client: BioRay, Inc.  
Client #: B4672  
Sample Type: Drop  
Collector: Client

Customer PO:  
Date Received: 3/21/2022  
Date Completed: 03/24/2022  
Discard Date: 04/07/2022

CSL#: 22C1615      Liver Lover 2oz - Lot#: 022122

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS/KED	03/22/22	7900-2	PGA
Cadmium	<0.25 ug/g	0.25	ICP MS	03/22/22	7900-2	PGA
Lead	<0.050 ug/g	0.050	ICP MS	03/23/22	7900	HG
Mercury	<0.10 ug/g	0.10	ICP MS	03/22/22	7900-2	PGA

Reviewed and Approved,  
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:  
  
AF6434AEAFED49A...  
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.  
This report can only be reproduced in full.  
The units for the PQL are the same as those shown for the result.