

Analytical Report

April 26, 2022

Justin James
BioRay, Inc.
10 Mason
Unit B
Irvine, CA 92618

Page 1 of 1
WO Number: W22D0574

Client: BioRay, Inc.
Client #: B4672
Sample Type: Drop
Collector: Client

Customer PO:
Date Received: 4/19/2022
Date Completed: 04/26/2022
Discard Date: 05/10/2022

CSL#: 22D1559 Red Rooster - 2oz - Lot#: 022322

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS/KED	04/25/22	7900-2	CJS
Cadmium	<0.25 ug/g	0.25	ICP MS	04/25/22	7900-2	CJS
Lead	<0.050 ug/g	0.050	ICP MS	04/20/22	300D	CJS
Mercury	<0.10 ug/g	0.10	ICP MS	04/25/22	7900-2	CJS

Reviewed and Approved,
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:
Dwight Pulliam
AF6434AEAFED49A...
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.