



Analytical Report

March 20, 2023

Justin James
BioRay, Inc.
10 Mason
Unit B
Irvine, CA 92618

Page 1 of 1
WO Number: W23C0315

Client: BioRay, Inc.
Client #: B4672
Sample Type: Drop
Collector: Client

Customer PO:
Date Received: 3/13/2023
Date Completed: 03/15/2023
Discard Date: 03/29/2023

CSL#: 23C0824 NDF Happy 2oz - Lot#: 022423

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS/KED	03/14/23	7900	MJT
Cadmium	<0.25 ug/g	0.25	ICP MS	03/14/23	7900	MJT
Lead	<0.50 ug/g	0.50	ICP MS	03/14/23	7900	MJT
Mercury	<0.10 ug/g	0.10	ICP MS	03/14/23	7900	MJT

Reviewed and Approved,
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:

FA53742ED58549A...
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.