



Analytical Report

May 10, 2023

Justin James
BioRay, Inc.
10 Mason
Unit B
Irvine, CA 92618

Page 1 of 1
WO Number: W23D0610

Client: BioRay, Inc.
Client #: B4672
Sample Type: Drop
Collector: Client

Customer PO:
Date Received: 4/28/2023
Date Completed: 05/10/2023
Discard Date: 05/24/2023

CSL#: 23D1430 NDF Calm - Lot#: 032423 - 2 oz

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS/KED	05/04/23	7900-2	CJS
Cadmium	<0.25 ug/g	0.25	ICP MS	05/04/23	7900-2	CJS
Chromium	<0.50 ug/g	0.50	ICP MS	05/08/23	2000	HG
Lead	<0.050 ug/g	0.050	ICP MS	05/01/23	7900-2	HG
Mercury	<0.10 ug/g	0.10	ICP MS	05/04/23	7900-2	CJS

Reviewed and Approved,
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:

FA53742ED58549A...
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.