

Analytical Report

May 15, 2023

Justin James
 BioRay, Inc.
 10 Mason
 Unit B
 Irvine, CA 92618

Page 1 of 1
 WO Number: W23E0159


Client: BioRay, Inc.
 Client #: B4672
 Sample Type: Drop
 Collector: Client

Customer PO: 3701
 Date Received: 5/8/2023
 Date Completed: 05/11/2023
 Discard Date: 05/25/2023

CSL#: 23E0384 NDF Pooper - Lot#: 041123 - 2oz

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS	05/10/23	2000	HG
Cadmium	<0.25 ug/g	0.25	ICP MS	05/10/23	2000	HG
Lead	<0.050 ug/g	0.050	ICP MS	05/09/23	7900-2	PGA
Mercury	<0.10 ug/g	0.10	ICP MS	05/10/23	2000	HG

Reviewed and Approved,
 SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:

 A46F88786CDA4F3...
 Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
 This report can only be reproduced in full.
 The units for the PQL are the same as those shown for the result.