



Analytical Report

June 17, 2022

Justin James
BioRay, Inc.
10 Mason
Unit B
Irvine, CA 92618

Page 1 of 1
WO Number: W22F0291

Client: BioRay, Inc.
Client #: B4672
Sample Type: Drop
Collector: Client

Customer PO:
Date Received: 6/9/2022
Date Completed: 06/14/2022
Discard Date: 06/28/2022

CSL#: 22F0677 Lady Passion - 2oz - Lot#: 051222

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS/KED	06/13/22	7900-2	CJS
Cadmium	<0.25 ug/g	0.25	ICP MS	06/13/22	7900-2	CJS
Lead	<0.050 ug/g	0.050	ICP MS	06/10/22	350X	RBP
Mercury	<0.10 ug/g	0.10	ICP MS	06/13/22	7900-2	CJS

Reviewed and Approved,
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:
Joshua Reichert
582F03234674424...
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.