

Analytical Report

July 22, 2022

Justin James
BioRay, Inc.
10 Mason
Unit B
Irvine, CA 92618

Page 1 of 1
WO Number: W22G0368

Client: BioRay, Inc.
Client #: B4672
Sample Type: Drop
Collector: Client

Customer PO:
Date Received: 7/15/2022
Date Completed: 07/19/2022
Discard Date: 08/02/2022

CSL#: 22G0886 Lady Passion – 2oz - Lot#: 062822

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS/KED	07/18/22	7900-2	RBP
Cadmium	<0.25 ug/g	0.25	ICP MS	07/18/22	7900-2	RBP
Lead	<0.050 ug/g	0.050	ICP MS	07/18/22	7900	RBP
Mercury	<0.10 ug/g	0.10	ICP MS	07/18/22	7900-2	RBP

Reviewed and Approved,
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:

AF6434AEAFED49A...
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.