

Analytical Report

December 21, 2022

Justin James
BioRay, Inc.
10 Mason
Unit B
Irvine, CA 92618

Page 1 of 1
WO Number: W22L0321

Client: BioRay, Inc.
Client #: B4672
Sample Type: Drop
Collector: Client

Customer PO:
Date Received: 12/14/2022
Date Completed: 12/21/2022
Discard Date: 01/04/2023

CSL#: 22L0769 Liver Life - Lot#: 071922A - 4oz

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS/KED	12/15/22	7900	MJT
Cadmium	<0.25 ug/g	0.25	ICP MS	12/15/22	7900	MJT
Lead	<0.050 ug/g	0.050	ICP MS	12/15/22	2000	CJS
Mercury	<0.10 ug/g	0.10	ICP MS	12/15/22	7900	MJT

Reviewed and Approved,
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:
Dwight Pullham
AF6434AEAFED49A...
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.

This report can only be reproduced in full.

The units for the PQL are the same as those shown for the result.