

Analytical Report

August 26, 2022

Justin James
BioRay, Inc.
10 Mason
Unit B
Irvine, CA 92618

Page 1 of 1
WO Number: W22H0535

Client: BioRay, Inc.
Client #: B4672
Sample Type: Drop
Collector: Client

Customer PO: 3589
Date Received: 8/19/2022
Date Completed: 08/24/2022
Discard Date: 09/07/2022

CSL#: 22H1288 Good to Go - Lot#: 080122

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS/KED	08/23/22	7900-2	RBP
Cadmium	<0.25 ug/g	0.25	ICP MS	08/23/22	7900-2	RBP
Lead	<0.050 ug/g	0.050	ICP MS	08/22/22	350X	CJS
Mercury	<0.10 ug/g	0.10	ICP MS	08/23/22	7900-2	RBP

Reviewed and Approved,
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:
Dwight Pulliam
AF6434AEAFED49A...
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.