

Analytical Report

December 12, 2022

Justin James
 BioRay, Inc.
 10 Mason
 Unit B
 Irvine, CA 92618

Page 1 of 1
 WO Number: W22L0106


Client: BioRay, Inc.
 Client #: B4672
 Sample Type: Liquid Product-Mass
 Collector: Client

Customer PO:
 Date Received: 12/5/2022
 Date Completed: 12/12/2022
 Discard Date: 12/26/2022

CSL#: 22L0227 NDF Calm 4oz - Lot#: 081522

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS	12/07/22	7900	HG
Cadmium	<0.25 ug/g	0.25	ICP MS	12/07/22	7900	HG
Lead	<0.050 ug/g	0.050	ICP MS	12/06/22	300D	PGA
Mercury	<0.10 ug/g	0.10	ICP MS	12/07/22	7900	HG

Reviewed and Approved,
 SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:

 AF6434AEAFED49A...
 Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
 This report can only be reproduced in full.
 The units for the PQL are the same as those shown for the result.