

**SGS North America Inc.**

931 N. 7th Street
Harrisburg, PA 17102
(717) 697-7536

Bioray Inc

10 Mason, Ste 150
Irvine, CA 92618
Attn:

Certificate of Analysis**Report Number:** HESG231211-024**Samples Received:** 12/11/2023 2:26:00 PM**Finalized:** 12/15/2023 5:24:00 PM

Revision: 1

Receipt Temp (°C):**Sample Date:** 12/11/2023

Issued Date: 12/15/2023 05:31:06 PM

Group Detail:**Comments:****SGS Sample ID:** 231644B003121100758**Sample Date:** 12/11/2023**Client Sample ID(s):** NDF Colic Relief

Lot#: 111523

ID	Analysis (Method)	Result	Unit	Specification/Target Level	Procedure	Lab
1	Lead	<0.05	µg/g		ICP MS	7
	Mercury	<0.10	µg/g		ICP MS	7
	Cadmium	<0.25	µg/g		ICP MS	7
	Arsenic	<0.50	µg/g		ICP MS	7

Certified By:

Nicholas Anderson
Food Director of Operations

This report may not be distributed or reproduced unless in full. Reported results are based solely on samples as provided by client. SGS Vanguard Sciences, Inc. assumes no responsibility for interpretation of results provided herein which are based solely upon samples as provided by client.

End of Certificate of Analysis

*Lab

- 1:SGS North America, North Sioux City, SD
- 2:SGS North America, Oklahoma City, OK
- 3:SGS North America, R&D, North Sioux City, SD
- 4:SGS North America, Carson, CA
- 5:SGS North America, Fairfield, NJ
- 7:SGS North America, Harrisburg, PA

Page 1 of 1

12/15/2023 5:31:06
PM