

Analytical Report

March 16, 2022

Justin James
BioRay, Inc.
10 Mason
Unit B
Irvine, CA 92618

Page 1 of 1
WO Number: W22C0264

Client: BioRay, Inc.
Client #: B4672
Sample Type: Drop
Collector: Client

Customer PO:
Date Received: 3/9/2022
Date Completed: 03/11/2022
Discard Date: 03/25/2022

CSL#: 22C0751 NDF 1oz - Lot#: 121421

Parameter	Result	PQL	Method	Date	Instrument	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS/KED	03/10/22	7900-2	PGA
Cadmium	<0.25 ug/g	0.25	ICP MS	03/10/22	7900-2	PGA
Lead	<0.050 ug/g	0.050	ICP MS	03/09/22	300D	RBP
Mercury	<0.10 ug/g	0.10	ICP MS	03/10/22	7900-2	PGA

Reviewed and Approved,
SGS Chemical Solutions Laboratories, Inc.

DocuSigned by:
Emely Jimenez
FA53742ED58549A...
Quality Assurance

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.