



ISO/IEC 17025:2017  
 PJLA Accreditation #: 75696  
 Accreditation Field: Testing  
 lab@summitnutritional.com

Report Number: 240426 023-02  
 Date Reported: 05/02/2024  
 Date(s) Tested: 04/26/2024 - 05/02/2024

**Sample Details**

Product #: NDF Mouthrinse 4oz  
 Description: NDF Mouthrinse 4oz  
 Lot #: 032624  
 Received: 4/26/2024 3:34:33 PM

**Customer Information**

Bioray Inc.  
 10 Mason Suite10  
 Irvine, CA 92618

Sample Details:

**Certificate of Analysis**

Chemistry	Method	Specifications	Result	Units
<b>Physical</b>				
Identity Test By NIR	USP {1119}	Mouthrinse	Confirmed	
NIR Identity Distance	USP {1119}	< 0.026659	0.001533	
NIR Identity Spectra Residual	USP {1119}	< 0.000328	0.000122	
Appearance	SNL.MA.202	Liquid	Liquid	
Color	SNL.MA.202	Green	Green	
Odor	SNL.MA.202	Characteristic	Characteristic	

Report Approved by: Joel K Nelson  
 Joel Nelson  
 Laboratory Manager

\*= Please review Client Specifications  
 ¥=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit [www.summitnutritional.com](http://www.summitnutritional.com)  
 Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.  
 This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.