



ISO/IEC 17025:2017
 Accreditation #: 75696
 lab@summitnutritional.com

Report Number: 220811 022-05
 Date Reported: 8/18/2022 2:24:16 PM

Sample Details

Product #: Dream Machine
 Description: Dream Machine
 Lot #: 072722
 Received: 8/11/2022 2:50:09 PM

Customer Information

Biorav, Inc.
 10 Mason Suite 150
 Irvine, CA 92618

Sample Details:

Certificate of Analysis

| Chemistry | Method | Specifications | Result | Units |
|-------------------------------|------------|----------------|----------------|-------|
| Physical | | | | |
| Identity Test By NIR | USP <1119> | Dream Machine | Confirmed | |
| NIR Identity Distance | USP <1119> | < 0.155373 | 0.084256 | |
| NIR Identity Spectra Residual | USP <1119> | < 0.013755 | 0.010921 | |
| Appearance | SNL.MA.202 | Liquid | Liquid | |
| Color | SNL.MA.202 | Green | Green | |
| Odor | SNL.MA.202 | Characteristic | Characteristic | |

Report Approved by: 
 Joel Nelson
 Laboratory Manager

*= Please review Client Specifications

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.
 This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.