



ISO/IEC 17025:2017  
 Accreditation #: 75696  
 lab@summitnutritional.com

Report Number: 220817 012-01  
 Date Reported: 8/22/2022 12:39:57 PM

**Sample Details**

Product #: Good to Go  
 Description: BY050  
 Lot #: 080122  
 Received: 8/17/2022 12:22:13 PM

**Customer Information**

Bioray, Inc  
 23172 Alcalde Dr Suite B  
 Laguna Hills, CA 92653

Sample Details:

**Certificate of Analysis**

Chemistry	Method	Specifications	Result	Units
<b>Physical</b>				
Identity Test By NIR	USP <1119>	Good to Go	Confirmed	
NIR Identity Distance	USP <1119>	< 0.198797	0.161889	
NIR Identity Spectra Residual	USP <1119>	< 0.016355	0.013502	
Appearance	SNL.MA.202	Liquid	Liquid	
Color	SNL.MA.202	Brown	Brown	
Odor	SNL.MA.202	Characteristic	Characteristic	

Report Approved by:   
 Joel Nelson  
 Laboratory Manager

\*= Please review Client Specifications  
 Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.  
 This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.