

Microbiological Results

Customer

BIORAY

23151 Alcalde Dr. Suite C3
 Laguna Hills, California, United States 92653
 Sample Location: Eugene, Oregon

Sampled by: Client/
Date Received: Aug 15, 2022
Lab Location: Santa Maria

SAMPLE DESCRIPTION	ANALYSIS TYPE	METHOD	REFERENCE	RESULTS	UNITS
M22.34385-002					
PRODUCTS Product: Belly Mend 2oz Product State: Finished Lot: 072722 Additional Sample Information: Exp. 07/2027	E. coli (25 g)	Petrifilm	AOAC 991.14	*Negative	CFU/g
	Listeria SPP (25 g)	BAX (PCR)	AOAC-RI 081401	Negative	
	Mold (25 g)	Pour Plate	FDA-BAM 8th ed.	<10	CFU/g
	Pseudomonas (25 g)	Direct Plating	Difco Manual	<10	CFU/g
	S. aureus (25 g)	Petrifilm	AOAC 2003.07	<10	CFU/g
	Salmonella (25 g)	BAX (PCR)	AOAC 2013.02	Negative	
	Total Coliform (25 g)	Petrifilm	AOAC 991.14	<10	CFU/g
	Yeast (25 g)	Pour Plate	FDA-BAM 8th ed.	<10	CFU/g

0 GPS POINTS Available

Comments:


CFU = Colony Forming Unit

MPN = Most Probable Number

E. coli = Escherichia coli

TC = Total Coliform

*Negative for E.coli = < 10 est CFU/g **Negative for E.coli = < 1 est CFU/ml ***Negative for E.coli = < 1 est CFU/50 sq cm ****Negative for E.coli = < 100 est CFU/sq m

APPROVED BY	APPROVED DATE
 Geraldine Sanvictores / Microbiologist	Aug 22, 2022

PrimusLabs' representation of the results of laboratory analyses is limited to the analyzed samples only. PrimusLabs makes no representations or warranties about other portions of these commodities /lots. PrimusLabs' liability is limited to the cost of the laboratory tests. See also www.primuslabs.com for additional information.

Version 1 - M22.34385.002