

Microbiological Results

Customer

BIORAY

10 Mason Ste 150
Irvine, California, United States 92618
Sample Location: Irvine, California

Sampled by: Client/
Date Received: Jan 31, 2025
Lab Location: Santa Maria

SAMPLE DESCRIPTION	ANALYSIS TYPE	METHOD	REFERENCE	RESULTS	UNITS
M25.05547-008					
PRODUCTS Product: NDF Sleepy Product State: Finished Lot: 110724 Additional Sample Information: Exp: 11/2029 PO#: 4293 Test Date: 01/31/2025 16:43	E. coli (25 g)	Petrifilm	AOAC 991.14	*Negative	CFU/g
	Listeria SPP (25 g)	BAX (PCR)	AOAC-RI 081401	Negative	
	Mold (25 g)	Pour Plate	FDA-BAM 8th ed.	<10	CFU/g
	Pseudomonas (25 g)	Direct Plating	Difco Manual	<10	CFU/g
	S. aureus (25 g)	Petrifilm	AOAC 2003.07	<10	CFU/g
	Salmonella (25 g)	BAX (PCR)	AOAC 2013.02	Negative	
	Total Coliform (25 g)	Petrifilm	AOAC 991.14	<10	CFU/g
	Yeast (25 g)	Pour Plate	FDA-BAM 8th ed.	<10	CFU/g
0 GPS POINTS Available					
Comments:					

CFU = Colony Forming Unit

MPN = Most Probable Number

E. coli = Escherichia coli

TC = Total Coliform

*Negative for E.coli = < 10 est CFU/g **Negative for E.coli = < 1 est CFU/ml ***Negative for E.coli = < 1 est CFU/50 sq cm ****Negative for E.coli = < 100 est CFU/sq m

APPROVED BY	APPROVED DATE
 Geraldine Sanvictores / Microbiologist	Feb 07, 2025

PrimusLabs' representation of the results of laboratory analyses is limited to the analyzed samples only. PrimusLabs makes no representations or warranties about other portions of these commodities /lots. PrimusLabs' liability is limited to the cost of the laboratory tests. See also www.primuslabs.com for additional information.

Version 1 - M25.05547.008