
CHARLOTTE KAN

PDF SEWING PATTERN



PARSEC LEGGING | STYLE NO. 17008 | 0 - 16

INSEAM SHORT - REGULAR - TALL

SEWING LEVEL - ADVANCED BEGINNER

#CKPARSEC | @CHARLOTTE_KAN

PRINTING THE PATTERN

Check the settings of your printer and make sure scaling is set to 100%.

Throughout the pattern there are 1 cm and 1" squares to help you align the pieces and to check if the pages are printed at the correct size.



SHOW OR HIDE SIZE LAYERS

In Adobe Reader, you can show or hide the content in the different size layers using the Layers panel in the navigation panel. Hidden layers do not print, making it easier to view the cut and size lines.

The print instructions file includes a screenshot to help you navigate the layers panel.

THE FIT

This pattern has negative ease for a tight fit. This means that the pattern measurements are smaller than the body measurements. Check your sizes against the size table. If you can, sew a muslin to check the fit.

FABRIC SUGGESTION

Use a 4-way stretch knit fabric with good recovery and at least 70% crosswise stretch and at least 50% lengthwise stretch.

You can use cotton spandex, rayon spandex, Lycra, Supplex, Meryl, Tactel, Nylon.

If your fabric contains 10% elastane or more it's a good sign.

WHAT'S IN A (FABRIC) NAME

When looking for the right knit you'll come across a variety of blends and names, that can be confusing at first, but it doesn't have to be.

Lycra is a brand name, the generic name is spandex or elastane, so these are basically the same.

Rayon (or viscose) comes in different forms, but they are all made from different kinds of wood pulp (bamboo, eucalyptus, beech) and are processed in a similar way. Other forms of rayon are modal and lyocell (brand name Tencel). These fabrics tend to have better draping qualities, but recovery is generally a bit less especially if they are wet, so always wash on a gentle cycle.

Nylon is used to create a lot of technical fibres and fabrics like Supplex, Meryl and Tactel.

Supplex, Meryl and Tactel are all brand names. They are a form of nylon, but made to have the touch and feel of cotton. These fabrics are breathable, have great recovery and moisture wicking qualities, dry fast and don't fade easily. Although these fabrics are a great option, the availability is still limited compared to cotton spandex.

STRETCH TEST

Make sure you do a stretch test before you cut into your fabric. There is a stretch ruler on the pattern. Don't use the raw edge for the test, because it likely stretches more than the rest of the fabric. The fabric should comfortably reach the desired stretch percentage.

If you are unsure if the crosswise stretch is sufficient, consider sizing up at the legs. If you are unsure if the lengthwise stretch percentage is sufficient, consider adding some extra height to the back rise.

PRESHRINK

Preshrink your fabric by washing and drying as you would with your finished garment. Many fabrics shrink when you wash them. It is not uncommon for a cotton fabric to shrink 5% in length.

31 2/3

35 1/2

12 3/5

9 1/4

15

30 1/3

14 2/5

12 1/5

34

SIZECHART - RODY MEASUREMENTS

SIZECHARI -	RODA W	FASUKEN	TEN IS						
CM	0	2	4	6	8	10	12	14	16
WAIST	64	66	69	71	74	76	80	84	89
HIP	89	91	94	97	99	102	105	109	114
KNEE	32.5	33	34	35	36	36.5	38	39.5	40.5
CALF	31	32	32.5	33.5	34.5	35.5	36.5	38	39.5
ANKLE	21	21.5	22	22	23	23.5	24.5	25	25.5
INSEAM SHORT	75								
INSEAM REGULAR	79.5								
INSEAM TALL	84								
INCHES	0	2	4	6	8	10	12	14	16
WAIST	25	26	27	28	29	30	31 1/2	33	35
HIP	35	36	37	38	39	40	41 1/2	43	45
KNEE	12 3/4	13	13 3/8	13 3/4	14 1/8	14 1/2	15	15 1/2	16
CALF	12 1/4	12 1/2	12 7/8	13 1/4	13 5/8	14	14 1/2	15	15 1/2
ANKLE	8 1/4	8 3/8	8 5/8	8 7/8	9 1/8	9 3/8	9 5/8	9 7/8	10 1/8
INSEAM SHORT	29 1/2								
INSEAM REGULAR	31 1/3								
INSEAM TALL	33								
SIZECHART -	FINISHED GARMENT MEASUREMENTS								
CM	0	2	4	6	8	10	12	14	16
WAIST	59	61.5	63.5	66	68	70.5	73.5	77	80.5
HIP	68.5	71	73.5	75.5	77.5	80	83.5	86.5	90
KNEE	29	30	31	32	33	34	35	36.5	38
CALF	25.5	26	27	27.5	28.5	29	30	31	32
ANKLE	20.5	20.5	21	21.5	21.5	22	22.5	23	23.5
INSEAM SHORT	66								
INSEAM REGULAR	70.5								
INSEAM TALL	75								
INCHES	0	2	4	6	8	10	12	14	16

27 3/4

31 1/2

13 1/3

11 2/5

8 3/5

29

32 7/8

13 7/8

11 7/8

8 7/8

Inseam (body measurement) - is measured from crotch to floor.

The inseam on the finished garment is measured from crotch to floor and should end approximately 9 cm from the floor if your inseam matches the short, regular or tall inseam in the size chart - body measurements table.

26

29 3/4

12 3/5

10 7/8

8 2/5

27

13

30 2/3

11 1/5

8 1/2

26 1/5

27 3/4

29 1/2

Measure your waist at its smallest point just above the hipbone.

Measure your hip at its fullest part.

23 1/3

11 2/5

27

10

WAIST

KNEE

CALF

ANKLE

INSEAM SHORT

INSEAM TALL

INSEAM REGULAR

24 1/8

11 3/4

10 1/3

8 1/5

28

25

28 7/8

12 1/5

10 3/5

8 1/3


Measure the knee over the knee cap with the leg straight.

Measure your calf at its widest part.

Measure your ankle just above the ankle bone.

OUESTIONS?

EMAIL ME @ INFO@CHARLOTTEKAN.COM



LET'S KEEP IN TOUCH!
CLICK AND SIGN UP FOR MY NEWSLETTER
BIT.LY/CHARLOTTEKANNEWS

SHARE & CONNECT







FACEBOOK

PINTEREST

INSTAGRAM

#CKPARSEC @CHARLOTTE_KAN

www.charlottekan.com

© 2018 CHARLOTTE KAN

All Rights Reserved. This pattern is for personal use. Garments made from this pattern may not be produced for resale. No part of this pattern, design, text, images or illustrations may be reproduced or shared either electronically or in printed form.