

COMMERCIALPRO SERIES

Iampar ARCH

90W - 300W D LINEAR HIGH BAY

COMMERCIAL GRADE

PRODUCT OVERVIEW:

The lampar@RCH LED linear high bay luminaire is engineered to replace traditional fluorescent or metal halide high bays with a variety of available accessories for optimized performance and versatility.

Manufactured with longevity in mind, LLHB-series replaces up to 1000W MH and has a LED rated life of 100,000 hours making it reliable for mounting onto ceilings in suspended or mounted environments.











MODEL SPECIFICATIONS:

| Model | Watt (W) | Lumens (LM) | Voltage | CCT (K) |
|---------|----------|----------------|----------------------|----------------|
| LLHB90 | 90W | 12,600LM | 120-277V 347-480V | 4000K 5000K |
| LLHB130 | 130W | 18,500LM | 120-277V 347-480V | 4000K 5000K |
| LLHB180 | 180W | 24,500LM | 120-277V 347-480V | 4000K 5000K |
| LLHB210 | 210W | 29,000LM | 120-277V 347-480V | 4000K 5000K |
| LLHB270 | 270W | 36,000LM | 120-277V 347-480V | 4000K 5000K |
| LLHB300 | 300W | 40,000LM | 120-277V 347-480V | 4000K 5000K |

PROJECT DETAILS:

Project Name: Distribution Partner: Notes:

KEY FEATURES:

- **Open-Air Passive Heatsink**
- Thermally Isolated Driver Design
- Strengthened Galvanized Anti-Rust Steel Frame
- **Available Optional Motion Sensor and Battery Backup**
- Steel Wire for Suspension Mount (Standard)
- **Available in Pendent or Surface Mounting**
- **Compact Body Design**

UNIVERSAL SPECIFICATIONS:

- Housing: Galvanized Anti-Rust Steel Frame
- Input Voltage: 120-277Vac or 347-480Vac
- Operating Temp: -40°F 140°F
- Efficacy: 130LM/W to 145LM/W
- IP: UL Damp Location Listed
- PF: >0.9 Non-Flicker
- Dimming: 1-10V
- **CRI:** >70 or >80
- **THD:** <15%

APPLICATIONS:









Warehouses

Retail **Spaces**

Gymnasiums

General Commercial Lighting



ORDERING GUIDE:


| Model | Watt (W) | CCT (K) | Voltage (V) | Sensor (a) | Battery Backup (b) | SM®RT Control |
|---|--|--|--|--|--|---|
| LLHB J LED Linear High Bay | 90 90W 130 130W 180 180W 210 210W 270 270W 300 300W | 40 4000K 50 5000K | U 120-277V H 347-480V | Blank No Sensor MS Motion Sensor RM Remote Controller | Blank No EM Battery EML EM Battery Backup (15-55VDC) EMH EM Battery Backup (50-180VDC) | Blank Not SM®RT PM Power Monitoring Module TG Transmission Gateway SS SaaS |

Choose Your Model Specifications Above:


| LLHB | 180 180W | 50 5000K | U 120-277V | MS Motion Sensor | EML EM Battery Backup (15-55VDC) | Blank Not SM@RT |
|------|-------------------|-------------------|---------------------|-----------------------|------------------------------------|-------------------|
|------|-------------------|-------------------|---------------------|-----------------------|------------------------------------|-------------------|

Example Ordering Number: LLHB2180-50-U-MS-EML

PRODUCT DIAGRAMS:



PHOTOMETRICS:








SIZING/MEASUREMENTS:

| Model | Width (in) | Height (in) | Depth (in) | Weight (lb) |
|---------|------------|-------------|------------|-------------|
| LLHB90 | 23.92 | 10.3 | 1.83 | 6.98 |
| LLHB130 | 23.92 | 10.3 | 1.83 | 10.91 |
| LLHB180 | 23.92 | 19.7 | 1.83 | 11.76 |
| LLHB210 | 47.55 | 24.01 | 2.87 | 14.26 |
| LLHB270 | 47.55 | 24.01 | 2.87 | 22.46 |
| LLHB300 | 47.55 | 24.01 | 2.87 | 22.49 |



WARRANTY:





75,000-Hours

The lesser of 7-Years after shipment by Seller, or 75,000-Hours of use.

ARCHIPELAGO will not under any circumstances whether as a result of breach of contract, breach of warranty, tort, strict liability or otherwise be liable for consequential, incidental, special or exemplary damages including but not limited to, loss of pro its or revenues, loss of use of the above product or any other goods or associated equipment or damage to any associated equipment, cost of capital, cost of substituted products, facilities of services, downtime cost, or claims of claimant's customers. ARCHIPELAGO's liability on any claim of any kind for any loss or damages arising out of, resulting from or concerning any aspect of this agreement of from the product or services furnished hereunder shall not exceed the price of the specific product or products listed above which gives rise to the claim. This warranty gives the claimant specific legal rights. The claimant may also have other rights, which vary from state to state.

For a complete documentation of ARCHIPELAGO Lighting, Inc. warranty and limitation of liability, please refer to www.archipelagolighting.com.

QUESTIONS?:

FC ROHS CUL

Archipelago Lighting, Inc.

4615 State Street, Montclair, CA 91763 www.archipelagolighting.com sales@archipelagolighting.com

* NOTE: Not all product variations listed on this page are DLC qualified. To ensure that a specific model is qualified, visit www.designlights.org/search.