

390 PC™ CORDLESS

Airless Paint Sprayer





390 PC Cordless


Airless Paint Sprayer

INTRODUCING THE INDUSTRY'S FIRST CORDLESS HIGH PERFORMANCE PAINT SPRAYER

PATENT PENDING

BENEFITS YOU'LL APPRECIATE ON EVERY JOB

- Set up where you want instead of where the power is available
- · Consistent, all-day spraying power without power fluctuations
- Deliver perfect airless finishes with RAC X[™] Low-Pressure SwitchTips™
- Eliminate competing for power with other trades
- Stop wasting time dealing with long extension cords
- · Lightest weight design makes it easier to move and transport
- Experience quiet jobsites with battery power instead of using noisy generators





HIGHEST PERFORMANCE CORDLESS SPRAYER EVER BUILT

- Spraying at up to 3,300 PSI
- Delivering up to 0.47 GPM
- Supporting up to 0.021" tip

PERFORMANCE YOU CAN COUNT ON WITH ALL DAY SPRAYING POWER

- Spray up to 3 gallons on a single battery charge
- Two batteries included for all-day spraying
- Recharge battery in under 60 minutes

UNIMATCHED PORTABILITY DELIVERS THE FREEDOM TO SPRAY EVERYWHERE

- The lightest weight professional airless paint sprayer
- Freedom from power cords, electrical outlets or generators
- Spray every job faster—anywhere





Learn more at graco.com/390Cordless





THE WORLD'S MOST POWERFUL **CORDLESS PAINT SPRAYER**

ENDURANCE™ PISTON PUMP

- Last 2X longer than the next leading brand
- Faster cleaning with the QuikAccess[™] intake valve

DEWALT OCULIA

FAST

- Sprays up to 3,300 psi
- Delivers up to 0.47 GPM
- Supports up to 0.021" tip



390 PC Cordless

Airless Paint Sprayer

THE LIGHTEST WEIGHT PROFESSIONAL **AIRLESS PAINT SPRAYER**

BRUSHLESS DC MOTOR

- Powerful brushless DC motor provides extended battery run time
- · Lightweight, compact design allows for increased portability



ADJUSTABLE PRESSURE CONTROL

- Delivers extended runtime when spraying at low pressure
- Position indicator allows repeatable setting between 0-3,300 psi while spraying light-to-heavy materials.

RUGGED STEEL FRAME

• Thick chrome over steel withstands jobsite abuse



ADVANTAGE™ DRIVE

Hardened steel gears provide extremely quiet operation and a



EASY OUT™ FILTER

- Exclusive inside-out filtering process ensures a quality finish
- Large filtration area reduces tip clogs

COMES COMPLETE WITH EVERYTHING NEEDED TO FINISH THE JOB

• Contractor FTx Spray Gun

390 PC Cordless Stand

25T804

PATENT PENDING

DEWALT FLEX

FLEX

- RAC X LP 515 SwitchTip
- 1/4" x 50 ft BlueMax™ II Airless Hose
- (2) DEWALT FlexVolt 20v/60v Max 6ah Batteries
- (1) DEWALT Fan-Cooled Fast Charger



PUMP REPLACEMENT SYSTEM



PROCONNECT™



POWERED BY DEWALT® FLEXVOLT®

- High capacity 6ah FlexVolt batteries—spray up to 3 gallons per battery charge
- Delivered complete with two batteries
- Fan-cooled fast charger—recharges battery in under 60 minutes





Learn more at graco.com/390Cordless



THE POWER & FREEDOM TO SPRAY EVERY APPLICATION











EXTERIORS

DOORS & TRIM

SOFFITS & FACIA









DECKS FENCES

REMOTE LOCATIONS & MORE!

YOU CHOOSE YOUR POWER SOURCE!



BOTH Deliver Superior Performance



BOTH Spray the Widest Range of Architectural Coatings





WHAT CONTRACTORS ARE SAYING...



"The 390 PC Cordless has the same pressure & performance as the corded version, its lighter weight and is easier to move around the job, it's a great pump!"

Mike Kaukola – Brushmasters Painting & Drywall, Maple Grove, MN

"I don't have to worry about outlets, extension cords, other contractors, etc. It allows me to show up and do my job—I have been waiting 25 years for a sprayer like this!"

Justin Henjum – J's Finishing LLC, Hanover, MN







	SPECIFICATIONS					FEATURES									
	Part Number	Maximum Tip Size	Maximum psi (bar)	Maximum gpm (lpm)	Motor hp	Weight lb (kg)	Gun Support	Endurance Pump	ProConnect	Advantage Drive	Easy Out Pump Filter (60 Mesh)	Adjustable Pressure Control	Gun	Tip	Hose
390 PC CORDED	Stand (17C310) Hi-Boy (17C313)	0.021"	3300 (227)	0.47 (1.8)	5/8 DC	33 (15) Stand	1 Gun (0.021")	•	•	•	•	•	Contractor FTx	RAC X LTX 515	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless
390 PC CORDLESS	Stand (25T804) Hi-Boy (25T805)	0.021"	3300 (227)	0.47 (1.8)	5/8 Brushless DC	31 (14) Stand	1 Gun (0.021")	•	•	•	•	•	Contractor FTx	RAC X LP 515	1/4 in x 50 ft (6.4 mm x 15 m) BlueMax II Airless

ACCESSORIES

BATTERY & CHARGER



PART #	DESCRIPTION
20A162	DEWALT 20V/60V MAX* FlexVolt 6ah Battery
20A165	DEWALT Fan-Cooled Fast Charger

AIRLESS SPRAY GUNS



PART #	DESCRIPTION
17Y043	Contractor PC with RAC X LP 517 SwitchTip
19Y350	Contractor PC Compact with RAC X LP 517 SwitchTip
288420	Contractor with RAC X LTX 517 SwitchTip
288430	Contractor FTx with RAC X LTX 515 SwitchTip

AIRLESS SPRAY TIPS



PART #	DESCRIPTION
LTXxxx	RAC X LTX SwitchTips
FFLPxxx	RAC X FFLP SwitchTips
LPxxx	RAC X LP SwitchTips

HOPPER KITS



PART #	DESCRIPTION					
17H171	1.5 Gallon (5.7 liter) Hopper Assembly, Lid Included (390 PC - 595 PC Pro)					
19B968	Airless Finishing Kit					

INDUSTRY-LEADING WARRANTY PROTECTION

Every Graco electric sprayer is backed by the industry's best warranty coverage.

LIFETIME ELECTRIC MOTOR WARRANTY*

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

LIFETIME DRIVETRAIN WARRANTY*

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*



Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.



Every Graco purchase comes with A+ Customer Service.

Questions? Call (844) 241-9499

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

3-YEAR DEWALT DEFECT WARRANTY*

Coverage against defects in materials and workmanship on batteries and charger

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics

For more information visit graco.com

©20201 Graco Inc. 3J0206 Rev. B 1/21 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Trademarks are referenced herein for identification purposes only. DaWALT® and the DaWALT Logo are trademarks of DaWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents. With respect to 20/60v max, maximum initial battery voltage (Measured without a workload), is 20v/60v respectively. Nominal voltage is 18v and 54V respectively.