



PRIMERS 

Velox

6:1 UHS AIR DRY FAST PRIMER



2K 6:1 UHS 2K acrylic primer that enables highly efficient repairs thanks to its fast application, drying and sanding. It also stands out thanks to its high levels of finish as well as for its versatility and is the ideal filler for all types of repairs.

Its 3 hardeners are those in the KX range.

Available in black and white colors that make it possible to obtain the required primer color according to Roberlo Greycom.

 3L |  V0 White | Art. no. 69959 |
3L |  V6 Black | Art. no. 69960 |



> Speed and productivity



> High quality finish



> Versatility



> Ease of application





ADVANTAGES AND PERFORMANCE

- › Speed and productivity: fast application with no flash-off time, single step sanding process and fast drying times make this product ideal for the most efficient repairs.
- › High-quality finish, emphasizing its fine level of finish and great coverage.
- › Versatility, enabling the 3 types of application (high thickness, surfacer and wet-on-wet) depending on the needs of each repair.
- › A very easy application method that provides the user with assurance and confidence.

METHOD OF APPLICATION

| | | High build primer | | Primer surfacer | | Non sanding | |
|-------------|-------------------------------------|-------------------|--------|-----------------|--------|-------------|--------|
| | | Vol. | Weight | Vol. | Weight | Vol. | Weight |
| MIX | Velox | 6 | 100 | 6 | 100 | 6 | 100 |
| | KX44-45 Hardener | 1 | 12 | 1 | 12 | 1 | 12 |
| | Voc plus LOW VOC Slow/Std. Additive | 10% | 7 | 25% | 16 | 40% | 26 |
| | 20°C | 15' | | 30' | | 30' | |
| | HVLHP/HT | 1, 7-1, 9 | | 1, 4-1, 6 | | 1, 3 | |
| APPLICATION | Coats | 2 | | 2 | | 2 | |
| | 20°C | 0' | | 0' | | 0' | |
| DRYING | 20°C | - | | - | | 15' - 60' | |
| | 20°C | 45' - 60' | | 30' - 45' | | >60' | |




Applicator phrase

“Velox permits highly efficient repairs while guaranteeing the highest quality finishes”

GREYCROM

> SOLID COLORS

> EFFECT COLORS



| | Colors | Mixing ratio V0:V6 | Recommended finishes |
|-----------|--------|-----------------------|---|
| R1 | | 100:0 | White, Yellow, Orange |
| R2 | | 95:5 | Red |
| R3 | | 70:30 | Green, Blue and light Grey, Green, Blue, Red and Grey metallic light, Yellow, Beige and metallic Orange |
| R4 | | 40:60 | Green, Blue and Grey dark, Green, Blue and metallic Grey dark |
| R5 | | 0:100 | Black, Metallic Black |