

GRKHD01 SUZUKI SWIFT 2011-2017

INSTALLATION MANUAL

This dash image is a visual representation for display purposes only.

The information provided in this document is subject to change without notice due to changes and/or improvements to the product/s.

ABOUT THIS PRODUCT

The *GRKSZ01* installation kit allows for the retention of the vehicle's steering wheel controls and helps maintain the original aesthetic of the interior when installing a new car stereo. The *GRKSZ01* gives you everything you need for a complete install in one box. The components of this kit are compatible for the Suzuki Swift (2011-2017) with Panasonic factory stereos. The wiring harness and interface will retain the steering wheel controls and phone button functionality (if vehicle is equipped).

The interface supplied features an OEM specific connector.



CONTENTS

- 1x Fascia plate (with accessories)
- 1x Instruction manual
- 1x Steering wheel control harness and interface
- 1x Antenna adapter
- 1x Stereo patch lead

CUSTOMER SUPPORT

Installations should be carried out by, or under the guidance of an experienced installer. If you do encounter any problems during the installation of this product, then please contact our dedicated customer service team at:

Phone: 01420 470 605 E-Mail: help@topvehicletech.com

FITTING GUIDE

STEREO REMOVAL

- 1. Use a panel removal tool to free up the top vent panel which will have 3x retaining clips either side. Once free, either disconnect the hazard switch connector and remove, or simply put to one side.
- 2. With the vent's out of the way, this will uncover 2x phillips screws at either side of the radio. Undo these screws and carefully remove them out of the dashboard.
- 3. When the top screws are out of the way, use the panel removal tool again to dislodge the 4x retaining clips that hold the main head unit in place. Once free, remove completely whilst disconnecting the wiring.

FASCIA PLATE SET-UP

- 1. Once you have taken the main head unit out of the dashboard, you will need to transfer the 4x retaining clips onto the corresponding posts of the new fascia.
- 2. Take the brackets from within the kit and line them up to the rear of the new fascia and use the 6x screws within the kit to attach them securely.
- 3. Take the new radio and slide this inbetween the brackets from behind the fascia panel. Line the holes up correctly and attach them accordingly.
- 4. Take the rubber band and align this around the outside of the trim. When aligned correctly, this can then be pushed onto the front of the fascia for a seamless looking fit.
- 5. With the bracketry aligned correctly, and the "Stereo Installation" process complete, you can then push the head unit and fascia assembly into the dashboard to complete the installation.


FITTING GUIDE

STEREO INSTALLATION

- 1. Take the steering wheel control interface and attach the 14-way steering wheel harness connector to the relevant side.
- 2. Make a cut within the orange and purple loops on the back of the patch lead connector. Then proceed to attach '*Key 1*' to the light blue 'SWC Remote' wire on the stereo. When done, connect the 12-way connector to the steering wheel control interface.
- 3. Attach the antenna adapter to the vehicles pre-existing connection and the back of new stereo.
- 4. Attach the additional wiring on the harness to the back of the stereo: **Pink** Speed Pulse
- 5. When all the above wires (and any additional accessories) have been connected, finally make the power connections between the stereo and the vehicles pre-existing connector.

STEERING WHEEL CONTROL FUNCTIONALITY

Please note: configuration layout may differ dependent on vehicle model.




Original Button

- 1. Volume +
- 2. Volume -
- 3. Up Arrow
- 4. Down Arrow
- 5. Mute
- 6. Mode
- 7. Pick Up
- 8. Hang Up

New Function

- 1. Volume +
- 2. Volume -
- 3. Track +
- 4. Track -
- 5. Mute
- 6. Source
- 7. Pick Up
- 8. Hang Up





TECHNICAL ASSISTANCE

If at any point you experience any problems and need any assistance before, during or after the installation process, please contact us via:

Phone: 01420 470 605

E-Mail: help@topvehicletech.com

Mon - Fri 9am - 5.30pm GMT

If you would like to download a digital copy of this manual, or any other product, then please visit the **www.topvehicletech.com** website.

This manual is considered correct at the time of printing but is subject to change. For the latest manuals & updates, refer to our website.

Copyright 2022 by TopVehicleTech.

All rights reserved. No part of this publication may be reproduced, distributed or transmitted in any form or by any means, including photocopying, recording, copying or other electronic or mechanical methods, without the prior written permission of the author.