Traditional Bronze Hardware For Gates, Doors, Barns, & Shutters

SI

New Additional Product Releases For 2020

Pure Bronze - 90% Copper & 10% Tin Traditional Hand Crafted Designs Will Never Rust & Lasts a Life Time Custom Fabrication & Designs

See Original Catalog & 2019 Price List for Additional Information

www.CoastalBronze.com 31121 Via Colinas, Suite #1002, Westlake Village, CA 91362 P: 1-877-227-6603 | E: Orders@CoastalBronze.com | F: 1-888-778-7889

All New Gate, Door & Cabinet Hardware

Arch Lever Latch Set 60-360-00-LH/RH

Thickness: 1/8" Screw: 1" Oval | #10 Stainless Dimensions: 4-3/4 W x 3-1/4" H Passage Dim.: 4-1/8" L x 3-1/4" H Beaver Tail (**30**) Lever Shown Included: Active Bar Latch Side, Passage Side (Shown Below), & Surface or Mortise Strike



Right Hand Shown - Handing Required <u>Displayed SKU:</u> 60-360-30-RH



Mortise Strike **50-501**

May be used instead of surface strike (shown above). Please specify when ordering.



This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side may be ordered as a half-set and used with any spindle passage plate.

Half-Set Active Example: 60-360-30-F-LH



This product would be a Right Handed Arch Lever Latch Set with a Beaver Tail Lever




Right Hand Shown - Handing Required - Displayed SKU: 60-370-10-RH



Double Arch Lever Latch Set 60-361-00-LH/RH

Screw: 1" Oval | #10 Stainless Dimensions: 4-3/4 W x 3-1/4" H Passage Dim.: 4-1/8" W x 3-1/4" H Square (10) Lever Shown Included: Active Lever Latch Side (Above), Latch Side Keeper Plate (Above), 2 Passage Sides (Below)





(10) Square Lever Dimensions: 4-1/8" L Projection: 2-1/2"



(50) Pull Ring Dimensions: 3-1/2" Dia. Projection: 2-1/4"

(15) Square Twist Dimensions: 4-1/8" L Projection: 2-1/2"

(60) Oval Knob

Projection: 2-3/4"

Dimensions: 2-1/2"H x 1-1/2" W



r (30) Beaver Tail Lever Dimensions: 4-1/2" L Projection: 2-1/4"

(70) Mushroom Knob

Dimensions: 2" Dia.

Projection: 2-1/2"



(40) Octagonal Lever Dimensions: 6" L Projection: 3"



(75) Large Mushroom Dimensions: 2-1/4" Dia. Projection: 2-1/2"

Simply add your desired Lever or Knob Code to the end of the Base SKU. Base SKU's shown above are: **60-361**



This product would be a Right Handed Double Arch Lever Latch Set with a Square Lever

Euro Lever Latch Set 60-350-00-LH/RH Thickness: 1/8"

Screw: 1" Oval | #10 Stainless Dimensions: 4-3/4 W x 3-1/4" H Passage Dim.: 4" W x 3-1/4" H Octogonal (**40**) Lever Shown Included: Active Bar Latch Side, Passage Side (Shown Below), & Surface or Mortise Strike



Right Hand Shown - Handing Required Displayed SKU: 60-350-40-RH



Mortise Strike **50-501**

May be used instead of surface strike (shown above). Please specify when ordering.



This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side be ordered as a half-set and used with any spindle passage plate.

Half-Set Active Example: 60-350-40-F-LH



Right Hand Shown -Handing Required <u>Displayed SKU:</u> 400-15-SET-RH





4-1/8" Case Latch Set 400-00-SET-RH Thickness: 3/4"

Screw: 1-1/4" Oval | #10 Stainless Dimensions: 5-1/4 H x 3-1/4" W Square Twist (15) Lever Shown Included: Active Bar Latch Side, Passage Side (Shown on Right), & Surface or Mortise Strike



Mortise Strike 50-500 May be used instead of surface strike (shown above). Please specify when ordering.

This is a double sided spindle based set and may be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side may be ordered as a half-set

and used with any spindle passage plate. Example Active Side Only SKU: 400-15-**BAR**-RH Example Passage Set Only SKU: 400-15-**PAS**-RH



This product would be a Left Handed Case Latch Lever Set with a Square Twist Lever.

7" Passage Drop Bar Latch **60-100-00-LH/RH** Thickness: 1/8" Screw: 1" Round | #10 Stainless Dimensions: 4-1/2 H x 2-3/4" W 7" From Center of Plate Knob (**75**) Shown Included: Active Bar Side, Passage Side, & Surface or Mortise Strike

Strike at no extra charge.





This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. The Active Bar Latch side can be ordered as a half-set and can be used with any spindle passage plate just specify a half set when ordering.



This product would be a 7" Right Handed Passage Drop Bar Latch with a Mushroom Knob.



Standard Thumb Latch Tail Piece works on Gates up to **3-1/2**" Thick Extended Tail Piece **(40-315)** - Works on Gates up to **4-3/4**" Thick







7-1/2" Pull Handle - Bean 40-105-B Dimensions: 7-1/2" L x 2" W Screw: 1" Round | #10 Stainless

8-1/2" Pull Handle - Heart 40-105-H Dimensions: 8-1/2" L x 2" W Screw: 1" Round | #10 Stainless

8-1/2" Pull Handle - Spear 40-105-S Dimensions: 8-1/2" L x 2" W Screw: 1" Round | #10 Stainless

Standard Thumb Latch Tail Piece works on Gates up to 3-1/2" Thick Extended Tail Piece (40-315) - Works on Gates up to 4-3/4" Thick





7-1/2" Thumb Latch - Bean 40-100-B Dimensions: 7-1/2" L x 2-3/4" W

Screw: 1" Round | #10 Stainless Works with any Drop Bar

8-1/2" Thumb Latch - Heart 40-100-H

Dimensions: 8-1/2" L x 2-3/4" W Screw: 1" Round | #10 Stainless Works with any Drop Bar

8-1/2" Thumb Latch - Spear 40-100-S Dimensions: 8-1/2" L x 2-3/4" W Screw: 1" Round | #10 Stainless

Works with any Drop Bar



6-1/2" Drop Bar Square with Knob **50-145**

Bar Dimensions: 6-1/2" L Catch Dimensions: 3" L x 3/4" W Screw: 1" Round | #10 Stainless



6-1/2" Drop Bar Square without Knob **50-147**

<u>Bar Dimensions:</u> 6-1/2" L <u>Catch Dimensions:</u> 3" L x 3/4" W <u>Screw:</u> 1" Round | #10 Stainless



6-1/2" Drop Bar Square without Knob - Reverse Bevel **50-135** Bar Dimensions: 6-1/2" L

Catch Dimensions: 3" L x 3/4" W Screw: 1" Round | #10 Stainless




2" x 2" Slim Gate Stop **50-240** Thiskness: 2/8"

Thickness: 3/8" Screw: 1-1/4" Flat | #10 Stainless Included: Stopping Pad Use: For Gates up to 50 Lbs



4" x 2" Extended Gate Stop **50-260** Thickness: 5/8" Screw: 1-1/4" Flat | #10 Stainless Included: Stopping Pad Use: For Gates up to 100 Lbs





6-1/2" Gate T-Hinge **30-440** Dimensions: 6-1/2" L x 4" H

Thickness: .20" / 5mm Weight Load (Pair): 60 Lbs Screw: 1-1/4" Flat | #10 Stainless

3" Cabin Hook **50-699** <u>Mounting Plates:</u> 1-1/2" W x 1-1/4" <u>Screw:</u> 1" Flat | #10 Stainless

4-1/2"x 4-1/2" Butt Hinge - Button Tip

30-423

<u>Thickness:</u> .26" / 6.5mm <u>Screw:</u> 1-1/2" Flat | #12 Stainless <u>Weight Load (Pair)</u>: 75 Lbs

4-1/2"x 4-1/2" Butt Hinge - Round (Ball) Tip


30-424

<u>Thickness:</u> .26" / 6.5mm <u>Screw:</u> 1-1/2" Flat | #12 Stainless <u>Weight Load (Pair)</u>: 75 Lbs

4-1/2"x 4-1/2" Butt Hinge - Steeple Tip

30-425

<u>Thickness:</u> .26" / 6.5mm <u>Screw:</u> 1-1/2" Flat | #12 Stainless <u>Weight Load (Pair)</u>: 75 Lbs Hinges



All hinges shown are cast and may vary slightly in height, width, and thickness. All hinges are available with Button, Round, or Steeple Tips.

4-1/2"x 4-1/2" Heavy Duty Hinge

30-423-H

<u>Thickness:</u> .26" / 6.5mm <u>Screw:</u> 2" Flat | #18 Stainless <u>Weight Load (Pair)</u>: 150 Lbs



Heavy Duty Hinge (**30-423-H**) is available in Button, Round, or Steeple Tips. Button is shown.



10

Extended Throw Cane Bolt **80-110**

Dimensions: 23" L x 5/8" Dia. Back Plates: 2" W x 4" L Throw: 8" Screw: 1" Round | #10 Stainless 4-1/2"x 4-1/2" Self Closing Hinge w/ Bronze PVD Finish **30-455**

Material: 304 Stainless Steel w/PVD Finish Thickness: .13" / 6.5mm Screw: 1-1/2" | #12 Stainless Weight Load (Pair): 75 Lbs



4"x 4" Self Closing Hinge w/ Bronze PVD Finish **30-456**

Material: 304 Stainless Steel w/PVD FInish Thickness: .13" / 6.5mm <u>Screw:</u> 1-1/2" | #12 Stainless Weight Load (Pair): 60 Lbs



Heavy Duty Cane Bolt 80-115

Dimensions: 25" L x 1" Dia. Back Plates: 3" W x 4" L Throw: 6" Screw: 1-1/4" Flat | #12 Stainless

Cane Bolt Cup **80-105** <u>Dimensions:</u> 3" H x 1-1/4" Dia.



Cane Bolt Lock Plate 80-102

Dimensions: 1-3/4" L x 1-1/4" H Included: Plate & Lock Screw: 1-1/4" Flat |#10 Stainless





8"x 8" High Load Butt Hinge **30-430** Thickness: .275" / 7mm Screw: 2" Flat | #18 Stainless Weight Load (Pair): 160 Lbs Longer screws available by request



3-1/2"x 3-1/2" Template Hinge **30-409** Thickness: .125" / 3.2mm Screw: 1-1/4" Bronze | #12 Weight Load (Pair): 60 Lbs



8-5/8"x 2" Bi-fold Hinge **30-435** <u>Thickness:</u> .275" / 6mm <u>Screw:</u> 1-1/4" Flat | #10 Stainless <u>Weight Load (Pair)</u>: 75 Lbs



Cabinet H-Hinge **30-465** <u>Dimensions:</u> 3" L x 1-1/4" W <u>Thickness:</u> 1/8" / 3.2mm

<u>Thickness:</u> 1/8" / 3.2mm <u>Screw:</u> 1/2" Oval | #6 Stainless <u>Weight Load (Pair)</u>: 10 Lbs

(30-435) & (30-430) are cast and may vary slightly in height, width, and thickness. (30-435) & (30-430) are also available with Button, Ball, or Steeple Tips. Button is shown.

Choose your preferred hinge tip and add the letter code to the end of the SKU as shown below.

(R) Round Tip







Example SKU: **30-440-X**

Hinge Tip Code

This product would have a Steeple Tip.



Driveway Gate Hinge - Edge Mount **20-390**

Dimensions: 16-1/2" L x 3-1/2" W Pintle: 7" L x 3-3/4" W Thickness: .45" / 11.5mm Includes: (1) Pintle & (1) Active Hinge Screw: 1/2" Bolts (Specify Thickness on Order) Weight Load (Pair): 350 Lbs

Driveway Gate Hinge - Edge Mount **20-391**

Dimensions: 6-1/2" L x 3-1/2" W Pintle: 7" L x 3-3/4" W Thickness: .45" / 11.5mm Includes: (1) Pintle & (1) Active Hinge Screw: 1/2" Bolts (Specify Thickness on Order) Weight Load (Pair): 350 Lbs



Driveway Gate Hinge - Dummy **20-392**

Dimensions: 15-1/2" L x 3-1/2" W Thickness: .45" / 11.5mm Includes: (1) Dummy Hinge Screw: 1/2" Bolts

Driveway Gate Hinge - Dummy **20-393**

Dimensions: 5-1/2" L x 3-1/2" W Thickness: .45" / 11.5mm Includes: (1) Dummy Hinge Screw: 1/2" Bolts









•

•

Small Band Hinge & Pintle - Arch **20-350-A**

Included: (1) Small Band Hinge & (1) Pintle <u>Dimensions:</u> 12" L x 1-1/4" H x 1/4" Thick <u>Pintle:</u> 1-1/4" W x 3-3/4" H <u>Screw:</u> 1"Round | #10 Stainless <u>Weight Load (If Paired)</u>: 60 Lbs | 3 Hinges: 100 Lbs

Small Band Hinge & Pintle - Bean **20-350-B** Included: (1) Small Band Hinge & (1) Pintle Dimensions: 12" L x 1-1/4" H x 1/4" Thick Pintle: 1-1/4" W x 3-3/4" H Screw: 1" Round | #10 Stainless Weight Load (If Paired): 60 Lbs | 3 Hinges: 100 Lbs Pintle In Pipe - Heavy **20-255-H** <u>Dimensions:</u> 12" L <u>Diameter:</u> 1-1/4" <u>Weight Load (Pair)</u>: 150 Lbs Pintle in Pipe may be installed into brick, concrete, or a stone face 10" deep. It is designed for heavy duty long-term installations and should be installed professionally to prevent installation misalignment which can cause breakage.



Screw In Pintle - Heavy 20-251-H Dimensions: 7-1/2" L x 3-1/2" H Threads: 5-1/2" Long Weight Load (Pair): 150 Lbs



28" Non-Active Band Hinge - Arch **20-155-A** <u>Band Thickness:</u> 1/4" <u>Screw:</u> See Screw Chart (A)



22" Non-Active Band Hinge - Arch 20-150-A Band Thickness: 1/4" Screw: See Screw Chart (A)



15" Non-Active Band Hinge - Arch **20-145-A** Band Thickness: 1/4" Screw: See Screw Chart (A)



10" Non-Active Band Hinge - Arch 20-140-A Band Thickness: 1/4" Screw: See Screw Chart (A)

All Non-Active Band Hinges are decorative only, they do not support weight. They cannot be through-bolted.

Specify screw head type and length when ordering any Non-Active Band Hinge



16



•

30" Active Band Hinge - Bean **20-330-B** Band Thickness: 1/4" Screw: See Screw Chart (A)



24" Active Band Hinge - Bean **20-324-B** Band Thickness: 1/4" Screw: See Screw Chart (A)



17" Active Band Hinge - Bean 20-317-B Band Thickness: 1/4" Screw: See Screw Chart (A)



12" Active Band Hinge - Bean 20-312-B Band Thickness: 1/4" Screw: See Screw Chart (A)

Specify screw head type and length when ordering any Band Hinge





28" Non-Active Band Hinge - Bean **20-155-B** Band Thickness: 1/4" Screw: See Screw Chart (A)



22" Non-Active Band Hinge - Bean **20-150-B** Band Thickness: 1/4" Screw: See Screw Chart (A)




15" Non-Active Band Hinge - Bean **20-145-B** Band Thickness: 1/4" Screw: See Screw Chart (A)



10" Non-Active Band Hinge - Bean **20-140-B** Band Thickness: 1/4" Screw: See Screw Chart (A)

All Non-Active Band Hinges are decorative only, they do not support weight. They cannot be through-bolted.



40-730 with Finger Pull (Above) **(40-800)**

40-710 with Finger Pull (Above) (40-801)

80-825 with Finger Pull (Above) **(40-802)** All Bar Pulls Above are available to be used with the Finger Pull (Above). Just choose your handle and select the appropriate type code.

2



8-3/4" Pocket Door Pull - Square **500-58** Dimensions: 8-3/4" L x 2-1/4" W Screw: 1" Flat | #10 Stainless (Cannot be paired

with above handles)









1/4" Door Stud/Clavos - Square **90-505** <u>Dimensions:</u> 1/4" Projection, 3/4" Stud

<u>Diameter:</u> 1/4"

All door studs/clavos are for decorative purpose and should not be used to mount product or support weight. Make sure to pre-drill your desired area before inserting door stud/clavos.

6" Lockable Hasp 50-450

Thickness: .20" / 5mm Screw: 1" Flat | #10 Stainless Dimensions: 6" L x 1-1/2" W Padlock Hole Diameter: 3/8"



1" Door Stud/Clavos - Crest **90-520** Dimensions: 1/4" Projection, 1" Stud Diameter: 1"



5" Surface Slide Bolt **90-105** Dimensions: 5" L x 3/4" W <u>Screw:</u> 1" Round | #10 Stainless <u>Throw:</u> 1" Total Included: (1) Slide Bolt, Catch (Shown)

By request, Mortise Plates can replace flush catch free of charge.



Mortise Plate **90-110** <u>Used With:</u> 90-105

Hasps, Slidebolts, & Deadbolts



Door Stop - Floor **500-30** <u>Dimensions:</u> 1" Diameter x 1-1/4" L <u>Screw:</u> 1-1/2" Flat | #10 Stainless

14" x 14" Grill 70-115 Bar Thickness: .50" / 5mm Screw: 1" Round | #10 Stainless Bar Type: 1 Bar x 1 Bar 14-1/4" Grill - Curved - Four Point Design **70-150** Bar Thickness: .65" / 6mm Screw: 1-1/2" | #18 Stainless



5" Offset Square Series **102-00-PAS/DUM** Thickness: 1/8" <u>Screw:</u> 1" Oval | #10 Stainless Dimensions: 5" H x 2-3/4" W Large Mushroom (**75**) Knob Shown



Included with PAS Function: (2) Plates with Levers, Knobs, or Ring & 1 Spring Latch Set

Included with DUM Function: (2) Plates with Levers, Knobs, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.



This product would be a 5" Offset Square Plate Passage with a Large Mushroom Knob.



2-3/4" Square Series **105-00-PAS/DUM** Thickness: 1/8" <u>Screw:</u> 1" Oval | #10 Stainless Dimensions: 2-3/4" W x 2-3/4" H Oval Knob (**60**) Lever Shown



Included with PAS Function: (2) Plates with Levers, Knob, or Ring, 1 Spring Latch Set

Included with DUM Function: (2) Plates with Levers, Knob, or Ring

This is a double sided spindle based set and can be used on both Gates & Doors. Both sides can have different Levers, just specify when you order. One side may be ordered as a half-set dummy.





Large Square Deadbolt - Single Cylinder **30-290** <u>Dimension: 2-3/4" x 2-3/4"</u> <u>Screw:</u> 1" Oval | #10 Stainless



Large Square Deadbolt - Double Cylinder **30-290-D** <u>Dimension:</u> 2-3/4" x 2-3/4" <u>Screw:</u> 1" Oval | #10 Stainless

17" C2C Bar Pull **80-827**

Dimensions: 17" L x 7/8" W Screw: #1/4-20

> 12" C2C Bar Pull **80-826** <u>Dimensions:</u> 12" L x 7/8" W <u>Screw:</u> #1/4-20



8" C2C Bar Pull **80-825** Dimensions: 8" L x 7/8" W Screw: #1/4-20



6" C2C Bar Pull **80-824** Dimensions: 6" L x 5/8" W Screw: #8-32



4" C2C Bar Pull **80-823** <u>Dimensions:</u> 4" L x 7/16" W <u>Screw:</u> #8-32





Cabinet Utility Pull - 6-1/2" **80-828** <u>Dimensions:</u> 6-1/2" L x 1-3/4" W <u>Screw:</u> 1" Round Head | Stainless #10



Cabinet Utility Pull - 5-1/2" **80-829** <u>Dimensions:</u> 5-1/2" L x 1-1/4" W <u>Screw:</u> 1" Round Head | Stainless #10



4" C2C Arch Pull **80-831** Dimensions: 5-1/2" L x 1-1/4" W Screw: 1-1/4" Zinc Plated Pan Head | #8-32



Rat Tail Window Latch **70-203** <u>Dimensions:</u> 3-1/2" Long <u>Screw:</u> 1" Flat | #10 Stainless



Rat Tail Shutter Dog **70-501** Dimensions: 6" Long x 1-3/8" W Lag: 5" Stainless Steel



Sash Lock - RH **70-202-RH** <u>Screw:</u> 3/4" Flat | #10 Stainless Dimension: 3-1/4" L



Sash Lock - LH **70-202-LH** <u>Screw:</u> 3/4" Flat | #10 Stainless