

Stubbs Lane, Beckington, Frome, BA11 6TE, UK

Tel: +441373470418

Email: info@phytovistalabs.com Web: www.phytovistalabs.com

## **CERTIFICATE OF ANALYSIS**

Reported Date: 22/09/2021 No. C-AR02491-4-1

Sample Information				
Description: Cali Range 2500mg		Sample Condition: CONFORMS		
PV ID: AR02491-4	Test method: PVSOP-47	Received date: 15-Sep-2021		
Batch no: CR-2500-14921	Storage Condition: AMBIENT	Test started date: 15-Sep-2021		
Customer Information				
Name: Orange County CBD				
Address: 40 Rodney Street, Liverpool, L1 9AA				
Method Information				
Cannabinoid Content by HPLC-DAD				

## Results apply to sample as received

" \* " Indicates analyte is not UKAS accredited.

Analyte	Units	Result	Limit Of Quantification (LOQ)
Cannabidivarinic Acid (CBDVA)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Cannabidivarin (CBDV)	%w/w	0.0286	0.0025
Cannabidiolic Acid (CBDA)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Cannabigerolic Acid (CBGA)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Cannabigerol (CBG)	%w/w	1.7980	0.0025
Cannabidiol (CBD)	%w/w	4.8690	0.0025
Tetrahydrocannabivarin (THCV)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Tetrahydrocannabivarinic Acid (THCVA)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Cannabinol (CBN)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Δ9-Tetrahydrocannabinol (Δ9-THC)	%w/w	0.0031	0.0025
Δ8-Tetrahydrocannabinol (Δ8-THC)	%w/w	<loq< th=""><th>0.0036</th></loq<>	0.0036
Cannabicyclol (CBL)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Cannabichromene (CBC)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
Tetrahydrocannabinolic Acid (THCA)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025
* Cannabichromenic Acid (CBCA)	%w/w	<loq< th=""><th>0.0025</th></loq<>	0.0025

## **Additional Information:**

Reviewed By:

Rob McMahon

R. J. Munn

Senior Analytical Chemist



Opinions and interpretations are outside of the scope of any accreditation. By placing the order for services with PhytoVista Laboratories, terms and conditions are deemed to be accepted by the submitter. Report shall not be reproduced, except in full, without the approval of the testing laboratory.