


Push/Pull Door Handles



We take the worry out of
protecting what's valuable to you.
Lockwood: *no worries*[®]

LOCKWOOD

ASSA ABLOY

25YEAR

**MECHANICAL
WARRANTY**

www.lockweb.com.au

Contents



184 Brass Furniture

Offset Pull Handle

page 4



185 Brass Furniture

Offset Pull Handle

page 5



214/215 Series

10mm Radius Corner
Push/Pull Plates

page 6



216/217 Series

10mm Radius Corner
Push/Pull Plates

page 8



218/219 Series

10mm Radius Corner
Push/Pull Plates

page 10



206/207 P3 Handle

Square Corner
Push/Pull Plates

page 13



208/209 P4

Square Corner
Push/Pull Plates

page 16



Pull Handles

page 19



Entrance Handles

141

page 22



Entrance Handles

142

page 22



Entrance Handles

143

page 22



Entrance Handles

145

page 23

Contents



Entrance Handles

146

page 23



Entrance Handles

147

page 23



Entrance Handles

151

page 24



Entrance Handles

192

page 24



Entrance Handles

231

page 24



Paradigm®

Pull Handle Lockset
Deadbolt

page 26



Paradigm®

Pull Handle Lockset
Deadlatch

page 28



Paradigm®

Pull Handle Lockset
Dummy Handle

page 30



Finishes

page 34

184 Brass Furniture Offset Pull Handle



Made from brass and designed to compliment 1800 and 2800 Series Brass Plate Furniture, the 184 Offset Pull provides a fixed pull without impacting the cylinder/turn functionality or the design aesthetic of a plate furniture installation.

Application

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks using Lockwood 1800 or 2800 Series Brass Plate Furniture.

Recommended for Access Control doors with electric strikes.

Product Details

| | |
|-------------------|---|
| Dimensions | Length: 160mm Projection: 48mm Screw Centres: 147mm Finger Clearance: 44mm |
| Finishes | Satin Chrome Brushed (SC) Chrome Plate (CP) |
| Fixing | The 184 Pull is designed with 147mm screw centres to enable it to be fixed through a standard visible fix brass plate (1900 or 2900). Plates are to be ordered separately to the 184 and care should be taken to ensure that a visible fix plate is specified for both sides of the door. |
| Screws | Supplied with M4 x 120mm x 2 screws |

Standards and Compliance



Disabled Access - AS1428.1

185 Brass Furniture Offset Pull Handle



Made from brass and designed to compliment 4800 and 5800 Series Brass Plate Furniture, the 185 Offset Pull provides a fixed pull without impacting the cylinder/turn functionality or the design aesthetic of a plate furniture installation.

Application

Designed for use with Lockwood 3580 Synergy Series and 3780 Selector Series Mortice Locks using Lockwood 4800 or 5800 Series Brass Plate Furniture.

Recommended for Access Control doors with electric strikes.

Product Details

| | |
|-------------------|---|
| Dimensions | Length: 176mm Projection: 48mm Screw Centres: 159mm Finger Clearance: 44mm |
| Finishes | Satin Chrome Brushed (SC) Chrome Plate (CP) |
| Fixing | The 185 Pull is designed with 159mm screw centres to enable it to be fixed through a standard visible fix brass plate (4900 or 5900). Plates are to be ordered separately to the 185 and care should be taken to ensure that a visible fix plate is specified for both sides of the door. |
| Screws | Supplied with M4 x 120mm x 2 screws |

Standards and Compliance



Disabled Access - AS1428.1

214/215 Series 10mm Radius Corner Push/Pull Plates



Application

The 214 Series Door Furniture is 300 x 100 x 2mm thick stainless steel or brass plates with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner; visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Function/Handle Selection

Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

Product Details

| | |
|-----------------------|---|
| Dimensions | Length: 300mm |
| | Width: 100mm |
| | Thickness: 2mm |
| | Handle Diameter: 17.5mm Finger Clearance: 40mm |
| Materials | Stainless steel or brass |
| Door Thickness | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208. |
| Finishes | Satin Stainless Steel (SS) |
| | Polished Stainless Steel (PS) |
| | Powdercoat (PC) Polished Brass (PB) |

Standards and Compliance



Disabled Access - AS1428.1



Successfully tested up to 4 hours on fire door assemblies in accordance with Australian Standard AS1905.1 2005 - Part 1: Fire Resistant Doorsets.

214/215 Series 10mm Radius Corner Push/Pull Plates

D Handle Selections




| Handle 17.5mm | P1 | P2 | P3 | P4 |
|---------------|-------|-------|-------|-------|
| Centres | 108mm | 152mm | 203mm | 250mm |


| Function | Description | No Engraving | With Engraving |
|----------|--|--------------|----------------|
| 24 | Pull Handle Only | P4 | P3 |
| 25 | Pull Handle and Cylinder | P2 | P2 |
| 26 | Pull Handle and Emergency Turn | P2 | P2 |
| 27 | Pull Handle and Turn Knob | P2 | P2 |
| 28 | Pull Handle and Privacy Indicator Emergency Turn | P2 | P2 |
| 42 | Pull Handle and Disabled Turn | P2 | P1 |
| 44 | Pull Handle Only – Offset from Bottom | P1 P2 | x |

Note: x indicates this function is not available in this configuration.

External Plates



Internal Plates



Legend

| | | | | | |
|---------------|--|----------------|--|---------------------------|--|
| Cylinder Hole | | Slotted Button | | Indicating Slotted Button | |
| Turn-Snib | | Disabled | | | |

216/217 Series 10mm Radius Corner Push/Pull Plates



Application

The 216 Series Door Furniture is 300 x 65 x 2mm thick stainless steel or brass plate with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Function/Handle Selection

Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

Product Details

| | |
|-----------------------|---|
| Dimensions | Length: 300mm Width: 65mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm |
| Door Thickness | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208. |
| Finishes | Satin Stainless Steel (SS) Polished Stainless Steel (PS) Powdercoat (PC) Polished Brass (PB) |
| Materials | Stainless steel or brass |

Standards and Compliance



Disabled Access - AS1428.1

216/217 Series 10mm Radius Corner Push/Pull Plates

D Handle Selections




| Handle 17.5mm | P1 | P2 | P3 | P4 |
|---------------|-------|-------|-------|-------|
| Centres | 108mm | 152mm | 203mm | 250mm |


| Function | Description | No Engraving | With Engraving |
|----------|--|--------------|----------------|
| 24 | Pull Handle Only | P4 | P3 |
| 25 | Pull Handle and Cylinder | P2 | P2 |
| 26 | Pull Handle and Emergency Turn | P2 | P2 |
| 27 | Pull Handle and Turn Knob | P2 | P2 |
| 28 | Pull Handle and Privacy Indicator Emergency Turn | P2 | P2 |
| 42 | Pull Handle and Disabled Turn | P2 | P2 |
| 44 | Pull Handle Only – Offset from Bottom | P1 P2 | x |

Note: x indicates this function is not available in this configuration.


External Plates



21600NA 21602NN 21606NN 21607AN 21607BN 21607CN 21607DN 21607FN 21607NN




21613NN 21624BN/* 21624DN/* 21624GN/* 21624NN/* 21625NA/* 21626NN/* 21627NN/* 21628NN/*



21644NN/*

Internal Plates



21700NA 21706NN 21707NN 21724NN/* 21725NA/* 21727NN/* 21738NN 21742NN/*

Legend

| | | | | | |
|---------------|--|----------------|--|---------------------------|--|
| Cylinder Hole | | Slotted Button | | Indicating Slotted Button | |
| Turn-Snib | | Disabled | | | |

218/219 Series 10mm Radius Corner Push/Pull Plates



Application

The 218 Series Door Furniture is 250 x 50 x 2mm thick stainless steel or brass with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Function/Handle Selection

Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

Product Details

| | |
|-----------------------|---|
| Dimensions | Length: 250mm Width: 50mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm |
| Materials | Stainless steel or brass |
| Door Thickness | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208. |
| Engraving | Options are available as indicated on the right. |
| Finishes | Satin Stainless Steel (SS) Polished Stainless Steel (PS) Powdercoat (PC) Polished Brass (PB) |

Standards and Compliance



Disabled Access - AS1428.1

218/219 Series 10mm Radius Corner Push/Pull Plates

D Handle Selections



Handle 17.5mm


P1 P2 P3

Centres 108mm 152mm 203mm


| Function | Description | No Engraving | With Engraving |
|----------|--|--------------|----------------|
| 24 | Pull Handle Only | P3 | P2 |
| 25 | Pull Handle and Cylinder | P1 | P1 |
| 26 | Pull Handle and Emergency Turn | P1 | P1 |
| 27 | Pull Handle and Turn Knob | P1 | P1 |
| 28 | Pull Handle and Privacy Indicator Emergency Turn | P1 | P1 |
| 42 | Pull Handle and Disabled Turn | P1 | P1 |
| 44 | Pull Handle Only – Offset from Bottom | P1 P2 | x |

Note: x indicates this function is not available in this configuration.

External Plates



Internal Plates



Legend

| | | | | | |
|---------------|--|----------------|--|---------------------------|--|
| Cylinder Hole | | Slotted Button | | Indicating Slotted Button | |
| Turn-Snib | | Disabled | | | |

214/216/218 Series 10mm Radius Corner Push/Pull Plates

Ordering Procedure

Sample part number 21825NA/P2LSS is made up of several sections.
Choose your product by selecting an option from each section.

2000 Series

| Plate Type | Plate Function | Engraving | Cylinder Shape | Handle | Handing | Finish |
|------------|----------------|-----------|----------------|--------|---------|--------|
| 218 | 25 | N | A | P2 | - | SS |

| Plate Type | Engraving | Lever/ Knob Type | Finish |
|--|--|---------------------------|---------------------------------|
| Exterior Plate (300 x 100) – Radius Corners 214 | A – G Outlined Infill R – X Full Infill | Brass Pull Handles | Stainless Steel Finishes |
| Interior Plate (300 x 100) – Radius Corners 215 | Male Symbol A R | P1 P2 P3 | Satin Stainless Steel SS |
| Exterior Plate (300 x 65) – Radius Corners 216 | Male Text B S | P4 | Polished Stainless Steel PS |
| Interior Plate (300 x 65) – Radius Corners 217 | Female Symbol C T | Handing | Powdercoat PC* |
| Exterior Plate (250 x 50) – Radius Corners 218 | Female Text D U | Left Handed L | 316 Marine Grade MG |
| Interior Plate (250 x 50) – Radius Corners 219 | Female Text E V | Right Handed R | Brass Finishes |
| | Push Text F W | | Polished Brass PB |
| | Pull Text G X | | |
| | Unisex Symbol H Y | | |
| | No Option N | | |
| | Miscellaneous Text P [~] | | |
| | Corporate Image Q [~] | | |

| Plate Function | Cylinder Shape |
|--|--|
| Cylinder Only 00 | Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders A |
| Emergency Turn Only 02 | No Cylinder Function N |
| Turn Knob Only 06 | |
| Plain Plate 07 | |
| Privacy Indicator Emergency Turn Only 13 | |
| Pull Handle Only 24 | |
| Pull Handle and Cylinder 25 | |
| Pull Handle and Emergency Turn 26 | |
| Pull Handle and Turn Knob 27 | |
| Pull Handle and Privacy Indicator Emergency Turn 28 | |
| Disabled Turn Only - Synergy 38 | |
| Pull Handle and Disabled Turn Only - Synergy 42 | |
| Pull handle only - offset from bottom 44 | |

**Line drawing of artwork in desired size must be specified on order.*

^Desired location of engraving measured from the top left corner of plate must be specified on order.

~ Infill or Outline of engraving must be specified on order.

**Note 2 - Not all handles are available with each function, please refer to the function chart for each specific series and function.*

**Note 1 - Powdercoat finish is not available with engraving options.*

206/207 P3 Square Corner Push/Pull Plates



Application

The 206/207 Series Door Furniture are 2mm thick stainless steel plates with 2mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Product Details

| | |
|-----------------------|--|
| Dimensions | Length: 250mm Width: 200mm Thickness: 2mm Handle Diameter: 17.5mm Finger Clearance: 40mm |
| Door Thickness | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208. |
| Finishes | Satin Stainless Steel (SS) Powdercoat (PC) |
| Materials | Stainless steel |

Standards and Compliance



Disabled Access - AS1428.1

206/207 P3 Square Corner Push/Pull Plates

D Handle Selection




Stainless Steel 17.5mm

P3


Centres

203mm


Plates



20600NA




20700NA




20607NN




20707NN




20624NN/P3



20724NN/P3



20625NA/P3



20725NA/P3

Legend

Cylinder Hole



206/207 P3 Square Corner Push/Pull Plates

Ordering Procedure

Sample part number 20625NA/P3LSS is made up of several sections.
Choose your product by selecting an option from each section.

| | | | | | | |
|--------------------------|-----------------------------|-----------------------|----------------------------|---------------------|---------------------|---------------------|
| Plate Type 206 | Plate Function 25 | Engraving N | Cylinder Shape A | Handle P3 | Handing - | Finish SS |
|--------------------------|-----------------------------|-----------------------|----------------------------|---------------------|---------------------|---------------------|

| | | | |
|---|--|---------------------------------|---|
| Plate Type | Engraving | Lever/ Knob Type | Finish |
| Exterior Plate (250 x 200) - Square Corners 206 | A - G Outlined Infill R - X Full Infill | Stainless Steel Pull Handle | Stainless Steel Finishes |
| Interior Plate (250 x 200) - Square Corners 207 | Male Symbol A R Male Text B S Female Symbol C T Female Text D U Disabled Symbol E V Push Text F W Pull Text G X Unisex Symbol H Y No Option N Miscellaneous Text P [^] ~ Corporate Image Q [^] ~ | P3 | Satin Stainless Steel SS Powdercoat PC* 316 Marine Grade MG |
| Plate Function | | Handing | |
| Cylinder Only 00 Plain Plate 07 Pull Handle Only 24 Pull Handle and Cylinder 25 Pull Handle and Privacy Indicator Emergency Turn 28 | | Left Handed L Right Handed R | |

**Line drawing of artwork in desired size must be specified on order.*

^Desired location of engraving measured from the top left corner of plate must be specified on order.

~ Infill or Outline of engraving must be specified on order.

| |
|--|
| Cylinder Shape |
| Oval Cylinder - 32mm (H) x 18mm (W) Lockwood 570 Cylinders A No Cylinder Function N |

*Note 1 - Powdercoat finish is not available with engraving options.

208/209 P4 Square Corner Push/Pull Plates



Application

The 208/209 Series Door Furniture are 2mm thick stainless steel plates with 2mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Designed for use with Lockwood 3570 Synergy Series and 3770 Selector Series Mortice Locks.

Product Details

| | |
|-----------------------|---|
| Dimensions | Length: 324mm |
| | Width: 162mm |
| | Thickness: 2mm |
| | Handle Diameter: 17.5mm Finger Clearance: 40mm |
| Materials | Stainless steel |
| Door Thickness | 35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208. |
| Finishes | Satin Stainless Steel (SS) Powdercoat (PC) |

Standards and Compliance



Disabled Access - AS1428.1

208/209 P4 Square Corner Push/Pull Plates

D Handle Selections




Brass or Stainless Steel 17.5mm

P4

Centres

250mm

Plates



Legend

Cylinder Hole



208/209 P4 Square Corner Push/Pull Plates

Ordering Procedure

Sample part number 20825NA/P4LSS is made up of several sections.
Choose your product by selecting an option from each section.

| Plate Type | Plate Function | Engraving | Cylinder Shape | Handle | Handing | Finish |
|------------|----------------|-----------|----------------|--------|---------|--------|
| 208 | 25 | N | A | P4 | - | SS |

| Plate Type | Engraving | Lever/ Knob Type | Finish |
|---|--|---------------------------------|---|
| Exterior Plate (324 x 162) – Square Corners 208 | A – G Outlined Infill R – X Full Infill | Stainless Steel Pull Handle | Stainless Steel Finishes |
| Interior Plate (324 x 162) – Square Corners 209 | Male Symbol A R Male Text B S Female Symbol C T Female Text D U Disabled Symbol E V Push Text F W Pull Text G X Unisex Symbol H Y No Option N Miscellaneous Text P [^] ~ Corporate Image Q [^] ~ | P4 | Satin Stainless Steel SS Powdercoat PC* 316 Marine Grade MG |
| Plate Function | | Handing | |
| Cylinder Only 00 | | Left Handed L Right Handed R | |
| Plain Plate 07 | | | |
| Pull Handle Only 24 | | | |
| Pull Handle and Cylinder 25 | | | |
| Pull Handle and Privacy Indicator Emergency Turn 28 | | | |

**Line drawing of artwork in desired size must be specified on order.*

^Desired location of engraving measured from the top left corner of plate must be specified on order.

~ Infill or Outline of engraving must be specified on order.

| Cylinder Shape |
|--|
| Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders A |
| No Cylinder Function N |

*Note 1 - Powdercoat finish is not available with engraving options.

Pull Handles



All pull handles are designed for single handle application and can be used with Lockwood Pull Plates and Roses.

Product Details

| | |
|------------------|--|
| Materials | Brass and stainless steel |
| Fixing | Handles are concealed fixed. If ordered with Lockwood Pull Plates or Roses, handles are screw fixed to plates. |
| Screws | Individual pull handles are supplied with M5 x 65mm Pan Head Screws x 2 |

Standards and Compliance



Disabled Access - AS1428.1

Pull Handles

Pull Handles

| Handle Number | Length | Diameter | Projection | Fixing Centres | Finger Clearance | Brass | 304 Stainless Steel | Old Handle |
|---------------|--------|----------|------------|----------------|------------------|-------|---------------------|------------|
| P1 | 125 | 17.5 | 57 | 108 | 40 | ✓ | ✓ | 05, 16 |
| P2 | 170 | 17.5 | 57 | 152 | 40 | ✓ | ✓ | 07, 17 |
| P3 | 220 | 17.5 | 57 | 203 | 40 | ✓ | ✓ | 08, 18 |
| P4 | 267 | 17.5 | 57 | 250 | 40 | ✓ | ✓ | 19 |
| B2 | 170 | 17.5 | 60 | 152 | 43 | ✓ | - | 07, 17 |
| B3 | 220 | 17.5 | 60 | 203 | 43 | ✓ | - | 08, 18 |
| B4 | 267 | 17.5 | 60 | 250 | 43 | ✓ | - | 19 |



Image for illustration only

P Series handles comply with AS1428.1 when used on plates or fitted directly to a door.
B Series handles comply with AS1428.1 when used on brass roses, such as 1222.

Back to Back Pull Handle

| Handle Number | Length | Diameter | Projection | Fixing Centres | Finger Clearance |
|---------------|--------|----------|------------|----------------|------------------|
| P2/2SSS | 171 | 19 | 60 | 152 | 41 |



Material -304 Grade Stainless Steel.

Brass 38 Elbow Pull Handle

| Handle Number | Length | Diameter | Projection | Fixing Centres | Finger Clearance |
|---------------|--------|----------|---------------------|----------------|------------------|
| 38 | 248 | 16 | Base: 54 Top: 73 | 152 | 38 |



Designed for single handle applications for hospitals, disabled and aged care facilities.

Material -solid brass.

Lockwood Entrance Handles



Lockwood Entrance Handles are constructed using the finest materials to incorporate the maximum standards in style, durability, finish and design.

Style and Variety

Combining fit for purpose with the epitome of style, the Lockwood Entrance Handles range represents a comprehensive collection of high quality back to back handles.

Nine designs, ranging from classic to contemporary, have been selected to complement the evolving style requirements of both residential and commercial markets.

Packaging For Various Doors

Each Lockwood Entrance Handle comes supplied with spigots to suit 10 – 12mm thick glass doors as well as aluminium and timber doors up to 50mm thick.

Application

Lockwood Entrance Handles are suitable for use on timber or aluminium frame as well as glass doors; making them the ideal choice for commercial, industrial and residential applications.

Multi Fix - timber, aluminium or glass doors

Product Details


| | |
|-------------------|--|
| Dimensions | Refer to next couple of pages for product dimensions. |
| Materials | Stainless Steel Construction: Constructed of 304 grade stainless steel, Lockwood Entrance Handles are suitable for use in external environments. |
| Finishes | Satin Stainless Steel (SSS) Matt Black (MBK)* Powder Coated (PC)* |

* Available on selected models. Refer to page 27 for further details.

Standards and Compliance



Disabled Access - AS1428.1



Entrance Handles

141 Series

Dimensions

| | A | B1 | B2 | C | D | E |
|------------|-------|------|------|------|-------|------|
| 141x300SSS | 300mm | 22mm | 40mm | 45mm | 450mm | 25mm |
| 141x450SSS | 450mm | 22mm | 40mm | 45mm | 600mm | 25mm |
| 141x600SSS | 600mm | 22mm | 40mm | 45mm | 750mm | 25mm |



Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



146X400SSS

142

Dimensions

| | A | B | C | D | E |
|------------|-------|------|------|-------|------|
| 142x300SSS | 300mm | 32mm | 45mm | 450mm | 25mm |
| 142x450SSS | 450mm | 32mm | 45mm | 600mm | 25mm |
| 142x600SSS | 600mm | 32mm | 45mm | 750mm | 25mm |


Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



142X600SSS

143

Dimensions

| | A | B1 | B2 | C | D |
|------------|-------|------|------|------|-------|
| 143x300SSS | 300mm | 30mm | 15mm | 35mm | 315mm |
| 143x450SSS | 450mm | 30mm | 15mm | 35mm | 465mm |
| 143x600SSS | 600mm | 30mm | 15mm | 35mm | 615mm |


Fixing

Timber 2 x 62mm M6 Bolts - 8.5mm hole

Glass 2 x 32mm M6 Bolts - 13mm hole



Disabled Accessible AS1428.1



143X600SSS

Entrance Handles

145

Dimensions

| | A | B | C | D | E |
|------------|-------|------|------|-------|------|
| 145x225SSS | 225mm | 25mm | 45mm | 300mm | 19mm |
| 145x375SSS | 375mm | 25mm | 45mm | 450mm | 19mm |
| 145x525SSS | 525mm | 25mm | 45mm | 600mm | 19mm |


Fixing

Timber 2 x 70mm M8 Bolts - 8.5mm hole

Glass 2 x 30mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



145X525SSS

146

Dimensions

| | A | B | C | D | E | F |
|------------|-------|------|------|-------|------|------|
| 146x450SSS | 450mm | 25mm | 60mm | 475mm | 60mm | 25mm |
| 146x600SSS | 600mm | 25mm | 60mm | 625mm | 60mm | 25mm |



Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



146X600SSS

147

Dimensions

| | A | B | C | D | E |
|------------|-------|------|------|-------|------|
| 147x450SSS | 450mm | 19mm | 45mm | 600mm | 19mm |


Fixing

Timber 2 x 62mm M8 Bolts - 8.5mm hole

Glass 2 x 32mm M8 Bolts - 13mm hole



Disabled Accessible AS1428.1



147X450SSS

Entrance Handles

151



Dimensions

| | A | B | C | D | E |
|------------|-------|------|------|-------|-------|
| 151x300SSS | 300mm | 32mm | 80mm | 332mm | 200mm |

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



151X300SSS

192



Dimensions

| | A | B | C | D |
|------------|-------|------|------|-------|
| 192x450SSS | 450mm | 32mm | 85mm | 482mm |
| 192x600SSS | 600mm | 32mm | 85mm | 632mm |

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



192X600SSS

231


Dimensions

| | A | B | C | D | E |
|------------|-------|------|------|-------|-------|
| 231x300SSS | 300mm | 32mm | 85mm | 332mm | 140mm |

Fixing

Timber 2 x 80mm M8 Bolts - 8.5mm hole

Glass 2 x 40mm M8 Bolts - 13mm hole



231X300SSS

Entrance Handles

Ordering Procedure

Sample part number 141X300SSS is made up of several sections.
Choose your product by selecting an option from each section.

| Design | Centre to Centre | Finish |
|--------|------------------|--------|
| 141 | X 300 | SSS |

| Design | Centre to Centre | Finish |
|---------------|---|---------------------------|
| 141 Style 141 | 300mm Centres 300 141, 142, 143, 151, 231 | Satin Stainless Steel SSS |
| 142 Style 142 | | |
| 143 Style 143 | 450mm Centres 450 141, 142, 143, 146, 147, 192 | |
| 145 Style 145 | | |
| 146 Style 146 | 600mm Centres 600 141, 142, 143, 146, 192 | |
| 147 Style 147 | | |
| 151 Style 151 | 225mm Centres (145 Style Only) 225 | |
| 192 Style 192 | 375mm Centres (145 Style Only) 375 | |
| 231 Style 231 | 525mm Centres (145 Style Only) 525 | |

| Design | Centre to Centre | Finish |
|---------------|-------------------|-----------------|
| 141 Style 141 | 600mm Centres 600 | Matt Black MBK |
| 143 Style 143 | 141, 143, | Powdercoated PC |

Paradigm® Pull Handle Lockset - Deadbolt



The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the-art design featuring a contemporary style that delivers exceptional safety and security.

Suitable for residential, new building and renovation market applications.

The Pull Handle lockset incorporates innovative safety features from the Paradigm 005 Deadbolt and is manufactured with high end 304 grade stainless steel that comes in a brushed satin finish.

Key Features

- Three function modes with DualSelect® provides combination of convenience and security
- High security cut resistant stainless steel bolt
- Brushed 304 Grade Stainless Steel Pull Handles
- Concealed screw fixings gives a neat and clean appearance
- Safety Release™ automatically unlocks internal knob upon key entry from outside
- LockAlert® indicator shows lock status at a glance

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details

| | |
|-----------------------|--|
| Dimensions | External handle length - 600mm Internal handle length - 500mm Handle width - 30mm |
| Backset | 60mm-70mm adjustable |
| Bolt | High security cut resistant |
| Cylinder | 5 pin tumbler mechanism Brass cylinder and brass barrel |
| Door Thickness | 32 - 46mm 32-36mm doors require a spacer (Included) |
| Finishes | Satin Stainless Steel (SSS) |
| Materials | 304 Grade Stainless Steel |
| Strike | Box strike with concealed crossgrain door frame strengthening screw |
| Magnets | Door Magnets included to hold the door(s) in position when in passage mode (free to enter from outside and free to exit from inside) |
| Keying | <ul style="list-style-type: none"> • Supplied individually keyed with two keys per lock • 78,000 key combinations • Key blank KB2015P |

Standards and Compliance

| | |
|------------|--|
| SL8 | (Security) Australian Lock Standard (AS4145.2 - 2008) |
| D8 | (Durability) Australian Lock Standard (AS4145.2 - 2008) |
| C6 | (Corrosion) Australian Lock Standard AS4145.2 - 2008) |
| K5 | (Key Security) Australian Lock Standard AS4145.2 - 2008) |


Paradigm® Pull Handle Lockset - Deadbolt




Exterior

Interior

Pull Handle Lockset




Exterior View



Door Thickness

Side View



Interior View



DualSelect®
Turn the key for safety mode. Turn the key further to select secure mode.



SafetyRelease™
Minimises the risk of being locked in.



Corrosion Resistant
Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



Kinetic Defence®
Bump and pick resistant.



Counterbalance Bolt
Proportionally distributes the load between the door and door frame.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



Door Thickness
32mm to 46mm.



LockAlert™
Interior Indicator shows lock status at a glance.



Safety Mode
Securely locked from outside and free from inside.



Secure Mode
Securely locked from both inside and outside. For when nobody is home.



Passage Mode
Free to enter from outside and free to exit from inside.

Paradigm® Pull Handle Lockset - Deadlatch



Interior View - Single Cylinder Shown



The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the-art design featuring a contemporary style that delivers exceptional safety and security. The Paradigm® Pull Handle latching lockset is available in single and double cylinder variants.

Both variants are specifically designed for semi-commercial and apartment building applications. The locksets have been successfully tested up to 2 hours (depending on the type of doorset) on fire assemblies in accordance with Australian Standard AS1905.1-2005, part 1: Fire Resistant Doorset.

The Pull Handle lockset applies the innovative safety features from the Paradigm 005 Deadbolt into a latching lockset and is manufactured with high end 304 grade stainless steel that comes in a brushed satin finish.

Key Features

- High security cut resistant Stainless Steel latch
- Brushed 304 grade Stainless Steel Pull Handle
- Concealed screw fixings for a neat and clean appearance
- Safety Release™ automatically unlocks internal knob upon key entry from outside*
- LockAlert® indicator shows lock status at a glance*

*Only available in double cylinder variant

Restricted Special Keying

Lockwood locks can be keyed to a number of controlled and/or specially keyed systems. These range from legally protected keys to protect against unauthorised duplication, which can also include specially designed key systems such as master key systems, which allow for different levels of mechanical access control.

Please refer to Lockwood Keying Catalogue or contact your local sales office or customer service for specific information.

Product Details

| | |
|-----------------------|--|
| Dimensions | External handle length - 600mm Internal handle length - 500mm Handle width - 30mm |
| Backset | 60mm |
| Latch | High security cut resistant Stainless Steel deadlatch |
| Cylinder | 5 pin tumbler mechanism Brass cylinder and brass barrel |
| Door Thickness | 32-46mm 32-36mm require a spacer (included) |
| Finishes | Satin Stainless Steel (SSS) |
| Materials | 304 Grade Stainless Steel |
| Keying | <ul style="list-style-type: none"> • Supplied individually keyed with two keys per lock • 78,000 key combinations • Key blank KB2015P |

Standards and Compliance




The Paradigm Pull Handle latching Lockset has been successfully tested up to 2 hours (depending on the type of doorset) on fire assemblies in accordance with Australian Standard AS1905.1-2005, part 1: Fire Resistant Doorset for commercial applications.

| | |
|------------|--|
| SL7 | (Security) Australian Lock Standard (AS4145.2 - 2008) |
| D8 | (Durability) Australian Lock Standard (AS4145.2 - 2008) |
| C6 | (Corrosion) Australian Lock Standard AS4145.2 - 2008) |
| K5 | (Key Security) Australian Lock Standard AS4145.2 - 2008) |

Paradigm® Pull Handle Lockset - Deadlatch



Pull Handle Lockset



SafetyRelease™*
Minimises the risk of being locked in.



Door Thickness
32mm to 46mm.



LockAlert®*
Interior Indicator shows lock status at a glance.



Kinetic Defence®
Bump and pick resistant.



2 Keys Included
Can be keyed alike to other Lockwood door locks.



Safety Mode
Securely locked from outside and free from inside.



Corrosion Resistant
Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



Secure Mode*
Securely locked from both inside and outside. For when nobody is home.

* Not available for Single Cylinder variant

Paradigm® Pull Handle Lockset - Dummy Handle



Interior View - Double Cylinder Lockset
with Dummy Handle Shown

The Australian designed Paradigm® Pull Handle Lockset expresses superior state-of-the-art design featuring a contemporary style that delivers exceptional safety and security. The Paradigm® Dummy Handle is designed to be used alongside the Paradigm Pull Handle lockset in double door applications.

Manufactured with high end 304 grade Stainless Steel that comes in a brushed satin finish, the Paradigm Dummy Handle provides premium quality with contemporary styling for modern double door entrances.

Key Features

- Brushed 304 grade Stainless Steel Pull Handle
- Concealed screw fixings for a neat and clean appearance

Product Details

| | |
|-----------------------|---|
| Dimensions | External handle length - 600mm Internal handle length - 500mm Handle width - 30mm |
| Door Thickness | 32-46mm |
| Finishes | Satin Stainless Steel (SSS) |
| Materials | 304 Grade Stainless Steel |

Paradigm® Pull Handle Lockset - Dummy Handle




Exterior


Interior

Dummy Handle

(Non-functioning) for double door application.




Exterior View



Door Thickness

Side View



Interior View



Corrosion Resistant

Successfully tested in accordance with AS2332.3.1:2001 neutral salt spray test.



Door Thickness

32mm to 46mm.

Paradigm® Pull Handle Locksets

Ordering Procedure

Sample part number 005/DPHBSSS5PK is made up of several sections. Choose your product by selecting an option from each section.

Paradigm® Pull Handle Locksets

| Series | Type | Finish | Keying |
|--------|------|--------|--------|
| 005 | DPHL | SSS | 5PK |

| Series |
|---------------------------|
| Paradigm® Pull Handle 005 |

| Type |
|---|
| Double Cylinder Deadbolt DPHB |
| Double Cylinder Deadlatch DPHL |
| Single Cylinder Deadlatch SPHL |
| Dummy Handle PHD |

| Finish |
|--|
| Satin Stainless Steel SSS |

| Keying Options |
|--|
| Keyed to Differ (Standard) |
| Special Keying-Residential Keyed Alike 5P 5KA |
| Keyed Alike 6P 6KA |
| Project Keyed 5P 5PK |
| Project Keyed 6P 6PK |
| Restricted Profile 5P 5RP |

When it comes to safety it's primal, it's our survival, a basic human need. We want freedom to live, explore and rest without fear. To leave behind in safety our precious, cherished and most valuable things. And to come back to them exactly as we left them.

For as long as we have valuables, we will always need protection. Though the need for our products is driven by concerns, the Belief in our Brand is propelled by confidence. An unquestioned confidence in our ability to protect what is most important to you.

Our products provide peace of mind through strength, substance and style. Our reputation is forged in traditions, supreme workmanship, uncompromised values and above all our people. We are a trusted, tireless and vigilant guardian that protects families, households, trades and businesses.

Because if feeling safe is a basic human need, knowing you're safe is why Lockwood exists. For over 75 years, our guiding principle is and will always be: To take the worry out of protecting what is valuable to you.

Lockwood: *no worries*[®]

Metal Finishes


For Metal Finish sample refer to code under each image.



Antique Copper (AC)
Sample Code: FIN-SAMPLEAC*




Architectural Bronze Unlacquered (AU)
Sample Code: FIN-SAMPLEAU*



Oil Rubbed Bronze (ORB)
Sample Code: FIN-SAMPLEORB*



Aged Brass (AG)
Sample Code: FIN-SAMPLEAG*



Architectural Bronze (AZ)
Sample Code: FIN-SAMPLEAZ**



Polished Brass (PB)
Sample Code: FIN-SAMPLEPB**



Satin Brass (SB)
Sample Code: FIN-SAMPLESB**



Polished Brass Unlacquered (BU)
Sample Code: FIN-SAMPLEBU*



Satin Brass Unlacquered (SBU)
Sample Code: FIN-SAMPLESBU*



Satin Chrome Plating (SC)
Sample Code: FIN-SAMPLESC



Chrome Plating (CP)
Sample Code: FIN-SAMPLECP



Stainless Steel (SS)
Sample Code: FIN-SAMPLESS



Polished Stainless Steel (PS)
Sample Code: FIN-SAMPLEPS



Natural Anodized Aluminium (NT)
Sample Code: FIN-SAMPLENT

NOTE: Not all decorative finishes apply to every Lockwood product. Refer to the table at the end of this document for specific decorative finishes applicable per series.

*Unlacquered Metal Finish. This finish will naturally age and its appearance will change over time according to the environment and use it is exposed to. For more information on the aging effect of a particular finish contact your ASSA ABLOY representative.


**Finish is protected by a top clear lacquer.

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY

Dulux Powdercoat Finishes

For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.



Dulux Duratec Eternity
Eternity Charcoal Pearl
Satin




Dulux Electro
Black Ace
Flat



Dulux Electro
Dark Bronze
Flat



Dulux Electro
Medium Bronze
Flat



Dulux Precious
Charcoal Metallic Pearl
Gloss



Dulux Precious
Citi Pearl
Matt



Dulux Precious
Natural Pearl
Matt




Dulux Precious
Nickel Pearl
Matt



Dulux Precious
Sharp Silver Kinetic® Pearl
Satin




Dulux Precious
Silver Kinetic® Pearl
Satin




Dulux Surreal Effects Mannex
Mannex Black
Effect




Dulux Surreal Effects Scylla
Red Brown Scylla
Effect



Dulux Duralloy
Shoji White
Satin



Dulux Alphatec
White
Matt



Dulux Duralloy
White
Satin




Dulux Duralloy
Black
Gloss



Dulux Duralloy
Monument®
Satin

CB



Dulux Duralloy
Black (C/B Night Sky®)
Satin

CB




Dulux Duralloy
Dune®
Satin

CB



Dulux Duralloy
Woodland Grey®
Satin

CB



Dulux Duralloy
Jasper®
Satin

CB



Dulux Duralloy
Monument®
Matt

CB



Dulux Duralloy
Deep Ocean®
Satin

CB



Dulux Duralloy
Woodland Grey®
Matt

CB



Dulux Duralloy
APO Grey
Satin

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

CB Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders


Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY



Dulux Powdercoat Finishes


For Powdercoat Finish sample order code:

FIN-SAMPLEPC specify the desired color from the images below when placing order.



Dulux Duralloy
Surfmist®
Matt

CB



Dulux Duralloy
Anotec® Off White
Matt



Dulux Duralloy
Anotec® Mid Bronze
Matt




Dulux Duralloy
Dune®
Matt

CB



Dulux Duralloy
Anotec® Dark Grey
Matt



Dulux Duralloy
White Birch
Gloss



Dulux Duralloy
Stone Beige
Matt



Dulux Duralloy
Notre Dame
Gloss



Dulux Duralloy
Pale Eucalypt®
Satin

CB



Dulux Duralloy
Magnolia
Gloss



Dulux Duralloy
Doeskin
Satin



Dulux Duralloy
Paperbark®
Satin

CB



Dulux Duralloy
Classic Hawthorn Green
Gloss




Dulux Duralloy
Primrose
Gloss




Dulux Duralloy
Black (C/B Night Sky®)
Matt


CB



Dulux Duralloy
Pearl White
Gloss



Dulux Duralloy
Bright White
Gloss



Dulux Precious
Mahogany Gloss Pearl




Dulux Surreal Effects
Black Gold
Gloss




Dulux Duralloy
Charcoal Lustre
Matt




Dulux Alphatec
Ranch Brown
Satin



Dulux Duralloy
Coffee
Satin



Dulux Duralloy
Pottery
Satin



Dulux Duralloy
White Lustre
Matt

NOTE: Not all Powdercoat Finishes apply to every Lockwood product. Refer to the notes at the end of this document for specific decorative finishes applicable per series.

CB Colorbond and the Colorbond colour names are registered trademarks of Bluescope Steel Limited



We recommend and use Dulux Powders

Disclaimer: Dulux, Duralloy, Anotec, Silver Kinetic, are registered trade marks of DuluxGroup (Australia) Pty Ltd. Monument, Night Sky, Dune, Woodland Grey, Jasper, Deep Ocean, Surfemist, Pale Eucalypt, Paperbark, are registered trademarks of Bluescope Steel Limited. Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY

Decorative Finishes Per Series

Powdercoat Finishes

Rose Door Handles: Robert Watson, 1220, 1420, 1360, 1370, 260, 260SQ

Plate Door Handles: 1800, 2800, 4800, 5800, 200, 202, 212, 224

Push/Pull Plates: 218/219, 206/207, 208/209, 214/215, 216/217, 184, 185

Metal Finishes

Use table below as a reference for the applicable finish to each Lockwood Series.

Refer to the series catalogue for specific detailed information.

| Reference Table | | | | | | | | | |
|---------------------------------------|--|---|--|--|---|--|------------------------------------|---|--|
| | Brass Series Rose Door Handles 1220, 1420, 1360, 1370 | Brass Series Plate Door Handles 1800, 2800, 4800, 5800 | Artefact Series Rose Door Handles 260 | Artefact Series Rose Door Handles 260SQ | Artefact Series Plate Door Handles 200, 202, | Artefact Series Plate Door Handles 212, 224 | Push/Pull Plate Series 184, 185 | Push/Pull Plate Series 214/215, 216/217, 218/219 | Push/Pull Plate Series 206/207, 208/209 |
| Antique Copper (AC) | ✓ | ✓ | ✓ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ |
| Architectural Bronze Unlacquered (AU) | ✓ | ✓ | ✓ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ |
| Oil Rubbed Bronze (ORB) | ✓ | ✓ | ✓ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ |
| Aged Brass (AG) | ✓ | ✓ | ✓ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ |
| Architectural Bronze (AZ) | ✓ | ✓ | ✓ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ |
| Polished Brass (PB) | ✓ | ✓ | ✓ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ |
| Satin Brass (SB) | ✓ | ✓ | ✓ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ |
| Polished Brass Unlacquered (BU) | ✓ | ✓ | ✓ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ |
| Satin Brass Unlacquered (SBU) | ✓ | ✓ | ✓ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ |
| Satin Chrome Plating (SC) | ✓ | ✓ | ✗ | ✗ | ✗ | ✗ | ✓ | ✗ | ✗ |
| Chrome Plating (CP) | ✓ | ✓ | ✗ | ✗ | ✗ | ✗ | ✓ | ✗ | ✗ |
| Stainless Steel (SS) | ✗ | ✗ | ✓ | ✓ | ✓ | ✓ | ✗ | ✓ | ✓ |
| Polished Stainless Steel (PS) | ✗ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ | ✓ | ✓ |
| Marine Grade Stainless Steel (MG) | ✗ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ | ✓ | ✓ |
| Natural Anodised Aluminium (NT) | ✗ | ✗ | ✓ | ✗ | ✓ | ✓ | ✗ | ✗ | ✗ |

Disclaimer: Product Colours displayed in this catalogue have been matched to indoor viewing and colour appearance may vary according to light source and medium and as such should be used as indicative only. As actual colour on the end product may vary, always confirm your colour choice with production line prepared samples from your ASSA ABLOY representative for final colour approval. For warranty terms and conditions on Lockwood Products and its finishes, please visit www.lockweb.com.au or call 1300WARRANTY



ASSA ABLOY

Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial, semi-commercial, building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

**25YEAR
MECHANICAL
WARRANTY**

The Lockwood 25 Year Mechanical Warranty

Our belief that we manufacture the finest premium products available in today's market place is backed by the Lockwood 25 Year Mechanical Warranty, ensuring that Lockwood continues to keep Australians safe by delivering security and peace of mind.

For warranty terms and conditions, please visit www.lockweb.com.au or call **1300WARRANTY**

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

1300 LOCK UP (1300 562 587)
lockweb.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, Auckland, 0632
New Zealand

info.nz@assaabloy.com
Telephone +64 9415 7111
assaabloy.co.nz

Disclaimer

Whilst every effort has been made to ensure that the information (including product images and drawings) contained in this brochure is accurate at the time of publication, ASSA ABLOY Australia Pty Limited ("ASSA ABLOY") recommends that you consult ASSA ABLOY or its agents prior to placing an order to ascertain current information on specific products, as ASSA ABLOY reserves the right to make changes without notice. ASSA ABLOY will not be liable for any injury, loss or damage whatsoever, arising from any errors or omissions in the information contained in the brochure or arising from the use or application of the information contained herein. © 2020 copyright by ASSA ABLOY All rights reserved

