

CONTACT AND SITE INFORMATION

Quote number: _____ Job no: _____ Site Address: _____

Customer: _____ Phone: _____

Site access Poor Good

Design wind speed N1 N2 N3

Site measure required

Site measures are an additional cost and can be completed at the discretion of Bar-Truss. Customer must be on site.

Yes No

We do not complete work at heights.

H2 termite resistant pine required

Subject to availability

Yes No

ROOF TRUSSES

REQUESTED DELIVERY DATE _____

Pitch as per plan Y N → nominate pitch _____ Truss centres 600mm 900mm

Overhang from plate as per plan Y N → nominate overhang _____

Roof material Sheet Tile

Roof battens required Y N

Fascia material Timber Metal

Rafters / beams required Y N

WALL FRAMES

GROUND F REQUESTED DEL _____ FIRST FLR REQUESTED DEL _____

External wall height as per plan Y N → External wall height Ground _____ mm First _____ mm

Internal wall height as per plan Y N → Internal wall height Ground _____ mm First _____ mm

Window supplier _____ Schedule sup. Y N to add to window opening _____ mm

Window finished height _____ Internal door height 2040 2340

Garage step down _____ mm Does garage wall sit on top or bottom of step down top bottom

FLOOR JOIST SYSTEMS

SUB FLOOR REQUESTED DELIVERY _____

Insitu shower Yes No

FIRST FLOOR REQUESTED DELIVERY _____

Flooring required Yes No Secura for wet areas Yes No timber beams required Yes No

SUB FLOOR joist type _____ Joist depth | size _____ mm Joist centres _____ mm

FIRST FLOOR joist type _____ Joist depth | size _____ mm Joist centres _____ mm

Please be aware of the following.

The Customer warrants the accuracy of all plans, specifications, drawings or other particulars supplied by the Customer. Where this form is not filled in, Bar-Truss will manufacture from the most recent drawing set submitted by the Customer. Products and services requested that were not included on Quote will be charged for. Quotes outside 30 day period from date of issue may incur price increases.

It is the Customers responsibility to ensure site is ready to receive delivery when booking delivery dates. **Additional charges will be applied for transport permits, attempted deliveries, additional deliveries and wait time or delays on site** - please be aware resources have been allocated to design, manufacture and load your job. **Bar-Truss requires a minimum of 3 working days notice for change of delivery date.** Changes to delivery dates are subject to scheduling availability.

All goods and services are subject to Bar-Truss Pty Ltd's **Trading Terms**. These can be viewed at our website - www.barwontimber.com.au, in our office or we can e-mail, fax or send a copy in the post. We strongly advise you read and understand Bar-Truss' Trading Terms prior to signing this document. All products and services supplied by Barwon Timber & Hardware Pty Ltd are subject to its Trading Terms & Conditions of Sale. These can be viewed at www.barwontimber.com.au or in store.

I the Customer warrant the accuracy of the information provided and agree to Bar-Truss' **Trading Terms**.

signed: _____

date _____

BAR-TRUSS

AUTHORITY TO UNLOAD BY CRANE TRUCK

I, the principal contractor or authorised agent, as described by this document, do hereby give permission and accept responsibility for the following:

1. Permission for the crane truck specified below to move on to the site for the purpose of unloading as directed.
2. Approval to operate the crane truck on site.
3. I acknowledge that my duty is to:
 - 3.1 Advise the operator of any weaknesses in the ground, i.e. freshly dug drains, holes, sullage pits, etc. that may compromise the safety or safe workings of the vehicle or crane (AS2550.11 – 2004 paragraph 2.4)
 - 3.2 Guarantee that where the goods are required to be placed on a standing frame, that the frame is fully braced and structurally sound enough to support the full weight of the load (AS2550.11 – 2004, section 3).
 - 3.3 Provide a qualified dogger, where the operator does not have a clear view at all times of the goods being unloaded, the slings or crane hook.
 - 3.4 Where necessary supply and erect barricades or other effective traffic and pedestrian control measures to keep the unloading area safe.
 - 3.5 Require the operator to remain at the crane controls once lifting has commenced.
 - 3.6 Accept that if the safety of the lift may be compromised due to the above or other points that the driver may place the load on the ground or return it to depot as necessary.

Signature of Principal Contractor (Or Authorised Agent)	Print Full Name	Builders Licence Number

Print full Address of Site where goods are to be delivered:

Registration No. of Crane Truck: _____ (Completed by "Fabricator" Driver)

Owner of Crane Truck: _____
(Enter name of Contract Company or Fabricator's company)



If overhead power lines are nearby, know your No Go Zones.

If the worksite is near overhead electrical power lines, before any work commences, you must follow the relevant No Go Zone safety procedures:

- No work is to commence until 'permission' has been granted. Employers may obtain permission from the electricity company.
- Alternatively, employers will be deemed to have gained permission if they have developed safe systems of work using industry specific No Go Zone safety procedures endorsed by the Utilities Safety Committee.
- Industry specific No Go Zone safety procedures are available from the Office of the Chief Electrical Inspector, WorkSafe Victoria or the Office of Gas Safety.
- You must follow these safe systems of work at all times. If you cannot comply with these safety procedures, then NO work shall be undertaken without permission from the electricity company.

Further information and checklists for undertaking work near overhead or underground assets are available at www.ocei.vic.gov.au/industry/ngzone.html, www.ogs.vic.gov.au and www.workcover.vic.gov.au

CONTACT NUMBERS

Agility (AGL)	131 626
Alinta Network Services	132 099
CitiPower	131 280
Powercor Australia	132 206
TXU Networks	131 799
SPI PowerNet	03 8635 7333
Alcoa Australia	03 5245 1740
Yarra Trams	03 9610 3394
Connex Trains	03 9619 2977
Optus Weekday Overhead Assets	1800 500 305
Underground Assets	1800 505 777
Optus Weekend	131 344 for all assets
TELSTRA	132 203 Option 3
WorkSafe Victoria	1800 136 089



WORKSAFE VICTORIA

NO GO ZONES FOR OVERHEAD ELECTRICAL POWER LINES

Special provisions for plant and equipment


JULY 2004



Will your equipment be working near overhead power lines?

If the answer is “yes”, you need to be aware of special provisions for plant and equipment operating near overhead power lines. The provisions affect plant and equipment such as Cranes, Concrete Placing Booms, Excavators, Elevated Work Platforms, Tip Trucks and Load Shifters.

Details of these special conditions are available from electricity and telecommunications companies, SPI PowerNet, the Office of the Chief Electrical Inspector or WorkSafe Victoria or by visiting www.workcover.vic.gov.au/dir090/vwa/home.nsf/pages/nogozone OR www.ocei.vic.gov.au/industry/ngzone.html



VICTORIAN WORKCOVER AUTHORITY
 WorkSafe Victoria offers a complete range of health and Safety services.

- Emergency Response
- Advice, information and education
- Inspections and audits
- Licensing and certification
- Publications

WORKSAFE VICTORIA CONTACTS

Head Office
 Victorian WorkCover Authority
 24th Floor
 222 Exhibition Street
 Melbourne Victoria 3000
 GPO Box 4306
 Melbourne Victoria 3001
 Phone 9641 1555
 Fax 9641 1222
 Toll-free 1800 136 089

LOCAL OFFICES

Ballarat 5338 4444
 Bendigo 5443 8866
 Dandenong 8792 9000
 Geelong 5226 1200
 Melbourne
 (628 Bourke Street) 9941 0558
 Mildura 5021 4001
 Mulgrave 9565 9444
 Preston 9485 4555
 Shepparton 5831 8260
 Traralgon 5174 8900
 Wangaratta 5721 8588
 Warrnambool 5562 5600

PUBLICATIONS

Phone 9641 1333
 Fax 9641 1330

WEBSITE

www.workcover.vic.gov.au

EMAIL

info@workcover.vic.gov.au

VICTORIAN WORKCOVER ADVISORY SERVICE

24th Floor
 222 Exhibition Street
 Melbourne Victoria 3000
 Phone 9641 1444
 Fax 9641 1353
 Toll-free 1800 136 089

EMAIL

advisory_service@workcover.vic.gov.au

WorkSafe Victoria is a division of the Victorian WorkCover Authority

VWA652/01/06.04

