

Certificate of Analysis

Sample: 2312ACTNY3461.8976

Kimberly Kisolofs be

Kimberly Krisolofsky Lead Technical Director 12/22/2023

Date



Certificate of Analysis

Compliance

Plant Adult Use

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 2 of 11

NYHO Labs LLC

37 Huntington Street Cortland, NY 13045 teejay@newyorkhempoil.com (315) 450-4384

Sample: 2312ACTNY3461.8976

Strain: Dutch Hawaiian Batch#: WF00119; Batch Size: 1200 units Sample Received: 12/12/2023 12:02 Report Created: 12/22/2023 02:04 pm Sampling SOP 204-NY

Dutch Hawaiian Live Resin Infused Prerolls 5 pk

Plant, Enhanced/Infused Preroll



| | 38.57% | <loq< th=""><th>39.24%</th></loq<> | 39.24% |
|---|-----------|------------------------------------|--------------------|
| × | Total THC | Total CBD | Total Cannabinoids |

Cannabinoids

Method SOP 801-NY Date/Time Tested: 12/14/2023 16:45

| Analyte | LOQ | | | |
|------------------|-------|---|---|---------------------|
| | ug/mL | mg/g | % | mg/dose |
| CBDV | 0.50 | ND | ND | ND |
| CBDa | 0.50 | ND | ND | ND |
| CBGa | 0.50 | 7.70 | 0.77 | 19.20 |
| CBG | 0.50 | <loq< td=""><td><loq< td=""><td><loq< td=""></loq<></td></loq<></td></loq<> | <loq< td=""><td><loq< td=""></loq<></td></loq<> | <loq< td=""></loq<> |
| CBD | 0.50 | ND | ND | ND |
| THCV | 0.50 | ND | ND | ND |
| CBN | 0.50 | ND | ND | ND |
| CBNa | 0.50 | ND | ND | ND |
| Δ9-THC | 0.50 | 16.50 | 1.65 | 41.20 |
| ∆8-THC | 0.50 | ND | ND | ND |
| (6aR,9S)-d10-THC | 0.50 | ND | ND | ND |
| (6aR,9R)-d10-THC | 0.50 | ND | ND | ND |
| CBC | 0.50 | ND | ND | ND |
| THCa | 0.50 | 420.90 | 42.09 | 1052.30 |
| Total | | 445.10 | 44.51 | 1112.70 |

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THCTotal CBD = CBDa * 0.877 + CBDTotal Cannabinoids= Sum of all cannabinoidsLOQ = Limit of Quantitation; Reported results for bulk flower and plant forms are calculated on a dry weight basis. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. 🜢 indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Complete



Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 3 of 11

NYHO Labs LLC

37 Huntington Street Cortland, NY 13045 teejay@newyorkhempoil.com (315) 450-4384

Sample: 2312ACTNY3461.8976

Strain: Dutch Hawaiian Batch#: WF00119; Batch Size: 1200 units Sample Received: 12/12/2023 12:02 Report Created: 12/22/2023 02:04 pm Sampling SOP 204-NY

Dutch Hawaiian Live Resin Infused Prerolls 5 pk

Plant, Enhanced/Infused Preroll

| Terpenes | | Pass | Primary Aromas |
|------------------------------------|-------|------------------------------|----------------|
| ◆SOP 620-NY | | | |
| Date/Time Tested: 12/14/2023 12:42 | | | |
| Analyte | LOQ | Mass | |
| | ug/mL | % | A . |
| trans-Caryophyllene | 4.0 | 0.338 | |
| Farnesene | 4.0 | 0.142 | |
| α-Humulene | 4.0 | 0.126 | |
| β-Myrcene | 4.0 | 0.106 | Clove |
| Cedrol | 4.0 | 0.080 | |
| Guaiol | 4.0 | 0.079 | |
| Linalool | 4.0 | 0.069 | |
| S (-) Limonene | 4.0 | 0.061 | |
| α-Cedrene | 4.0 | 0.051 | |
| α-Bisabolol | 4.0 | 0.049 | |
| trans-Nerolidol | 4.0 | 0.047 | Magnolia |
| Caryophyllene Oxide | 4.0 | 0.036 | |
| α-Terpineol | 4.0 | 0.031 | |
| α-Pinene | 4.0 | 0.024 | |
| Valencene | 4.0 | 0.022 | |
| β-Pinene | 4.0 | 0.018 | |
| cis-Nerolidol | 4.0 | 0.016 | |
| Fenchol | 4.0 | 0.012 | Hops |
| Geranyl Acetate | 4.0 | 0.009 | |
| α-Phellandrene | 4.0 | ND | |
| α-Terpinene | 4.0 | ND | |
| Borneol | 4.0 | <loq< td=""><td></td></loq<> | |
| Camphene | 4.0 | ND | |
| Camphor | 4.0 | ND | Wood |
| δ-3-Carene | 4.0 | ND | vvood |
| Eucalyptol | 4.0 | ND | |
| Fenchone | 4.0 | ND | 1 2 1 |
| y-Terpinene | 4.0 | ND | <u>Š</u> Š |
| Geraniol | 4.0 | ND | فيتجرب فالم |
| Isoborneol | 4.0 | ND | |
| Isopulegol | 4.0 | ND | Lavender |
| Menthol | 4.0 | ND | Lavenuei |
| Nerol | 4.0 | ND | |
| Ocimene | 4.0 | ND | 1.31% |
| Pulegone | 4.0 | ND | 1.51/0 |
| p-Cymene | 4.0 | ND | Total Terpenes |
| Sabinene | 4.0 | ND | |
| Sabinene Hydrate | 4.0 | ND | |
| Terpinolene | 4.0 | ND | |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.





Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 4 of 11

NYHO Labs LLC

37 Huntington Street Cortland, NY 13045 teejay@newyorkhempoil.com (315) 450-4384

Sample: 2312ACTNY3461.8976

Strain: Dutch Hawaiian Batch#: WF00119; Batch Size: 1200 units Sample Received: 12/12/2023 12:02 Report Created: 12/22/2023 02:04 pm Sampling SOP 204-NY

Dutch Hawaiian Live Resin Infused Prerolls 5 pk

Plant, Enhanced/Infused Preroll

Residual Solvents

SOP 612-NY Date/Time Tested: 12/18/2023 18:27

| Analyte | LOQ | Limit | Mass | Status |
|------------------------|-----|-------|----------------------------------|--------|
| | PPM | PPM | PPM | |
| 1,1,1-Trichloro-Ethane | | 1500 | ND | Pass |
| 1,2-Dichloro-Ethane | 2 | 5 | ND | Pass |
| Acetone | 4 | 5000 | 29 | Pass |
| Acetonitrile | 2 | 410 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Benzene | 2 | 2 | ND | Pass |
| Butanes | 40 | 5000 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Chloroform | 2 | 60 | ND | Pass |
| Dichloromethane | 2 | 600 | ND | Pass |
| Dimethyl Sulfoxide | | 5000 | ND | Pass |
| Ethanol | 20 | 5000 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Ethyl-Acetate | 20 | 5000 | ND | Pass |
| Ethyl-Ether | 20 | 5000 | ND | Pass |
| Heptane | 20 | 5000 | ND | Pass |
| Hexanes | 6 | 290 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Isopropanol | 20 | 5000 | ND | Pass |
| Methanol | 12 | 3000 | 223 | Pass |
| Pentanes | 60 | 5000 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Propane | 20 | 5000 | ND | Pass |
| Toluene | 4 | 890 | ND | Pass |
| Xylenes | 26 | 2170 | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to fulfill state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. 🜢 indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.





Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 5 of 11

NYHO Labs LLC

37 Huntington Street Cortland, NY 13045 teejay@newyorkhempoil.com (315) 450-4384

Sample: 2312ACTNY3461.8976

Strain: Dutch Hawaiian Batch#: WF00119; Batch Size: 1200 units Sample Received: 12/12/2023 12:02 Report Created: 12/22/2023 02:04 pm Sampling SOP 204-NY

Dutch Hawaiian Live Resin Infused Prerolls 5 pk

Plant, Enhanced/Infused Preroll

Pesticides

SOP 814-NY Date/Time Tested: 12/14/2023 14:43

| Analyte | Limit | LOQ | Mass | Status |
|----------------------|-------|------|------|--------|
| | µg/g | µg/g | µg/g | |
| Abamectin | 0.50 | 0.39 | ND | Pass |
| Acephate | 0.40 | 0.10 | ND | Pass |
| Acequinocyl | 2.00 | 0.10 | ND | Pass |
| Acetamiprid | 0.20 | 0.10 | ND | Pass |
| Aldicarb | 0.40 | 0.10 | ND | Pass |
| Azadirachtin | 1.00 | 0.08 | ND | Pass |
| Azoxystrobin | 0.20 | 0.10 | ND | Pass |
| Bifenazate | 0.20 | 0.10 | ND | Pass |
| Bifenthrin | 0.20 | 0.10 | ND | Pass |
| Boscalid | 0.40 | 0.10 | ND | Pass |
| Captan | 1.00 | | TIC | Pass |
| Carbaryl | 0.20 | 0.10 | ND | Pass |
| Carbofuran | 0.20 | 0.10 | ND | Pass |
| Chlorantraniliprole | 0.20 | 0.10 | ND | Pass |
| Chlordane | 1.00 | 0.10 | ND | Pass |
| Chlorfenapyr | 1.00 | 0.10 | ND | Pass |
| Chlormequat chloride | 1.00 | | TIC | Pass |
| Chlorpyrifos | 0.20 | 0.10 | ND | Pass |
| Clofentezine | 0.20 | 0.10 | ND | Pass |
| Coumaphos | 1.00 | 0.10 | ND | Pass |
| Cyfluthrin | 1.00 | 0.50 | ND | Pass |
| Cypermethrin | 1.00 | 0.10 | ND | Pass |
| Daminozide | 1.00 | 0.10 | ND | Pass |
| Diazinon | 0.20 | 0.10 | ND | Pass |
| Dichlorvos | 1.00 | 0.10 | ND | Pass |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. Indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.



Pass



Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 6 of 11

NYHO Labs LLC

37 Huntington Street Cortland, NY 13045 teejay@newyorkhempoil.com (315) 450-4384

Sample: 2312ACTNY3461.8976

Strain: Dutch Hawaiian Batch#: WF00119; Batch Size: 1200 units Sample Received: 12/12/2023 12:02 Report Created: 12/22/2023 02:04 pm Sampling SOP 204-NY

Dutch Hawaiian Live Resin Infused Prerolls 5 pk

Plant, Enhanced/Infused Preroll

Pesticides

SOP 814-NY Date/Time Tested: 12/14/2023 14:43

| Analyte | Limit | LOQ | Mass | Status |
|--------------------|-------|------|------|--------|
| | µg/g | µg/g | µg/g | |
| Dimethoate | 0.20 | 0.10 | ND | Pass |
| Dimethomorph | 1.00 | 0.10 | ND | Pass |
| Ethoprophos | 0.20 | 0.10 | ND | Pass |
| Etofenprox | 0.40 | 0.10 | ND | Pass |
| Etoxazole | 0.20 | 0.10 | ND | Pass |
| Fenhexamid | 1.00 | 0.10 | ND | Pass |
| Fenoxycarb | 0.20 | 0.10 | ND | Pass |
| Fenpyroximate | 0.40 | 0.10 | ND | Pass |
| Fipronil | 0.40 | 0.10 | ND | Pass |
| Flonicamid | 1.00 | 0.10 | ND | Pass |
| Fludioxonil | 0.40 | 0.10 | ND | Pass |
| Hexythiazox | 1.00 | 0.10 | ND | Pass |
| Imazalil | 0.20 | 0.10 | ND | Pass |
| Imidacloprid | 0.40 | 0.10 | ND | Pass |
| Indolebutyric Acid | 1.00 | 0.08 | ND | Pass |
| Kresoxim Methyl | 0.40 | 0.10 | ND | Pass |
| Malathion | 0.20 | 0.10 | ND | Pass |
| Metalaxyl | 0.20 | 0.10 | ND | Pass |
| Methiocarb | 0.20 | 0.10 | ND | Pass |
| Methomyl | 0.40 | 0.10 | ND | Pass |
| Methyl Parathion | 0.20 | 0.10 | ND | Pass |
| Mevinphos | 1.00 | 0.10 | ND | Pass |
| MGK-264 | 0.20 | | TIC | Pass |
| Myclobutanil | 0.20 | 0.10 | ND | Pass |
| Naled | 0.50 | 0.10 | ND | Pass |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. 🜢 indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.







Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 7 of 11 actlaboratoriesinc.com

NYHO Labs LLC

37 Huntington Street Cortland, NY 13045 teejay@newyorkhempoil.com (315) 450-4384

Sample: 2312ACTNY3461.8976

Strain: Dutch Hawaiian Batch#: WF00119; Batch Size: 1200 units Sample Received: 12/12/2023 12:02 Report Created: 12/22/2023 02:04 pm Sampling SOP 204-NY

Dutch Hawaiian Live Resin Infused Prerolls 5 pk

Plant, Enhanced/Infused Preroll

Pesticides

SOP 814-NY Date/Time Tested: 12/14/2023 14:43

| Analyte | Limit | LOQ | Mass | Status |
|---------------------------|-------|------|------|--------|
| | µg/g | µg/g | µg/g | |
| Oxamyl | 1.00 | 0.10 | ND | Pass |
| Paclobutrazol | 0.40 | 0.10 | ND | Pass |
| Pentachloronitrobenzene | 1.00 | 0.10 | ND | Pass |
| Permethrins [M+NH4] Total | 0.20 | 0.10 | ND | Pass |
| Phosmet | 0.20 | 0.10 | ND | Pass |
| Piperonyl Butoxide | 2.00 | 0.10 | ND | Pass |
| Prallethrin | 0.20 | 0.10 | ND | Pass |
| Propiconazole | 0.40 | 0.10 | ND | Pass |
| Propoxur | 0.20 | 0.10 | ND | Pass |
| Pyrethrins Total | 1.00 | 0.07 | ND | Pass |
| Pyridaben | 0.20 | 0.10 | ND | Pass |
| Spinetoram Total | 1.00 | 0.10 | ND | Pass |
| Spinosad Total | 0.20 | 0.10 | ND | Pass |
| Spiromesifen | 0.20 | 0.10 | ND | Pass |
| Spirotetramat | 0.20 | 0.10 | ND | Pass |
| Spiroxamine | 0.20 | 0.10 | ND | Pass |
| Tebuconazole | 0.40 | 0.10 | ND | Pass |
| Thiacloprid | 0.20 | 0.10 | ND | Pass |
| Thiamethoxam | 0.20 | 0.10 | ND | Pass |
| Trifloxystrobin | 0.20 | 0.10 | ND | Pass |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. 🜢 indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.





Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 8 of 11

NYHO Labs LLC

37 Huntington Street Cortland, NY 13045 teejay@newyorkhempoil.com (315) 450-4384

Sample: 2312ACTNY3461.8976

Strain: Dutch Hawaiian Batch#: WF00119; Batch Size: 1200 units Sample Received: 12/12/2023 12:02 Report Created: 12/22/2023 02:04 pm Sampling SOP 204-NY

Dutch Hawaiian Live Resin Infused Prerolls 5 pk

Plant, Enhanced/Infused Preroll

Microbials

Date/Time Tested: 12/13/2023 15:25

♦SOP 401-NY ♦SOP 619-NY

| Analyte | LOQ | Limit | Units | Status |
|------------------------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Total Viable Aerobic Bacteria (3M) | 1000 | | 5257415 | Tested |
| Total Yeast & Mold (3M) | 100 | | 257911 | Tested |
| STEC E. Coli (PDx) | | Absent | Absent | Pass |
| Aspergillus fumigatus | | Absent | Absent | Pass |
| Aspergillus niger | | Absent | Absent | Pass |
| Aspergillus terreus | | Absent | Absent | Pass |
| Aspergillus flavus | | Absent | Absent | Pass |
| Salmonella Species (PDx) | | Absent | Absent | Pass |

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.





Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 9 of 11

NYHO Labs LLC

37 Huntington Street Cortland, NY 13045 teejay@newyorkhempoil.com (315) 450-4384

Sample: 2312ACTNY3461.8976

Strain: Dutch Hawaiian Batch#: WF00119; Batch Size: 1200 units Sample Received: 12/12/2023 12:02 Report Created: 12/22/2023 02:04 pm Sampling SOP 204-NY

Dutch Hawaiian Live Resin Infused Prerolls 5 pk

Plant, Enhanced/Infused Preroll

Heavy Metals

Date/Time Tested: 12/15/2023 10:02

| Analyte | Limit | LOQ | Mass | Status |
|----------|---------|-------|----------------------------------|--------|
| | µg/g | µg/g | µg/g | |
| Antimony | 2.000 | 0.240 | ND | Pass |
| Arsenic | 0.200 | 0.200 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Cadmium | 0.300 | 0.200 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Chromium | 110.000 | 0.240 | 0.431 | Pass |
| Copper | 30.000 | 0.240 | 12.051 | Pass |
| Lead | 0.500 | 0.240 | <loq< td=""><td>Pass</td></loq<> | Pass |
| Mercury | 0.100 | 0.048 | ND | Pass |
| Nickel | 2.000 | 0.240 | 0.494 | Pass |

Notes: LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. 🜢 indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.



Pass



Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 10 of 11

NYHO Labs LLC

37 Huntington Street Cortland, NY 13045 teejay@newyorkhempoil.com (315) 450-4384

Sample: 2312ACTNY3461.8976

Strain: Dutch Hawaiian Batch#: WF00119; Batch Size: 1200 units Sample Received: 12/12/2023 12:02 Report Created: 12/22/2023 02:04 pm Sampling SOP 204-NY

Dutch Hawaiian Live Resin Infused Prerolls 5 pk

Plant, Enhanced/Infused Preroll

Mycotoxins SOP 808-NY

Date/Time Tested: 12/15/2023 03:46

| Analyte | Mass | Limit | LOQ | Status |
|------------------|------|-------|------|--------|
| | ng/g | ng/g | ng/g | |
| Ochratoxin A | ND | 20 | 5.0 | Pass |
| Total Aflatoxins | ND | 20 | 5.0 | Pass |

Notes: LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. 🜢 indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.



Pass



Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 11 of 11

NYHO Labs LLC

37 Huntington Street Cortland, NY 13045 teejay@newyorkhempoil.com (315) 450-4384

Sample: 2312ACTNY3461.8976

Strain: Dutch Hawaiian Batch#: WF00119; Batch Size: 1200 units Sample Received: 12/12/2023 12:02 Report Created: 12/22/2023 02:04 pm Sampling SOP 204-NY

Dutch Hawaiian Live Resin Infused Prerolls 5 pk

Plant, Enhanced/Infused Preroll

Moisture/Water Activity

♦SOP 205-NY, ♦SOP 206-NY Moisture Date/Time Tested: 12/14/2023 11:00 Water Activity Date/Time Tested: 12/17/2023 10:31

6.6%

Limits: ≥5%, ≤15%

Pass Moisture

0.33 aw

0.65 Limit

Pass Water Activity

Notes:

ND = Not Detected; NT = Not Tested; NR = Not Reported Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. + indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.