



New York Hemp Oil Labs LLC

185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Date Released: 2/23/2023 1:01:31PM

Report #: 419

Alien OG

Sample #: 119, Weight: 15.00g, Unit Count:

Order #: K230203-0007

Category/Type: Concentrates & Extract, Vape Cartridge

Date Collected: 2/3/2023 2:04:57PM


Date Received: 2/3/2023 2:22:36PM

Date Analyzed: 2/3/2023 4:38:46PM

Regulator Sample ID: 2301KSTNY0041.0206

Regulator Source Package ID: VA00020

Regulator Batch ID: 0



Potency Analysis by HPLC

Total Cannabinoids: **79.78 %**

Total THC: **75.59 %**

Total CBD: **0.26 %**

Date Completed: 02/03/2023 4:38PM

| Compound | CAS# | LOQ (%) | % | mg/g | Relative Concentration |
|----------|------------|---------|-------|---------|------------------------|
| d9-THC | 1972-08-3 | 0.001 | 70.45 | 704.471 | 70.45% |
| THCa | 23978-85-0 | 0.001 | 5.86 | 58.639 | 5.86% |
| CBG | 25654-31-3 | 0.001 | 1.71 | 17.143 | 1.71% |
| THCV | 31262-37-0 | 0.001 | 0.51 | 5.092 | 0.51% |
| CBN | 521-35-7 | 0.001 | 0.41 | 4.084 | 0.41% |
| CBGa | 25555-57-1 | 0.001 | 0.37 | 3.664 | 0.37% |
| CBD | 13956-29-1 | 0.001 | 0.14 | 1.412 | 0.14% |
| CBDa | 1244-58-2 | 0.001 | 0.14 | 1.412 | 0.14% |
| d10-THC | 95543-62-7 | 0.001 | 0.10 | 0.958 | 0.10% |
| d8-THC | 5957-75-5 | 0.001 | 0.09 | 0.891 | 0.09% |
| CBDV | 24274-48-4 | 0.001 | ND | ND | |
| CBC | 20675-51-8 | 0.001 | ND | ND | |

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Total THC = d9-THC + d8-THC + d10-THC + (0.877*THCa)

Total CBD = CBD + (0.877*CBDa)

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-PPCL-2022-00007

Dr. Kelly Greenland, Lab Director
2/23/2023 1:03:42PM





New York Hemp Oil Labs LLC

185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Certificate of Analysis


Final

Sample #: 119

Alien OG

Terpenes by HS-GC-MS

Date Completed: 02/03/2023 3:18PM



| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|-------------------------|------------|---------|-----|---------------------------------|
| beta-Myrcene | 123-35-3 | 0.1 | 0.4 | <div style="width: 40%;"></div> |
| R(+)-Limonene | 5989-27-5 | 0.1 | 0.1 | <div style="width: 10%;"></div> |
| trans-Caryophyllene | 87-44-5 | 0.1 | 0.1 | <div style="width: 10%;"></div> |
| (-)-Borneol | 464-45-9 | 0.1 | ND | |
| (-)-Caryophyllene Oxide | 1139-30-6 | 0.1 | ND | |
| (-)-Isopulegol | 89-79-2 | 0.1 | ND | |
| (+)-Borneol | 464-43-7 | 0.1 | ND | |
| (+)-Cedrol | 77-53-2 | 0.1 | ND | |
| (1R)-(+)-Camphor | 464-49-3 | 0.1 | ND | |
| 3-Carene | 13466-78-9 | 0.1 | ND | |
| alpha-Bisabolol | 515-69-5 | 0.1 | ND | |
| alpha-Cedrene | 469-61-4 | 0.1 | ND | |
| alpha-Farnesene | 502-61-4 | 0.1 | ND | |
| alpha-Humulene | 6753-98-6 | 0.1 | ND | |
| alpha-Pinene | 80-56-8 | 0.1 | ND | |
| alpha-Terpinene | 99-86-5 | 0.1 | ND | |
| alpha-Terpineol | 98-55-5 | 0.1 | ND | |
| beta-Farnesene | 18794-84-8 | 0.1 | ND | |
| beta-Pinene | 127-91-3 | 0.1 | ND | |
| Camphene | 79-92-5 | 0.1 | ND | |
| cis-Nerolidol | 142-50-7 | 0.1 | ND | |
| cis-Ocimene | 3338-55-4 | 0.1 | ND | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-PPCL-2022-00007

Dr. Kelly Greenland, Lab Director
2/23/2023 1:03:42PM





New York Hemp Oil Labs LLC

185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 119

Alien OG

| Compound | CAS# | LOQ (%) | % | Relative Concentration |
|----------------------|------------|---------|----|------------------------|
| Endo-Fenchyl Alcohol | 14575-74-7 | 0.1 | ND | |
| Eucalyptol | 470-82-6 | 0.1 | ND | |
| Fenchone | 1195-79-5 | 0.1 | ND | |
| gamma-Terpinene | 99-85-4 | 0.1 | ND | |
| gamma-Terpineol | 586-81-2 | 0.1 | ND | |
| Geraniol | 106-24-1 | 0.1 | ND | |
| Geranyl Acetate | 105-87-3 | 0.1 | ND | |
| Guaial | 489-86-1 | 0.1 | ND | |
| Hexahydro Thymol | 15356-70-4 | 0.1 | ND | |
| Linalool | 78-70-6 | 0.1 | ND | |
| Nerol | 106-25-2 | 0.1 | ND | |
| p-Mentha-1,5-diene | | 0.1 | ND | |
| Pulegone | 89-82-7 | 0.1 | ND | |
| Sabinene | 3387-41-5 | 0.1 | ND | |
| Sabinene Hydrate | 546-79-2 | 0.1 | ND | |
| Terpinolene | 586-62-9 | 0.1 | ND | |
| trans-Nerolidol | 40716-66-3 | 0.1 | ND | |
| trans-Ocimene | 3779-61-1 | 0.1 | ND | |
| Valencene | 4630-07-3 | 0.1 | ND | |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

Foreign Matter by microscopy

Pass

Date Completed: 02/03/2023 2:48 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|------------------|---------|------------|------------|--------|
| % Foreign Matter | 0.001 | 2.0 | ND | Pass |
| Mammalian Exreta | 0.001 | 0.03 | ND | Pass |
| Stems | 0.001 | 5.0 | ND | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-PPCL-2022-00007

Dr. Kelly Greenland, Lab Director
2/23/2023 1:03:42PM





New York Hemp Oil Labs LLC

185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 119

Alien OG

Moisture by Analyzer

Pass

Date Completed: 02/03/2023 4:36 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | | | 0.0 | Pass |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

Pesticides by LCMSMS

Pass

Date Completed: 02/03/2023 2:48 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------------|------------|---------------|---------------|--------|
| Abamectin | 0.01 | 0.5 | ND | Pass |
| Acephate | 0.01 | 0.4 | ND | Pass |
| Acequinocyl | 0.01 | 2 | ND | Pass |
| Acetamiprid | 0.01 | 0.2 | ND | Pass |
| Aldicarb | 0.01 | 0.4 | ND | Pass |
| Azadirachtin | 0.01 | 1 | ND | Pass |
| Azoxystrobin | 0.01 | 0.2 | ND | Pass |
| Bifenazate | 0.01 | 0.2 | ND | Pass |
| Bifenthrin | 0.01 | 0.2 | ND | Pass |
| Boscalid | 0.01 | 0.4 | ND | Pass |
| Carbaryl | 0.01 | 0.2 | ND | Pass |
| Carbofuran | 0.01 | 0.2 | ND | Pass |
| Chlorantraniliprole | 0.01 | 0.2 | ND | Pass |
| Chloromequat Chloride | 0.01 | 1 | ND | Pass |
| Chlorpyrifos | 0.01 | 0.2 | ND | Pass |
| Clofentezine | 0.01 | 0.2 | ND | Pass |
| Coumaphos | 0.01 | 1 | ND | Pass |
| Cyfluthrin | 0.01 | 1 | ND | Pass |
| Cypermethrin | 0.01 | 1 | ND | Pass |
| Daminozide | 0.01 | 1 | ND | Pass |
| Diazinon | 0.01 | 0.2 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-PPCL-2022-00007

Dr. Kelly Greenland, Lab Director
2/23/2023 1:03:42PM





New York Hemp Oil Labs LLC

185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 119

Alien OG

Pesticides by LCMSMS

Pass

Date Completed: 02/03/2023 2:48 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Dichlorvos | 0.01 | 1 | ND | Pass |
| Dimethoate | 0.01 | 0.2 | ND | Pass |
| Dimethomorph | 0.01 | 1 | ND | Pass |
| Ethoprophos | 0.01 | 0.2 | ND | Pass |
| Etofenprox | 0.01 | 0.4 | ND | Pass |
| Etoxazole | 0.01 | 0.2 | ND | Pass |
| Fenhexamid | 0.01 | 1 | ND | Pass |
| Fenoxycarb | 0.01 | 0.2 | ND | Pass |
| Fenpyroximate | 0.01 | 0.4 | ND | Pass |
| Fipronil | 0.01 | 0.4 | ND | Pass |
| Flonicamid | 0.01 | 1 | ND | Pass |
| Fludioxonil | 0.01 | 0.4 | ND | Pass |
| Hexythiazox | 0.01 | 1 | ND | Pass |
| Imazalil | 0.01 | 0.2 | ND | Pass |
| Imidacloprid | 0.01 | 0.4 | ND | Pass |
| Indolebutyric Acid | 0.01 | 1 | ND | Pass |
| Kresoxim-methyl | 0.01 | 0.4 | ND | Pass |
| Malathion | 0.01 | 0.2 | ND | Pass |
| Metaxalaxyl | 0.01 | 0.2 | ND | Pass |
| Methiocarb | 0.01 | 0.2 | ND | Pass |
| Mevinphos | 0.01 | 1 | ND | Pass |
| Myclobutanil | 0.01 | 0.2 | ND | Pass |
| Naled | 0.01 | 0.5 | ND | Pass |
| Oxamyl | 0.01 | 1 | ND | Pass |
| Paclobutrazol | 0.01 | 0.4 | ND | Pass |
| Permethrin | 0.01 | 0.2 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-PPCL-2022-00007

Dr. Kelly Greenland, Lab Director
2/23/2023 1:03:42PM





New York Hemp Oil Labs LLC

185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 119

Alien OG

Pesticides by LCMSMS

Pass

Date Completed: 02/03/2023 2:48 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Phosmet | 0.01 | 0.2 | ND | Pass |
| Piperonyl Butoxide | 0.01 | 2 | ND | Pass |
| Prallethrin | 0.01 | 0.2 | ND | Pass |
| Propiconazole | 0.01 | 0.4 | ND | Pass |
| Propoxur | 0.01 | 0.2 | ND | Pass |
| Pyrethrins Total | 0.01 | 1 | ND | Pass |
| Pyridaben | 0.01 | 0.2 | ND | Pass |
| Spinetoram | 0.01 | 1 | ND | Pass |
| Spinosad Total | 0.01 | .2 | ND | Pass |
| Spiromesifen | 0.01 | 0.2 | ND | Pass |
| Spirotetramat | 0.01 | 0.2 | ND | Pass |
| Spiroxamine | 0.01 | 0.2 | ND | Pass |
| Tebuconazole | 0.01 | 0.4 | ND | Pass |
| Thiacloprid | 0.01 | 0.2 | ND | Pass |
| Thiamethoxam | 0.01 | 0.2 | ND | Pass |
| Trifloxystrobin | 0.01 | 0.2 | ND | Pass |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Residual Solvents

Pass

Date Completed: 02/03/2023 3:18 pm

| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
|-----------------|-----------|--------------|--------------|--------|
| 1,4-Dioxane | 50 | 380 | ND | Pass |
| 2-Butanol | 50 | 5000 | ND | Pass |
| 2-Ethoxyethanol | 50 | 160 | ND | Pass |
| 3-Methylpentane | 10 | | ND | Pass |
| Acetone | 50 | 5000 | ND | Pass |
| Acetonitrile | 50 | 410 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-PPCL-2022-00007

Dr. Kelly Greenland, Lab Director
2/23/2023 1:03:42PM





New York Hemp Oil Labs LLC

185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 119

Alien OG

Residual Solvents

Pass

Date Completed: 02/03/2023 3:18 pm

| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
|--------------------|-----------|--------------|--------------|--------|
| Benzene | 0.5 | 2 | ND | Pass |
| Butanes ppm | 25 | 5000 | 66 | Pass |
| Cumene | 50 | 70 | ND | Pass |
| Cyclohexane | 50 | 3880 | ND | Pass |
| Ethanol | 50 | 5000 | 124 | Pass |
| Ethyl acetate | 50 | 5000 | ND | Pass |
| Ethyl ether | 50 | 5000 | ND | Pass |
| Ethylbenzene | 12.5 | | ND | Pass |
| Ethylene glycol | 50 | 620 | ND | Pass |
| Ethylene oxide | 50 | 50 | ND | Pass |
| Heptane | | | 0 | Pass |
| Hexane | 10 | | ND | Pass |
| Isopropanol | 50 | 5000 | ND | Pass |
| Isopropyl acetate | 50 | 5000 | ND | Pass |
| Methanol | 50 | 3000 | ND | Pass |
| Methylene chloride | 50 | 600 | ND | Pass |
| Pentanes Total | 16.7 | 5000 | ND | Pass |
| Propane | | | 0 | Pass |
| Tetrahydrofuran | 50 | 720 | ND | Pass |
| Toluene | 50 | 890 | ND | Pass |
| Total xylenes | 25 | 2170 | ND | Pass |

Comment: Residual Solvents tested by GCMS using P-NY170. Unless otherwise stated, all QC passed.

Mycotoxins

Pass

Date Completed: 02/03/2023 2:49 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-PPCL-2022-00007

Dr. Kelly Greenland, Lab Director
2/23/2023 1:03:42PM





New York Hemp Oil Labs LLC

185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 119

Alien OG

Mycotoxins

Pass

Date Completed: 02/03/2023 2:49 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.005 | 0.020 | ND | Pass |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Metals

Pass

Date Completed: 02/03/2023 3:18 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.001 | | ND | Pass |
| Arsenic | 0.001 | | ND | Pass |
| Cadmium | 0.001 | | ND | Pass |
| Chromium | 0.001 | | ND | Pass |
| Copper | 0.001 | | 7.3 | Pass |
| Lead | 0.001 | | ND | Pass |
| Mercury | 0.001 | | ND | Pass |
| Nickel | 0.001 | | ND | Pass |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Microbials Count/Qualitative

Pass

Date Completed: 02/03/2023 3:18 pm

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|-----------------------------------|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus terreus Qualitative | 0 | 0 | Not Detected | Pass |
| Salmonella Qualitative | 0 | 0 | Not Detected | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-PPCL-2022-00007

Dr. Kelly Greenland, Lab Director
2/23/2023 1:03:42PM





New York Hemp Oil Labs LLC

185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 119

Alien OG

Microbials Count/Qualitative

Pass

Date Completed: 02/03/2023 3:18 pm

| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Shiga Toxin-Producing E. coli Qualitative | 0 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | | ND | Pass |
| Total Yeast & Mold | 10 | | ND | Pass |

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence".

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York
1809 Vestal Pkwy E
Vestal, NY 13850
(607)301-0884
InfoNY@KeystoneStateTesting.com
www.KeystoneStateTesting.com
License #: OCM-PPCL-2022-00007

Dr. Kelly Greenland, Lab Director
2/23/2023 1:03:42PM

