

185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003

Date Released: 4/5/2023 10:52:43AM

Report #: 1036

HTE Infused Disposable .75g - Alien OG

Sample #: 581, Weight: 15.00g, Unit Count:

Order #: X230322-0001

Category/Type: Concentrates & Extract, Vape Cartridge

Date Collected: 3/22/2023 12:55:01PM Date Received: 3/22/2023 12:58:22PM Date Analyzed: 3/28/2023 10:21:03AM Regulator Sample ID: VA00026


Regulator Source Package ID: VA00026

Regulator Batch ID: VA00026



Total Cannabinoids 66.39 % 663.9 mg/g









Total Terpenes Heavy Metals 2.9 % **PASS**

Microbials **PASS**

Residual Solvents PASS



PASS

Mycotoxins

Potency Analysis	рy
HPLC	

Total Cannabinoids: 66.39 % - 663.9 mg/g

Total THC: 59.52 % - 595.2 mg/g Total CBD: 0.23 % - 2.3 mg/g

Compound	CAS#	LOQ (%)	%	mg/g	Rela
d9-THC	1972-08-3	0.001	57.66	576.6	
d10-THC	95543-62-7	0.001	3.10	31.0	
THCa	23978-85-0	0.001	2.12	21.2	_
CBN	521-35-7	0.001	1.28	12.8	•
CBG	25654-31-3	0.001	1.12	11.2	•
THCV	31262-37-0	0.001	0.47	4.7	•
CBD	13956-29-1	0.001	0.23	2.3	1
CBGa	25555-57-1	0.001	0.15	1.5	ı
d8-THC	5957-75-5	0.001	0.13	1.3	I
CBC	20675-51-8	0.001	0.13	1.3	I
CBDa	1244-58-2	0.001	ND	ND	
CBDV	24274-48-4	0.001	ND	ND	

Date Completed: 03/24/2023 10:08AM

ative Concentration

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-CPL-2022-00007







185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003

Sample #: 581


HTE Infused Disposable .75g - Alien OG Blend

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

Total CBD = CBD + (0.877*CBDa)

Total THC = d9-THC + d8-THC + d10-THC + (0.877*THCa) d8-THC is an abbreviation for delta-8 tetrahydrocannabinol.

d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.



This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-CPL-2022-00007 Kelly N. Guela





NYHO
New York Hemp Oil

185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com

607-821-1182

License #: OCM-AUCP-22-000003

Certificate of Analysis

Final

Sample #: 581

HTE Infused Disposable .75g - Alien OG Blend

Compound	CAS#	LOQ (%)	%	Relative Concentration	
pha-Cedrene	469-61-4	0.1	ND		
pha-Pinene	80-56-8	0.1	ND		
alpha-Terpinene	99-86-5	0.1	ND		
alpha-Terpineol	98-55-5	0.1	ND		
peta-Pinene	127-91-3	0.1	ND		
Camphene	79-92-5	0.1	ND		
cis-Nerolidol	142-50-7	0.1	ND		
cis-Ocimene :	3338-55-4	0.1	ND		
Endo-Fenchyl Alcohol 1	4575-74-7	0.1	ND		
Eucalyptol	470-82-6	0.1	ND		
Fenchone	1195-79-5	0.1	ND		
gamma-Terpinene	99-85-4	0.1	ND		
gamma-Terpineol	586-81-2	0.1	ND		
Geraniol	106-24-1	0.1	ND		
Geranyl Acetate	105-87-3	0.1	ND		
Guaiol	489-86-1	0.1	ND		
Hexahydro Thymol 1	5356-70-4	0.1	ND		
Nerol	106-25-2	0.1	ND		
p-Mentha-1,5-diene	99-83-2	0.1	ND		
Pulegone	89-82-7	0.1	ND		
Sabinene	3387-41-5	0.1	ND		
Sabinene Hydrate	546-79-2	0.1	ND		
trans-Nerolidol 4	0716-66-3	0.1	ND		
trans-Ocimene	3779-61-1	0.1	ND		

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-CPL-2022-00007 Kelly N Guela





185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182 License #: OCM-AUCP-22-000003

Sample #: 581

HTE Infused Disposable .75g - Alien OG Blend

sticides by LCMSMS	Pass	}	Date Completed: 03/28/2023 9:34 at		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Abamectin	0.01	0.5	ND	Pass	
Acephate	0.01	0.4	ND	Pass	
Acequinocyl	0.01	2	ND	Pass	
Acetamiprid	0.01	0.2	ND	Pass	
Aldicarb	0.01	0.4	ND	Pass	
Azadirachtin	0.01	1	ND	Pass	
Azoxystrobin	0.01	0.2	ND	Pass	
Bifenazate	0.01	0.2	ND	Pass	
Bifenthrin	0.01	0.2	ND	Pass	
Boscalid	0.01	0.4	ND	Pass	
Carbaryl	0.01	0.2	ND	Pass	
Carbofuran	0.01	0.2	ND	Pass	
Chlorantraniliprole	0.01	0.2	ND	Pass	
Chlormequat Chloride	0.01	1	ND	Pass	
Chlorpyrifos	0.01	0.2	ND	Pass	
Clofentezine	0.01	0.2	ND	Pass	
Coumaphos	0.01	1	ND	Pass	
Cyfluthrin	0.01	1	ND	Pass	
Cypermethrin	0.01	1	ND	Pass	
Daminozide	0.01	1	ND	Pass	
Diazinon	0.01	0.2	ND	Pass	
Dichlorvos	0.01	1	0.17	Pass	
Dimethoate	0.01	0.2	ND	Pass	
Dimethomorph	0.01	1	ND	Pass	
Ethoprophos	0.01	0.2	ND	Pass	
Etofenprox	0.01	0.4	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or pon-detected levels of any compound reported berein

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-CPL-2022-00007 Kelly N Guela





185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Sample #: 581

HTE Infused Disposable .75g - Alien OG Blend

sticides by LCMSMS	Pass	•	Date Completed: 03/28/2023 9:34 a		
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status	
Etoxazole	0.01	0.2	ND	Pass	
Fenhexamid	0.01	1	ND	Pass	
Fenoxycarb	0.01	0.2	ND	Pass	
Fenpyroximate	0.01	0.4	ND	Pass	
Fipronil	0.01	0.4	ND	Pass	
Flonicamid	0.01	1	ND	Pass	
Fludioxonil	0.01	0.4	ND	Pass	
Hexythiazox	0.01	1	ND	Pass	
Imazalil	0.01	0.2	ND	Pass	
Imidacloprid	0.01	0.4	ND	Pass	
Indolebutyric Acid	0.01	1	ND	Pass	
Kresoxim-methyl	0.01	0.4	ND	Pass	
Malathion	0.01	0.2	ND	Pass	
Metalaxyl	0.01	0.2	ND	Pass	
Methiocarb	0.01	0.2	ND	Pass	
Mevinphos	0.01	1	ND	Pass	
Myclobutanil	0.01	0.2	ND	Pass	
Naled	0.01	0.5	ND	Pass	
Oxamyl	0.01	1	ND	Pass	
Paclobutrazol	0.01	0.4	ND	Pass	
Permethrin	0.01	0.2	ND	Pass	
Phosmet	0.01	0.2	ND	Pass	
Piperonyl Butoxide	0.01	2	ND	Pass	
Prallethrin	0.01	0.2	0.08	Pass	
Propiconazole	0.01	0.4	ND	Pass	
Propoxur	0.01	0.2	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-CPL-2022-00007

Kelly N Guela





185 Main ST
Cortland, NY, 13045
Teejay@newyorkhempoil.com
607-821-1182
License #: OCM-AUCP-22-000003

Sample #: 581

HTE Infused Disposable .75g - Alien OG Blend

Pass	3	Date Completed: 03/28/2023 9:34 an		
LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
0.01	1	ND	Pass	
0.01	0.2	ND	Pass	
0.01	1	ND	Pass	
0.01	.2	ND	Pass	
0.01	0.2	ND	Pass	
0.01	0.2	ND	Pass	
0.01	0.2	ND	Pass	
0.01	0.4	ND	Pass	
0.01	0.2	ND	Pass	
0.01	0.2	ND	Pass	
0.01	0.2	ND	Pass	
	LOQ (μg/g) 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01	0.01 1 0.01 0.2 0.01 1 0.01 1 0.01 .2 0.01 0.2 0.01 0.2 0.01 0.2 0.01 0.2 0.01 0.2 0.01 0.2 0.01 0.2 0.01 0.2	LOQ (μg/g) Limits (μg/g) Result (μg/g) 0.01 1 ND 0.01 0.2 ND 0.01 1 ND 0.01 .2 ND 0.01 0.2 ND 0.01 0.2 ND 0.01 0.2 ND 0.01 0.4 ND 0.01 0.2 ND 0.01 0.2 ND 0.01 0.2 ND	

Residual Solvents by HS-GC-MS	Pass	3	Date Completed: 03/28/2023 10		
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status	
1,4-Dioxane	50	380	ND	Pass	
2-Butanol	50	5000	ND	Pass	
2-Ethoxyethanol	50	160	ND	Pass	
3-Methylpentane	10		ND	Pass	
Acetone	50	5000	ND	Pass	
Acetonitrile	50	410	ND	Pass	
Benzene	0.5	2	ND	Pass	
Butanes ppm	25	5000	80	Pass	
Cumene	50	70	ND	Pass	
Cyclohexane	50	3880	ND	Pass	
Ethanol	50	5000	ND	Pass	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-CPL-2022-00007 Kelly N Gue La





185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com 607-821-1182

License #: OCM-AUCP-22-000003

Sample #: 581

HTE Infused Disposable .75g - Alien OG Blend

sidual Solvents by HS-GC-MS	Pass		Date Completed: 03/28/2023 10:21		
Compound	LOQ (ppm)	Limits (ppm)	Result (ppm)	Status	
Ethyl acetate	50	5000	ND	Pass	
Ethyl ether	50	5000	ND	Pass	
Ethylbenzene	12.5		ND	Pass	
Ethylene glycol	50	620	ND	Pass	
Ethylene oxide	50	50	ND	Pass	
Heptane	50	5000	ND	Pass	
Hexane	10		ND	Pass	
Isopropanol	50	5000	ND	Pass	
Isopropyl acetate	50	5000	ND	Pass	
Methanol	50	3000	ND	Pass	
Methylene chloride	50	600	ND	Pass	
Pentanes Total	16.7	5000	ND	Pass	
Propane	50	5000	ND	Pass	
Tetrahydrofuran	50	720	ND	Pass	
Toluene	50	890	ND	Pass	
Total xylenes	25	2170	ND	Pass	

Mycotoxins by LCMSMS	Pass	3	Date Completed: 03/28/2023 9:3	
Compound	LOQ (μg/g)	Limits (μg/g)	Result (μg/g)	Status
Aflatoxin B1	0.005	0.020	ND	Pass
Aflatoxin B2	0.005	0.020	ND	Pass
Aflatoxin G1	0.005	0.020	ND	Pass
Aflatoxin G2	0.005	0.020	ND	Pass
Ochratoxin A	0.005	0.020	ND	Pass
Total Aflatoxin	0.005	0.020	ND	Pass

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported berein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-CPL-2022-00007 Kelly N Guela



New York Hemp Oil Labs LLC



185 Main ST Cortland, NY, 13045 Teejay@newyorkhempoil.com

607-821-1182 License #: OCM-AUCP-22-000003 **Certificate of Analysis**

Final

Sample #: 581

HTE Infused Disposable .75g - Alien OG Blend

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

leavy Metals by ICPMS	Pass	Pass		d: 03/23/2023 3:03 pm
Compound	LOQ (µg/g)	Limits (μg/g)	Result (μg/g)	Status
Antimony	0.01	2	ND	Pass
Arsenic	0.001	0.2	ND	Pass
Cadmium	0.0015	0.3	ND	Pass
Chromium	0.275	110	ND	Pass
Copper	0.075	30	ND	Pass
Lead	0.0025	0.5	ND	Pass
Mercury	0.0005	0.1	ND	Pass
Nickel	0.01	2	ND	Pass
Comment: Heavy Metal contamination tested by ICPMS usi	ng P-NY140. Unless otherwise stated, all	QC passed.		

licro by Petri & qPCR	Pass	3	Date Completed: 03/27/2023 1:2	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	0	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	0	0	Not Detected	Pass
Aspergillus niger Qualitative	0	0	Not Detected	Pass
Aspergillus terreus Qualitative	0	0	Not Detected	Pass
Salmonella Qualitative	0	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	0	0	Not Detected	Pass
Total Aerobic Bacteria	10	10000	ND	Pass
Total Yeast & Mold	10	1000	ND	Pass
omment: Microbial contamination tested by Petrifilm plates and qF and "Detected" = "Presumptive Presence". Acceptance			validation limitations: "Not Detected" = "Absent"	

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-CPL-2022-00007

Kelly N Gue La

