



**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

## Results Summary

<b>Cannabinoids Profile</b>	
<b>Terpenes</b>	
Trace Metals	PASS
Mycotoxins	PASS
Pesticides LC	PASS
Pesticides GC	PASS
Microbial Impurities (MDG for STEC, Salmonella, Asp sp.)	PASS
Microbial Impurities (Total Aerobic Bacteria/CDP-TC)	PASS
Microbial Impurities (Total Yeast and Mold/CDP-YMR)	PASS
Filth and Foreign Material	PASS
Moisture Content	PASS
Water Activity	PASS

**Client Name:** NYHO Labs LLC  
**Contact Name:** Michael Stoker  
**Address:** 185 Main St  
 Cortland, NY 13045  
**Phone:** 607-821-1182  
**License Number:** OCM-AUCP-22-000003

**Sample Description:** La Bomba Whole Flower 1oz

**Lot Number:** WF00133

**Regulatory Category:** Adult Use

**Sample Matrix:** Un-Extracted

**Delivery Method:** Inhalation

**Sample Type:** Flower

**Sample Subtype:** whole flower

**Sampling Site:** 185 Main St Cortland, NY 13045

**Sampling Date and Time:** 01/30/2024 11:33 AM

# Certificate Of Analysis

## Cannabinoids Profile

**Date analyzed:** 02/02/2024

**Method:** NY.SOP.T.40.260

**Analyst:** Stephanie Knapp

**Date started:** 01/31/2024 08:36 AM

Analyte	Result (%w/w)	LOQ (µg/mL)	Result (mg/serving)
Δ8-THC†	<LOQ	0.6	<LOQ
Δ9-THC†	1.84	0.66	18.41
Δ10-THC-RS†	1.63	0.6	16.29
Δ10-THC-RR†	<LOQ	0.6	<LOQ
Tetrahydrocannabinolic acid (THCA)†	27.98	0.6	279.8
Tetrahydrocannabivarin (THCV)	<LOQ	0.6	<LOQ
Cannabidiol (CBD)*	<LOQ	0.6	<LOQ
Cannabinadiolic acid (CBDA)*	<LOQ	0.6	<LOQ
Cannabidivarin (CBDV)	<LOQ	0.6	<LOQ
Cannabinol (CBN)	<LOQ	0.6	<LOQ
Cannabigerol (CBG)	<LOQ	0.6	<LOQ
Cannabigerolic acid (CBGA)	1.2	0.6	12
Cannabichromene (CBC)	<LOQ	0.6	<LOQ
†Total Tetrahydrocannabinol (THC)	28.01	-	280.08
*Total Cannabidiol (CBD)	0	-	0
Total Cannabinoids	29.21	-	292.08

Analyzed by HPLC

V125.44

# Certificate Of Analysis

## Terpenes

**Date analyzed:** 02/01/2024

**Method:** NY.SOP.T.40.090

**Analyst:** Lucia Orellana

**Date started:** 01/31/2024 07:55 AM

Analyte	Result (%w/w)	LOQ
3-Carene	<LOQ	0.02
alpha-Bisabolol	0.07	0.02
alpha-Humulene	0.16	0.03
alpha-Phellandrene	<LOQ	0.03
alpha-Pinene	0.04	0.02
alpha-Terpinene	<LOQ	0.01
alpha-Terpineol	0.04	0.02
beta-Myrcene	0.06	0.03
beta-Pinene	0.05	0.03
Borneol	<LOQ	0.02
Camphene	<LOQ	0.02
Camphor	<LOQ	0.02
Caryophyllene oxide	<LOQ	0.03
Cedrene	<LOQ	0.02
Cedrol	<LOQ	0.03
cis-Nerolidol	<LOQ	0.03
cis-Ocimene	<LOQ	0.03
Eucalyptol	<LOQ	0.04
Farnesene	<LOQ	0.04
Fenchol	0.04	0.02
Fenchone	<LOQ	0.03
gamma-Terpinene	<LOQ	0.02
gamma-Terpineol	<LOQ	0.02
Geraniol	<LOQ	0.02
Geranyl Acetate	<LOQ	0.03



**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

Guaiol	<LOQ	0.03
Isoborneol	<LOQ	0.02
Isopulegol	<LOQ	0.03
Limonene	0.34	0.04
Linalool	0.04	0.02
Menthol	<LOQ	0.02
Nerol	<LOQ	0.03
Pulegone	<LOQ	0.03
Sabinene	0.06	0.02
Sabinene Hydrate	<LOQ	0.02
Terpinolene	<LOQ	0.02
trans-b-Ocimene	<LOQ	0.02
trans-Caryophyllene	0.43	0.03
trans-Nerolidol	<LOQ	0.04
Valencene	<LOQ	0.03
<b>TOTAL (%)</b>	<b>1.33</b>	<b>Overall Status (Pass/Fail)</b>
<b>Limit (%)</b>	<b>10</b>	<b>PASS</b>

Analyzed by GCMS

V151.12



**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

## Trace Metals

**PASS**

**Date analyzed:** 02/05/2024

**Method:** NY.SOP.T.40.050

**Analyst:** Moni Kaneti

**Date started:** 02/02/2024 11:19 AM

Analyte	Result (µg/g)	LOQ	Allowable Limit	Pass/Fail
Antimony (Sb)	<LOQ	0.13	2	PASS
Arsenic (As)	<LOQ	0.07	0.2	PASS
Cadmium (Cd)	<LOQ	0.06	0.3	PASS
Chromium (Cr)	<LOQ	0.36	110	PASS
Copper (Cu)	17.392	0.39	30	PASS
Lead (Pb)	<LOQ	0.08	0.5	PASS
Mercury (Hg)	<LOQ	0.01	0.1	PASS
Nickel (Ni)	0.891	0.11	5	PASS
Overall Status				PASS

Analyzed by ICP-MS

V114.36



**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

## Mycotoxins

**PASS**

**Date analyzed:** 02/01/2024

**Method:** NY.SOP.T.40.180

**Analyst:** Destiny Ribadeneyra

**Date started:** 01/31/2024 08:04 AM

Analyte	Result (µg/g)	LOQ (µg/g)	Allowable Limit	Pass/Fail
Aflatoxin B1	<LOQ	0.001	0.02	PASS
Aflatoxin B2	<LOQ	0.002	0.02	PASS
Aflatoxin G1	<LOQ	0.001	0.02	PASS
Aflatoxin G2	<LOQ	0.002	0.02	PASS
Sum of Aflatoxins	0	-	0.02	PASS
Ochratoxin A	<LOQ	0.002	0.02	PASS
			Overall Status	PASS

*Analysis Instrument*      30 LC-MS TQ

V141.3

# Certificate Of Analysis

## Pesticides LC

**PASS**

**Date analyzed:** 02/01/2024

**Method:** NY.SOP.T.040.270

**Analyst:** Destiny Ribadeneyra

**Date started:** 01/31/2024 07:59 AM

Analyte	Result (µg/g)	LOQ	Allowable Limit	Pass/Fail
Abamectin	<LOQ	0.02	0.5	PASS
Acephate	<LOQ	0.01	0.4	PASS
Acequinocyl	<LOQ	0.02	2	PASS
Acetamiprid	<LOQ	0.01	0.2	PASS
Aldicarb	<LOQ	0.01	0.4	PASS
Azadirachtin	<LOQ	0.02	1	PASS
Azoxystrobin	<LOQ	0.01	0.2	PASS
Bifenazate	<LOQ	0.01	0.2	PASS
Bifenthrin	<LOQ	0	0.2	PASS
Boscalid	<LOQ	0.01	0.4	PASS
Carbaryl	<LOQ	0.01	0.2	PASS
Carbofuran	<LOQ	0.01	0.2	PASS
Chlorantraniliprole	<LOQ	0.01	0.2	PASS
Chlormequat chloride	<LOQ	0.02	1	PASS
Chlorpyrifos	<LOQ	0.01	0.2	PASS
Clofentezine	<LOQ	0.01	0.2	PASS
Daminozide	<LOQ	0	1	PASS
Diazinon	<LOQ	0.01	0.2	PASS
Dichlorvos	<LOQ	0.01	1	PASS
Dimethoate	<LOQ	0.01	0.2	PASS
Dimethomorph	<LOQ	0.01	1	PASS
Ethoprophos	<LOQ	0.01	0.2	PASS
Etofenprox	<LOQ	0	0.4	PASS
Etoxazole	<LOQ	0.01	0.2	PASS
Fenhexamid	<LOQ	0.01	1	PASS

# Certificate Of Analysis

Fenoxycarb	<LOQ	0.01	0.2	PASS
Fenpyroximate	<LOQ	0	0.4	PASS
Flonicamid	<LOQ	0.01	1	PASS
Fludioxonil	<LOQ	0.02	0.4	PASS
Hexythiazox	<LOQ	0	1	PASS
Imidacloprid	<LOQ	0.01	0.4	PASS
Indole-3-butyric acid	<LOQ	0.01	1	PASS
Kresoxim methyl	<LOQ	0.01	0.4	PASS
Malathion	<LOQ	0.01	0.2	PASS
Metalaxyl	<LOQ	0.01	0.2	PASS
Methiocarb	<LOQ	0	0.2	PASS
Methomyl	<LOQ	0.01	0.4	PASS
Mevinphos	<LOQ	0.02	1	PASS
MGK-264	<LOQ	0.01	0.2	PASS
Myclobutanil	<LOQ	0.01	0.2	PASS
Naled	<LOQ	0	0.5	PASS
Oxamyl	<LOQ	0.01	1	PASS
Paclobutrazol	<LOQ	0.01	0.4	PASS
Permethrins, Total	<LOQ	0.01	0.2	PASS
Phosmet	<LOQ	0.01	0.2	PASS
Piperonyl Butoxide	<LOQ	0.01	2	PASS
Prallethrin	<LOQ	0.01	0.2	PASS
Propiconazole	<LOQ	0.01	0.4	PASS
Propoxur	<LOQ	0.01	0.2	PASS
Pyrethrins	<LOQ	0.01	1	PASS
Pyridaben	<LOQ	0.01	0.2	PASS
Spinetoram, Total	<LOQ	0	1	PASS
Spinosad, Total	<LOQ	0.01	0.2	PASS
Spiromesifen	<LOQ	0.01	0.2	PASS
Spirotetramat	<LOQ	0.01	0.2	PASS
Spiroxamine	<LOQ	0	0.2	PASS





**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

Tebuconazole	<LOQ	0.01	0.4	<b>PASS</b>
Thiacloprid	<LOQ	0.01	0.2	<b>PASS</b>
Thiamethoxam	<LOQ	0.01	0.2	<b>PASS</b>
Overall Status				<b>PASS</b>

Analysis Instrument      30 Agilent LS-MS TQ

V144.9

## Pesticides GC

**PASS**

**Date analyzed:** 02/02/2024      **Method:** NYS.SOP.T.040.271      **Analyst:** Destiny Ribadeneyra  
**Date started:** 01/31/2024 08:00 AM

Analyte	Result (µg/g)	LOQ (µg/g)	Allowable Limit	Pass/Fail
Captan	<LOQ	0.3	1	<b>PASS</b>
Chlordane	<LOQ	0.07	1	<b>PASS</b>
Chlorfenapyr	<LOQ	0.1	1	<b>PASS</b>
Coumaphos	<LOQ	0.19	1	<b>PASS</b>
Cyfluthrin	<LOQ	0.11	1	<b>PASS</b>
Cypermethrin	<LOQ	0.24	1	<b>PASS</b>
Fipronil	<LOQ	0.17	0.4	<b>PASS</b>
Imazalil	<LOQ	0.17	0.2	<b>PASS</b>
Methyl parathion	<LOQ	0.09	0.2	<b>PASS</b>
Pentachloronitrobenzene	<LOQ	0.17	1	<b>PASS</b>
Trifloxystrobin	<LOQ	0.11	0.2	<b>PASS</b>
Overall Status				<b>PASS</b>

Analysis Instrument      141 GC/TQ

V177.8



**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

## Microbial Impurities (MDG for STEC, Salmonella, Asp sp.)

**PASS**

Date analyzed: 02/01/2024

Method: NYS.SOP.T.40.273

Analyst: Kristy Lee

Date started: 01/30/2024 05:15 PM

Microbial Species	Microbial Type	Detection Status	Pass/Fail
Shiga toxin-producing Escherichia coli	Bacteria	Not Detected	PASS
Salmonella species	Bacteria	Not Detected	PASS
Aspergillus flavus	Fungal	Not Detected	PASS
Aspergillus niger	Fungal	Not Detected	PASS
Aspergillus terreus	Fungal	Not Detected	PASS
Aspergillus fumigatus	Fungal	Not Detected	PASS
		Overall Status	PASS

Analysis Instrument

125 Agilent AriaMx Real-time PCR System

V182.2

## Microbial Impurities (Total Aerobic Bacteria/CDP-TC)

**PASS**

Date analyzed: 02/02/2024

Method: NYS.SOP.T.040.200

Analyst: Kristy Lee

Date started: 01/30/2024 06:07 PM

Result (CFU/g)	LOQ	Allowable Limit	Pass/Fail
50000	5	N/A	PASS

Analysis Instrument

87 Colony Counter

V149.7



**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

## Microbial Impurities (Total Yeast and Mold/CDP-YMR)

**PASS**

Date analyzed: 02/02/2024

Method: NYS.SOP.T.040.200

Analyst: Kristy Lee

Date started: 02/02/2024 03:29 PM

Microbial Species	Result (cfu/g)	LOQ	Allowable Limit	Pass/Fail
Mold Count	150000	5	N/A	PASS
Yeast Count	<LOQ	5	N/A	PASS
Total Yeast and Mold	150000		N/A	PASS
			Overall Status	PASS

Analysis Instrument      87 Colony Counter

V150.9

## Filth and Foreign Material

**PASS**

Date analyzed: 01/31/2024

Method: NYS.SOP.T.040.250

Analyst: Destiny Ribadeneyra

Date started: 01/31/2024 09:25 AM

Analyte	Result	LOQ	Allowable Limit	Pass/Fail
Mammalian excreta (mg/lb)	0	0	1	PASS
Stems >3mm in diameter (%)	0	0	5	PASS
Other Foreign Material (%)	0	0	2	PASS
			Overall Status	PASS

V142.8



**Phyto-farma Labs**  
 49 John Hicks Drive  
 Warwick, NY 10990  
 Permit#: OCM-CPL-2022-00004  
 Phone: 845-988-0937

Compliance

# Certificate Of Analysis

## Moisture Content

**PASS**

**Date analyzed:** 02/01/2024

**Method:** NY.SOP.T.040.220

**Analyst:** Lucia Orellana

**Date started:** 01/31/2024 08:27 AM

Result (%)	LOQ	Allowable Limit	Pass/Fail
14	0.0	5.0 - 15.0	<b>PASS</b>

*Analysis Instrument*

*4 Moisture Balance*

V140.31

## Water Activity

**PASS**

**Date analyzed:** 01/31/2024

**Method:** NY.SOP.T.040.210

**Analyst:** Lucia Orellana

**Date started:** 01/31/2024 08:47 AM

Result (Aw)	LOQ	Allowable Limit	Pass/Fail
0.43	0.25	0.65	<b>PASS</b>

*Analyzed by Water Activity Meter*

V131.63

Sample Comment: Amended: Updated Sampling Site and Time.

*Alicia Caruso-Thomas*

Alicia Caruso-Thomas  
 Laboratory Director  
 02/05/2024