# HP Color LaserJet Enterprise MFP 5800dn Printer



## Powerfully compact. Extraordinarily efficient.

Transform your workflows with advanced capabilities in a compact footprint. From print speeds to color panels, get flexible configurations to meet your needs today and tomorrow. All while protecting your business against evolving cyber threats.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds









#### More than a printer, in a compact footprint

- Get the functionality you need with flexible printer configurations and easy-to-scale solutions.
   Optimize your device to meet your business needs and your budget.
- · Select the document feeding solution that works best for your team.
- Choose storage options including HDD and SSD drives to handle data and document stored on the device.
- Maximize your productivity and increase print performance with HP's powerful tri-core processor for copying, scanning, and printing.
- Maintain productivity and stay up-to-date on the latest features across your fleet with upgradeable HP FutureSmart firmware.<sup>3</sup>

## Customizable and scalable solutions <sup>8</sup>

- Get the functionality you need with flexible printer configurations and easy-to-scale solutions.
   Optimize your device to meet your business needs and your budget.
- Select the document feeding solution that works best for your team.
- Choose storage options including HDD and SSD drives to handle data and document stored on the device.

### Fast and seamless digitization

- Customize your print experience with cloud-connected HP Workpath apps. Access personalized content and integrate paper and digital workflows.<sup>4</sup>
- Give your team the tools to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions, and card reader support.
- Make color management simple with HP Custom Color Manager. Match color output of any document-device combination by simply pulling color profiles from the cloud. Get high-quality color profiles without the hassle of expensive color matching systems.<sup>9</sup>

#### Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- HP Connection Inspector examines network connections. The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Memory ShieldTM and expanded run-time intrusion detection protects memory and other
  applications. Common Criteria certified <sup>6</sup> to continually monitor memory activity, detect and
  stop zero-day attacks in real time [known/unknown] and self-heal.
- Minimize exposure with whitelisting checks, firmware that is automatically checked during start-up to determine if it's authentic code – digitally signed by HP.

## Product walkaround

- 1. 250-sheet output bin supports media sizes up to Legal (8.5x14 inch)
- 2. Automatic 2-sided printing
- 3. HP High-Performance Secure Hard Disk
- 4. Front door access to All-in-One toner cartridges
- 5. 100-sheet dual side Flow enabled ADF supports media sizes up to Legal (8.5x14 inch)
- 6. 8 inch color touchscreen display (20.32 cm)
- 7. Long originals media sensor
- 8. Easy-access USB port<sup>1</sup>
- 9. Convenience Stapler
- 10. Hardware Integration Pocket<sup>2</sup> (for connecting accessories and third-party devices)
- 11. Power button
- 12. Right door access to the print path
- 13. 100-sheet multipurpose tray 1 supports media sizes up to Legal (8.5x14 inch)
- 14. 550-sheet tray 2 supports media sizes up to Legal (8.5x14 inch)
- 15. Slot for cable-type security lock<sup>3</sup>
- 16. SuperSpeed USB 3.0 Host Port<sup>3</sup>
- 17. Hi-Speed USB 2.0 Host Port<sup>3</sup>
- 18. Gigabit Ethernet Port<sup>3</sup>
- 19. SuperSpeed 3.0 device port<sup>3</sup>
- 20. (Optional OCR Accelerator Card)<sup>3</sup>



## Series at a glance



Model	HP Color LaserJet Enterprise MFP 5800dn Printer
Product number	6QN29A
Functions	Print, copy, and scan (fax and wireless optional) (all models)
Print speed	Up to 43 ppm (A4)
Control panel	20.3 cm color touchscreen display
Scan speed	47 ppm(A4 b&w/color)/94 ipm(A4 b&w/color) (simplex/duplex)
RMPV	Up to 10,000 pages per month
Input capacity	650/2,300 (std/max)
Output capacity (standard)	250-sheets
Processor	Tri-core 1.2 GHz
Flow solutions	No
Workpath enabled	Yes
Extensibility	HP FutureSmart 5, OXPd

<sup>&</sup>lt;sup>1</sup> An administrator must enable the easy-access USB port before use. <sup>2</sup> Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. <sup>3</sup> Additional items included on the back of the printer in the Input/Output Plate.

# Accessories, Supplies and Support

Supplies	W2130A HP 213A Blk Original LaserJet Toner Crtg(~3,500 pages) W2131A HP 213A Cyn Original LaserJet Toner Crtg(3,000 pages) W2132A HP 213A Ylw Original LaserJet Toner Crtg(-3,000 pages) W2133A HP 213A Mgn Original LaserJet Toner Crtg(-3,000 pages) W2130X HP 213X Blk Original LaserJet Toner Crtg(-9,000 pages) W2130X HP 213X Blk Original LaserJet Toner Crtg(-6,000 pages) W2131X HP 213X Ylw Original LaserJet Toner Crtg(-6,000 pages) W2132X HP 213X Ylw Original LaserJet Toner Crtg(-6,000 pages) W2133X HP 213X Blk Original LaserJet Toner Crtg(-6,000 pages) W2133Y HP 213Y Blk Original LaserJet Toner Crtg(-12,000 pages) W2131Y HP 213Y Vlw Original LaserJet Toner Crtg(-12,000 pages) W2132Y HP 213Y Mgn Original LaserJet Toner Crtg(-12,000 pages) W2133Y HP 213Y Mgn Original LaserJet Toner Crtg(-12,000 pages) S27G0A HP LaserJet 110V Fuser Kit S27G6A HP LaserJet 110V Fuser Kit S27G6A HP LaserJet 110V Fnhanced Fuser Kit S27G5A HP LaserJet 110V Fnhanced Fuser Kit S27G5A HP LaserJet Image Transfer Belt S27G3A HP LaserJet Image Transfer Belt S27G3A HP LaserJet Image Transfer Belt S27G3A HP LaserJet Tray 2 Roller Kit S27H2A HP LaserJet MP Tray Roller Kit S27H2A HP LaserJet MP Tray Roller Kit S47H2A HP LaserJet MP Tray Roller Kit S6H121A HP LaserJet ADF Maintenance Kit
Accessories	2TD64AHP Accessibility Kit
	4XN67A HP Internal UŚB Expansion Kit 8FP31A HP Jetdirect LAN Accessory 8SL31A HP Foreign Interface Harness CC543B HP SmartCard NIPRNet Solution for US Government F8B30A HP SmartCard SIPRNet Solution for US Government 2NR12A HP Removable Hard Drive Enclosure 478C2A HP Printing Voice Assistant 1M0Q0A HP MFP Analog Fax 702 Accessory 1M0Q1A HP MFP Analog Fax 703 Accessory (BBU option code only) 6QN54A HP Color LaserJet Stand 6QN55A HP Color LaserJet Storage Stand 6QN55A HP Color LaserJet Sto Sheet Paper Tray X3D03A HP USB Universal Card Reader Y7C05A HP HIPS Exystroke Reader 4QL32A HP Legic Secure USB Reader 3SH11A HP HID Mob Acc Mifare DES Fire ks Reader 9EQ111A HP 500GB CCC FIPS Hard Disk Drive 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless
Service and Support	U45QSE HP 3 year Next Business Day with DMR Service for Color Laser Jet Enterprise MFP 580x U45QSE HP 4 year Next Business Day with DMR Service for Color Laser Jet Enterprise MFP 580x U45QYE HP 5 year Next Business Day with DMR Service for Color Laser Jet Enterprise MFP 580x U45QBE HP 3 year 4 hour 9x5 with DMR Service for Color Laser Jet Enterprise MFP 580x U45QBE HP 5 year 4 hour 9x5 with DMR Service for Color Laser Jet Enterprise MFP 580x U45QBE HP 5 year 4 hour 9x5 with DMR Service for Color Laser Jet Enterprise MFP 580x U45QBE HP 5 year 4 hour 9x5 with DMR Service for Color Laser Jet Enterprise MFP 580x U45QGE HP 3 year Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise MFP 580x U45QGE HP 3 year Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise MFP 580x U45QJE HP 5 year Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise MFP 580x U45QJE HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Enterprise MFP 580x U45QMPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Enterprise MFP 580x U45QMPE HP 1 year POST Warranty 4 hour 9x5 with DMR Service for Color Laser Jet Enterprise MFP 580x U45QMPE HP 1 year PW Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise MFP 580x U45QMPE HP Naintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 580x U45QMPE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 580x U45VBE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 580x X579xx Fuser 110 U45VBE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 580x X579xx Fuser 220 U45VBE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 580x X579xx Fuser 220 U45VBE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 580x X579xx TU U45VBE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 580x X579xx TU U45VBE HP Maintenance Kit Replacement Service for Color L

# **Technical specifications**

Man del	UD Calculation by Factor to MED 5000th District
Model	HP Color Laser Jet Enterprise MFP 5800dn Printer
Product number Functions	6QN29A  Driet copy (con fay (optional)
Control panel	Print, copy, scan, fax (optional)  8.0 in (20.3 cm) touchscreen with color graphics
Print	8.0 III (20.5 cm) touchscreen with color graphics
Print technology	Laser
Print speed <sup>6</sup>	Black (A4, normal): Up to 43 ppm Colour (A4, normal): Up to 43 ppm; Black (A4, duplex): Up to 43 ipm Colour (A4, duplex): Up to 43 ipm
First page out <sup>7</sup>	Black (A4, ready): As fast as 7.2 sec Colour (A4, ready): As fast as 7.9 sec: Black (A4, sleep): As fast as 7.9 sec Colour (A4, sleep): As fast as 8.6 sec
	Black (best): Up to 1,200 x 1,200 dpi Colour (best): Up to 1200 x 1200 dpi ; Technology: HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview
Print resolution	(300x300 dpi)
Monthly duty cycle	Up to 80,000 pages A4; <b>Recommended monthly page volume</b> : 2000 to 10000
Printer smart software features	Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 8 in (20.3 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview
Standard print languages	XPS, HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 1191.4 mm
Duplex printing	Automatic
Сору	
Copy speed	Black (A4): Up to 43 cpm; Colour (A4): Up to 43 cpm
Copier specifications	Book Copy; Booklet; Build Job; Collation; Color; Content orientation; Copy preview; Darkness control; Default Original Size; Edge Erase; Edge-to-Edge; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; N-up; Original Size; Original Type; Paper Size; Paper Source; Paper type; Photo; Save Current Settings; Text; Text/Photo; Tray Selection; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Scan to job storage; Automatically strainghten; Automatically detect color/monochrome; Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%
Scan	
Scan speed <sup>10</sup>	Normal (A4): Up to 47 ppm/94 ipm (b&w), up to 47 ppm/94 ipm (color) ;Duplex (A4): Up to 94 ipm (b&w), up to 94 ipm (color)
Scan file format <sup>11</sup>	PDF; Hi-Compression PDF; PDFA; JPEG; TIFF; MTIFF; XPS
Scanner specifications	Scanner type Flatbed; ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath Applications; Twain version: Version 2.4; Duplex ADF scanning: Yes; Optical scan resolution: Up to 600 dpi
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets
Scannable area	Maximum media size (flatbed): 216 x 356 mm ;Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm
Scannable area Bit depth/ Grey scale levels Digital sending	
Bit depth/ Grey scale levels	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression;
Bit depth/ Grey scale levels  Digital sending	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression;
Bit depth/ Grey scale levels  Digital sending  Fax	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup>	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)
Bit depth/ Grey scale levels  Digital sending  Fax  Fax  FaxSpecifications	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A  Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional)
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3 JN69A; HP Jetdirect LAN Accessory 8FP31A
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional  Mobile printing capability  Supported network protocols  Network capabilities	Maximum media size (flatbed): 216 x 356 mm ;Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A  Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional)  Via built-in networking solution: TCP/IP, IPv4, IPv6, Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (Boottp, DHCP, AutoliP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SnMPv2/J3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog: Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T,
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional  Mobile printing capability  Supported network protocols  Network capabilities  Hard disk	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hii-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A  Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional)  Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/s3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management; Firewall, ACL, 802.1x  Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless networking (optional)
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional  Mobile printing capability  Supported network protocols  Network capabilities  Hard disk  Memory	Maximum media size (flatbed): 216 x 356 mm ;Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A  Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional)  Via built-in networking solution: TCP/IP, IPv4, IPv6, Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (Boottp, DHCP, AutoliP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SnMPv2/V3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-Tx, 1000Base-Tx,
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional  Mobile printing capability  Supported network protocols  Network capabilities  Hard disk  Memory  Media handling	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; mage adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A  Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional)  Via built-in networking sonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv5 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x  Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 100Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard), 802.11a/b/g/n wireless networking (optional)  Standard, 32 GB eMMC; Optional, minimum 500 GB HDD; Optional, 256 GB SSD (via CTO)  Standard: 6 GB; Maximum: 6 GB
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional  Mobile printing capability  Supported network protocols  Network capabilities  Hard disk  Memory	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email: scan to network folder; scan to USB drive; scan to SharePoint; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness): optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory BFP31A  Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional)  Via built-in networking solution: TCP/IR [Pv4, IPv4; Pirit: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™ Google Cloud Print; DISCOVERY; SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, Autolip, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SMMPv2/V3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SMMPv3, SSL Cert Management, Firewall, ACL, 802.1 x Ves, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/m wieless networking (optional, 256 GB SSD (via CTO)  Standard: 2:Maximum: up to 5
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional  Mobile printing capability  Supported network protocols  Network capabilities  Hard disk  Memory  Media handling	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SS1; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HiP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A  Apple AirPrint**; Mopria** Certified; NFC Touch-to-print (optional)  Via built-in networking solution: TCP/IR IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint**, Google Cloud Print; DISCOVERY: SLR Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHC), AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Route; Statefull via DHCPv6); Management: SNMPv2/v3; HTTP/HTTPs, Tenlet, TFTP Config, FTP PW Download, Syslog: Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x  Yes, via HP Jetdirect Ethernet embedded print services Discovery; IP CONFIG: IPv4 (BootP, DHC), AutolP,
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional  Mobile printing capability  Supported network protocols  Network capabilities  Hard disk  Memory  Media handling  Number of paper trays	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build, image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation HilP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A  Apple AirPint***, Mopria*** (ertified: NFC Touch-to-print (optional)  Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint**, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, Nanagement: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP PW Download, Syslog: Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1 x Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard), 802.11a/b/g/n wireless networking (optional)  Standard: 2: Maximum: up to 5  Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, ext
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional  Mobile printing capability  Supported network protocols  Network capabilities  Hard disk  Memory  Media handling  Number of paper trays  Media types	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSt; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness): optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory. Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1. SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A  Apple AirPrint™, Mopria™ Certified; NFC Touch-to-print (optional)  Via built-in networking solution: TCP/IP, IPv4, IPv5; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, Google Cloud Print, DisCOVERY: SLB ponjour, Web Services Discovery; IP CONFIG: IPv4 (Bootly DHCR AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6; Management: SNMPv2/J3, HTTP/HTTPs, Telnet, TFTP Config, FTP PW Download, Syslog; Security; SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x  Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; Psec (standard), 802.11a/hg/m vireless networking (optional)  Standard, 3 CB eMMC; Optional, minimum 500 GB HDD; Optional, 256 GB SSD (vi
Bit depth/ Grey scale levels  Digital sending  Fax  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional  Mobile printing capability  Supported network protocols  Network capabilities  Hard disk  Memory  Media handling  Number of paper trays  Media types  Media size	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSt; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device): 1 SuperSpeed USB 3.0 (host): 1 Hi-Speed USB 2.0 (host): 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A Apple AirPrint**, Mopria** Certified; NFC Touch-to-print (optional) Via built-in networking solution: TCP/IP; Pvd, II; PvG; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint**, Google Cloud Print; DISCOVERY: SJR, Bonjoux, Web Services Discovery; IP CONFIG: IPv4 (BootP; DHCP, AutoR), Manual, TTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Nouter, Statefull via DHCPv6; Management: SMMPv2/V3, HTTP/HTTP, Elent, TTP Config, FTP FW Download, Syslog; Security: SNNPv3, SSL Cert Management, Firewall, ACL, 802.1 x Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.1 1ab/lg/n wireless networking (optional)  Standard: 2:Maximum: up to 5  Paper (plaini, light, intermediate
Bit depth/ Grey scale levels  Digital sending  Fax  Fax <sup>4</sup> Fax specifications  Processor speed  Connectivity  Standard  Optional  Mobile printing capability  Supported network protocols  Network capabilities  Hard disk  Memory  Media handling  Number of paper trays  Media types  Media size  Media handling	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm  24-bit / 256  Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to FTP; scan to LAN fax; scan to internet Fax; local address book; SMTP over SSt; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten  Optional, 33.6 kbps (with optional analog fax accessory)  Fax memory. Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers  1.2 GHz  1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware integration Pocket 2nd generation (HIP2)  HP Jetdirect 3100w BLE/NFC/Wireless Accessory 31M69A; HP Jetdirect LAN Accessory 8FP31A  Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional)  Via built-in-networking solution: TCP/IP JPM4, IPM4; Pixit: TCP-IP port 9100 Direct Mode, LPD (raw queue support only). Web Services Printing, IPP 2.0, Apple AirPrint™; Google Cloud Print; DisCOVERY: S1B epilopus, Web Services Printing, IPP 2.0, Apple AirPrint™; Google Cloud Print; DisCOVERY: S1B epilopus, Web Services Discovery; IPC CONTIG: IPM4 (Boot9 DHCP AutoIP) Manual, TFTP Config., ARP-Ping), IPM6 (Stateless Link-Local and via Route; Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config., FTP FW Download, Syslog: Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1 x Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 108ase-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPB-sec (standard) 80

## **Technical specifications**

Model	HP Color LaserJet Enterprise MFP 5800dn Printer
Product number	6QNZ9A
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS
Compatible network operating systems	Windows Server; SAP; Novell; UNIX; Citrix; Linux
Minimum system requirements	Windows: 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com;  Mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com;
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com;
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted DPF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (ICFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs
Printer management	HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center; HP Smart Device Services (SDS)
Dimensions and weight	
Printer dimensions (W $\times$ D $\times$ H) $^{12}$	<b>Minimum</b> 500 x 460 x 583 mm; <b>Maximum</b> : 885 x 810 x 828 mm
Package dimensions (W x D x H)	598 x 758 x 652 mm
Printer weight	~38 kg
Package weight	~42.89 kg
Operating environment	Temperature: 10 to 32.5°C Humidity: 30 to 70% RH
Storage conditions	Temperature: -20 to 40°C
Acoustics	Acoustic power emissions: 6.3 B(A) Acoustic pressure emissions: 50 dB(A)
Power	Requirements: Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier); Consumption: 655 watts (Printing/Copying), 50.1 watts (Ready), 0.9 watts (Sleep), 0.09 watts (Manual Off); Typical Electricity Consumption (TEC) <sup>9</sup> : 0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel); Power supply type: Built in 1100 or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy
Certifications	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSM (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.  Electromagnetic emission standard: CISPR 22:2008 (International) - Class A; CISPR 32:2015 (International) - Class A; FN 5503:2015+A11:2020 (EU) - Class A; CISPR 35:2016 (International); EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019+A2:2021; FCC CFR 47 Part 15 Class A; ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.  CECP; IT ECO Declaration; Blue Angel; SEPA; EPEAT® Gold registered; KOECO  Blue Angel compliant® Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies
Sustainable impact specifications	5% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered
Country of origin	Made in China
What's in the box <sup>1</sup>	6QN29A HP Color LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~7,000 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~3,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.

#### Footnotes

<sup>1</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: http://standards.iso.org/litt/PubliciyAvailableStandards/SC28\_Test\_Pages/<sup>2</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>3</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature. <sup>4</sup> Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription may be required. Personalized content and integration functions are applicable to supported HP Workpath apps only. <sup>5</sup> HP's most advanced embedded security features are available on HP Renared and Enterprise devices with PF FutureSmart firmware 4.5 or above. Claim based on HP review of 2022 published features of conteitive in-class sprinters. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, which is the product of the p

#### Technical specifications disclaimers

<sup>1</sup> For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. <sup>2</sup> Dectared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. <sup>5</sup> Dectared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/go/toneryield <sup>2</sup> EPEAT<sup>6</sup> registrated ware status by country. <sup>4</sup> Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher redistration ware application, driver, and document complexity. <sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>6</sup> Measured using ISO/IEC 74734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>6</sup> Measured using ISO/IEC 74734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>6</sup> Measured using ISO/IEC 74734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>6</sup> Measured using ISO/IEC 74734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexit















