


Different ways to measure your ring size

Part 1

Do you have an existing ring that fits?

Measure your ring with these circles

- Print this page. **IMPORTANT**: Make sure you set it to 100% for accurate sizing.
- This line should measure exactly 3cm when you have printed it
- Take a ring that fits and place it on top of the circles below. The **inside edge** of the ring should fit the circle.




Cutout ring sizer

Print this page. IMPORTANT:
 Make sure you set it to 100% for accurate sizing.

This line should measure exactly 3cm when you have printed it

- Cut out the ring sizer below, and glue together matching the arrows.
- Place the ring over the ring sizer and check the size.
- Measure a few times, to make sure.
- Read the letter it's indicating.




If you don't have an existing ring that fits

A piece of string, wire, or paper

- Take a piece of string, wire, or paper, make sure it doesn't stretch as that can distort your measurements.
- Place the string/wire around your finger and pull it to the right size. Make sure it fits over your finger as if you're putting on a ring. It should be snug, but comfortable.
- Mark or hold it where the end meets the string/wire, and measure the length of the string.
- Measure a few times, at different times of the day as our fingers swell and contract.
- Check the length with the circumference chart on the next page to find out your size.
- When ordering a ring you can always give me your measurements and I can check your size with the length you measured.

Cutout ring sizer

- Print this page. IMPORTANT: Make sure you set it to 100% for accurate sizing.
 This line should measure exactly 3cm when you have printed it
- Cut out the ring sizer below, and cut a small slit on the line.
- Place the ring sizer around your finger, and slip the point of the sizer through the slit.
- Pull it to the right size, making sure it fits over your finger as if you're putting on a ring. It should be snug, but comfortable.
- Measure a few times, at different times of the day as our fingers swell and contract.
- Read the number it's indicating.





RING SIZING GUIDE

Circumference	Circumference	Inside diameter	Inside diameter	Size	Size	Size
mm	inches	mm	inches	UK	EU	US
37.8	1.49	12.1	0.47	A	39	1/2
39.1	1.54	12.5	0.49	В	40	1
40.4	1.59	12.9	0.51	С	41	1 1/2
41.7	1.64	13.2	0.52	D	42	2
42.9	1.69	13.7	0.54	E	43	2 1/2
44.2	1.74	14.1	0.55	F	44	3
45.5	1.79	14.5	0.57	G	45	3 1/2
46.8	1.84	14.9	0.59	Н	46	3 3/4
47.4	1.87			H1/2	47	4
48	1.89	15.3	0.6	1	48	4 1/2
48.3	1.9			I1/2	48 1/2	
48.7	1.92	15.5	0.61	J	49	43/4
49.3	1.94			J1/2	49 1/2	5
50	1.97	15.9	0.62	K	50	5 1/4
50.6	1.99			K1/2	51	5 1/2
51.2	2.02	16.3	0.64	L	52	5 3/4
51.9	2.04			L1/2	52 1/2	6
52.5	2.07	16.7	0.66	М	53	6 1/4
53.1	2.09			M1/2	53 1/2	6 1/2
53.8	2.12	17.1	0.67	N	54	6 3/4
54.4	2.14			N1/2	54 1/2	7
55.1	2.17	17.5	0.69	0	55	7 1/4
55.7	2.19			01/2	55 1/2	7 1/2
56.3	2.22	17.9	0.7	Р	56	7 3/4
57	2.24			P1/2	56 1/2	8
57.9	2.26	18.3	0.72	Q	57	8 1/4
58.4	2.29			Q1/2	57 1/2	8 1/2
58.9	2.32	18.8	0.74	R	58	8 3/4
59.5	2.34			R1/2	58 1/2	9
60.2	2.37	19.2	0.75	S	59	9 1/4
60.8	2.39			S1/2	59 1/2	9 1/2
61.4	2.42	19.6	0.77	T	60	9 3/4
62.1	2.44			T1/2	60 1/2	10
62.7	2.47	20	0.79	U	61	10 1/4
63.4	2.49			U1/2	61 1/2	10 1/2
64	2.52	20.4	0.8	V	62	10 3/4
64.6	2.54			V1/2	62 1/2	11
65.3	2.57	20.8	0.81	W	63	11 1/4
65.9	2.59			W1/2	63 1/2	11 1/2
66.6	2.62	21.2	0.83	Х	64	11 3/4
67.2	2.65			X1/2	64 1/2	12
67.8	2.67	21.6	0.85	Υ	65	12 1/4
68.5	2.7			Y1/2	65 1/2	12 1/2
69.1	2.72	21.8	0.86	Z	66	12 3/4
69.7	2.75			Z1/2	66 1/2	13