

Certificate of Analysis

NOT FOR RETAIL

Kaycha Labs

N/A



Matrix: Derivative

Sample:GA30127003-001 Harvest/Lot ID: SATRO-0123

> Batch#: SATRO-0123 **Cultivation Facility: Processing Facility: Distributor Facility:**

Source Facility: Seed to Sale# N/A

Batch Date: 01/23/23

Sample Size Received: 5 gram Total Amount: 90 ml

> Retail Product Size: 90 ml Ordered: 01/24/23 Sampled: 01/24/23

Completed: 01/29/23

Sampling Method: SOP.T.20.010.FL

TESTED

Pages 1 of 1

PRODUCT IMAGE

Jasper, FL, 32052, US

SAFETY RESULTS



Pesticides

0.005%



Jan 29, 2023 | Green Point Research LLC

Heavy Metals



Microbials

Mycotoxins



Residuals Solvents



Filth



Water Activity



Moisture NOT TESTED



Terpenes NOT TESTED

TESTED



Cannabinoid


Total THC



Total CBD 0.487%



Total Cannabinoids 0.492%



Extracted by: 3575 Extraction date: 01/28/23 10:41:06 Analyzed by: 3317, 2338, 3192

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: GA055323POT Instrument Used: GA-HDL-001 2030C Plus (Infused) Running on: 01/28/23 13:42:17

Dilution: 400
Reagent: 110520.05; 081822.R45; 010421.44; 011223.R33; 011223.R40

Consumables: 212823; 947.109; 21/05/14; 9291.271; LLS-00-0005; 12543-226CD-226C; RONB32898; 46610-762A; 944C4 944J; 206639

Pipette: GA-002; GA-005; GA-177; GA-209 Dispenser

m cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Miranda **MacDonald** Lab Director

Reviewed On: 01/29/23 13:26:48 Batch Date: 01/27/23 19:34:10

ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

01/29/23

Signed On