



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA31107012-002
 Harvest/Lot ID: D8GBR-25-2310
 Batch#: D8GBR-25-2310
 Batch Date: 10/30/23
 Sample Size Received: 105 gram
 Total Amount: 105 gram
 Retail Product Size: 105 gram
 Ordered: 10/31/23
 Sampled: 11/07/23
 Completed: 11/09/23
 Sampling Method: SOP.T.20.010.FL

Nov 09, 2023 | Green Point Research LLC


Jasper, FL, 32052, US

PASSED

Pages 1 of 1

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

Cannabinoid **PASSED**



Analyzed by: 3605, 1665, 585, 1440 Weight: 2.6944g Extraction date: 11/08/23 11:28:57 Extracted by: 3605

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 11/09/23 09:34:56

Analytical Batch : DA066157POT Batch Date : 11/08/23 08:51:46

Instrument Used : DA-LC-007

Analyzed Date : 11/08/23 11:30:23

Dilution : 400

Reagent : 110123.49; 110723.R01; 060723.50; 070121.27; 110723.R03

Consumables : 947.109; CE0123; 12594-247CD-247C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 11/09/23