



# Certificate of Analysis

## COMPLIANCE FOR RETAIL









Sample: DA31107012-003  
 Harvest/Lot ID: D8GGA-25-2310  
 Batch#: D8GGA-25-2310  
 Batch Date: 10/30/23  
 Sample Size Received: 105 gram  
 Total Amount: 105 gram  
 Retail Product Size: 105 gram  
 Ordered: 10/31/23  
 Sampled: 11/07/23  
 Completed: 11/09/23  
 Sampling Method: SOP.T.20.010.FL

Nov 09, 2023 | Green Point Research LLC


Jasper, FL, 32052, US

**PASSED**

Pages 1 of 1

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

### Cannabinoid **PASSED**



Analyzed by: 3605, 1665, 585, 1440      Weight: 2.9035g      Extraction date: 11/08/23 11:21:48      Extracted by: 1665,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA066151POT      Reviewed On : 11/09/23 09:34:59  
 Instrument Used : DA-LC-007      Batch Date : 11/08/23 07:53:30  
 Analyzed Date : 11/08/23 11:23:57

Dilution : 40  
 Reagent : 110723.R01; 070121.27; 110723.R03  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 11/09/23