


# **HUSQVARNA 115iL**

Lightweight, comfortable and easy to use battery trimmer for trimming lawn edges or small areas of higher grass. Its powerful, low-vibration brushless motor, with no direct emissions, is quiet enough for use in residential areas without disturbing your own family or neighbours. Intuitive keypad for safe, convenient starting and stopping, telescopic shaft for personal fit and comfortable adjustable handle ensure it is efficient, effective and easy to store, transport and use.



#### **Brushless motor**

High torque to weight ratio for increased efficiency, increased reliability, reduced noise and longer product-life.



Heavy duty twin line cutting system with Tap 'n Go for quick line feed.



## savE™

Choose between normal or savE™ mode, depending on conditions, for maximum power or maximum runtime. Either way, you'll always get a perfect result.

#### **Cordless freedom**

No cord, no petrol, no engine noise, no direct emissions and just a push on the trigger to go. The powerful battery pack is designed for reliable, long lasting use, designed to be recharged hundreds of times.



### **FEATURES**

- Easy to use trimmer head
- Choose savE<sup>™</sup> mode for maximum runtime
- High torque to weight ratio for increased efficiency and reliability.
- Cordless freedom and reliable, long lasting use
- Adjustable front handle for better control and comfortable use
- The telescopic shaft makes it easy to adapt the product lenght
- The key pad is very easy to operate.
- Quiet operation
- 100 Series battery products have a compact, slimmed-down design for excellent ergonomics.
- Allows you to quickly switch the same battery between different product applications and keep working.

Technical Specifications	
BATTERY	
Battery	Yes
Battery capacity	2.0 Ah(HD2) 36.5 V2.1 Ah (VTC4) 36V
OEM Battery charger	QC 80,80W /220V
OEM Battery	
Battery output power	73 Wh
Battery pack weight	0.7 kg
Battery type	Li-lon
Battery voltage	40 V
Cells per battery	10
Number of batteries included	1
Typical battery charging time to 100%	73 min
Weight (excl. battery and cutting equipment)	2.98 kg
Weight with battery	4.25 kg
Weight without battery	3.45 kg
CAPACITY	
Clutch engagement upper limit	0 rpm
Aaximum power speed	5500 rpm
Maximum rpm output shaft	5500 rpm
Dutput shaft thread	M8x1.25 Lefthanded
Jsage level	Occasional use
DIMENSIONS	Occasional use
	7000
Article gross weight	7000 g
Article net weight	5100 g
Cutting width	33 cm
Tube length	963 mm
Tube diameter	37.9 mm
Weight (excl. cutting equipment)	2.98 kg
Weight without battery	3.45 kg
ENGINE	
Motor type	BLDC (brushless)
EQUIPMENT	
Connected digital function set (calc)	No BT Product w HTV : Planned N/A
Drive gear angle	20°
Gear ratio	2.27
OEM Grass blade	
OEM Harness	
OEM Saw blade	
OEM Trimmer head	T25B
Output shaft thread	M8x1.25 Lefthanded
Technical Platform	136LiL
Wireless Connectivity	Not applicable
LUBRICANTS	пос орржино
	Minaral aranga
Lubricant type (bevel gear)	Mineral grease
Power/fuel type	Battery
PACKAGING	
Packaging height	205 mm
Packaging length	1248 mm
Packaging volume	39.6 dm <sup>3</sup>
Packaging width	155 mm
Pallet layers	5
Quantity in Master pack	1
MATERIALS	
Master pack: Paper + Cardboard	Og
Metal total	0 g
Other plastic: rigid	15 g
Paper	2 g
Paper + Cardboard total	2 g
PE total	0 g
PET total	0 g
Plastic foil	0 g
Plastic rigid	15 g
r laddo rigia	
	15 a
Plastic total PS/EPS/HIPS total	15 g 0 g

Technical Specifications	
Sound power level, guaranteed (LWA)	91 dB(A)
Sound power level, measured	85 dB(A)
Sound pressure (15m)	65 dB(A)
Sound pressure level at operators ear	77 dB(A)
VIBRATION	
Daily Vibration (Aeqv)	2 m/s <sup>2</sup>
Daily Vibration Exposure (A8)	2.5 m/s <sup>2</sup>
Daily Vibration Time (Time factor)	1h
Equivalent vibration level (ahv, eq) front handle	4.2 m/s <sup>2</sup>
Equivalent vibration level, (ahv, eq), front handle, collapsed	4.2 m/s <sup>2</sup>
Equivalent vibration level (ahv, eq) left handle	4.2 m/s <sup>2</sup>
Equivalent vibration level (ahv, eq) rear handle	1.9 m/s <sup>2</sup>
Equivalent vibration level.(ahv, eq), rear handle, extended	1.9 m/s <sup>2</sup>
Equivalent vibration level (ahv, eq) right handle	1.9 m/s²
Vibrations handlebar	1.9 m/s²

## **ACCESSORIES**



HUSQVARNA BATTERY BLI10 967 09 16-01



HUSQVARNA BATTERY BLI20 967 09 17-01



HUSQVARNA BATTERY BLI100 967 09 18-01



HUSQVARNA BATTERY BLI200 967 09 19-01



HUSQVARNA CHARGER QC330 967 09 14-01



HUSQVARNA CHARGER QC80F 967 62 83-01



HUSQVARNA INVERTER VI600F 967 62 85-01



TRIMMER LINE WHISPER 578 43 57-01



TRIMMER LINE WHISPER 578 43 58-01



HUSQVARNA BATTERY BAG 585 37 18-01



HUSQVARNA BATTERY BOX S 585 42 87-01



PROTECTIVE GLASSES, GOGGLES 544 96 39-01





6

S

PROTECTIVE GLASSES, YELLOW X SUN PEAK FOR VISOR 544 96 37-02 578 17 98-01

HEARING PROTECTION WITH VISOR, GARDENER 505 66 53-60

PROTECTIVE GLASSES, CLEAR X 544 96 37-01



HUSQVARNA BATTERY BLI30 967 93 77-01



PROTECTIVE GLASSES, CLEAR 544 96 38-01



HEARING PROTECTION GARDENER 505 69 90-12



HEARING PROTECTION 505 66 53-04



PROTECTIVE GLASSES, SUN X 544 96 37-03



HEARING PROTECTION WITH FM RADIO 578 27 49-01



HEARING PROTECTION WITH FM RADIO 578 27 49-02



PROTECTIVE GLASSES, SUN 544 96 38-02