



HUSQVARNA 420EL

Electric-powered 2000W chainsaw with 16" bar for private use, or by non-garden professionals such as carpenters and electricians. Offers supreme overall performance, manoeuvrability and ergonomics, thanks to excellent cutting performance, robust design and slim body. Instant starting, high chain speed, 5 metre cord, comfortable soft-grip 90° front handle and convenient tool-less chain tensioning make it ideal for homeowners, indoor use and craftspeople.



Window for oil level

Transparent window makes it easy to check chain oil level.




Tool-less chain tensioning

Quick and easy chain tensioning and assembling of the bar and the chain without using any tools.

Easy to handle

The engine is positioned lengthwise for a slim, easy-to-handle saw.



Ergonomic handle

Ergonomically shaped handle for greater comfort and easy access to the controls.



FEATURES

- Easy to handle with slim saw body
- Tool-less chain tensioner
- Transparent chain oil level window
- Ergonomic handle with easy access to the controls.
- Fast, smooth cutting
- Increased safety, inertia activated chain brake

Technical Specifications	
BATTERY	
Voltage	230 V
CAPACITY	
Chain speed at max power	14.5 m/s
Power rating	2000 W
DIMENSIONS	
Article gross weight	8100 g
Article net weight	6850 g
Bar length (inch)	16"
Bar length	400 mm
Cable length	0.45 m
Weight (excl. cutting equipment)	4.7 kg
ENGINE	
Motor type	PMDC (2 brushed)
EQUIPMENT	
Bar mount type	Small
Chain type	H37
Chainsaw sub-group	Part time use chainsaws
Gauge	1.3 mm
Pitch	3/8"
Source system	PAID
Sprocket type	Spur 6
LUBRICANT	
Oil pump type	Automatic, gear driven
Oil tank volume	0.18 l
Power/fuel type	Corded
MATERIALS	
Master pack: Paper + Cardboard	0 g
Metal total	50 g
Paper	2800 g
Paper + Cardboard total	2800 g
PE total	0 g
PET total	0 g
Plastic foil	0 g
Plastic rigid	600 g
Plastic total	600 g
PS/EPS/HIPS total	0 g
PACKAGING	
Packaging height	265 mm
Packaging length	613 mm
Packaging volume	40.94 dm ³
Packaging width	252 mm
Quantity in Master pack	1
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	103 dB(A)
Sound power level, measured	102 dB(A)
Sound pressure level at operators ear	90.8 dB(A)
VIBRATION	
Equivalent vibration level(ahv, eq), front handle, collapsed	5.2 m/s ²
Equivalent vibration level(ahv, eq), rear handle, extended	3.9 m/s ²

ACCESSORIES



CHAINSAW BAG
576 85 91-01



SAW CHAIN H37 CHAMFER
CHISEL 3/8" MINI 1.3
576 93 65-52



SAW CHAIN H37 CHAMFER
CHISEL 3/8" MINI 1.3
576 93 65-56




EYELET
578 07 71-01



INTENSIVE CUT
510 09 57-01



INTENSIVE CUT
510 09 57-02



FLAT FILES
505 69 81-61



ULTRAVISION VISOR
574 61 35-01



PROTECTIVE GLASSES, YELLOW X
544 96 37-02



PROTECTIVE GLASSES, SUN X
544 96 37-03



LEATHER WAIST BELT
505 69 00-01



FOREST HELMET FUNCTIONAL,
WITH FM RADIO
581 04 07-01



FOREST HELMET, FUNCTIONAL
576 41 24-01



FOREST HELMET, FUNCTIONAL
576 41 24-02



COMBI HOLSTER
505 69 16-05

COMBI HOLSTER
505 69 16-06



TOOL BELT
505 69 32-16



NECK GUARD
505 66 53-06



MESH VISOR, METAL
505 66 53-21



HEARING PROTECTION WITH FM
RADIO
578 27 49-01



HEARING PROTECTION WITH FM
RADIO
578 27 49-02



HARNES
593 83 76-01



PROTECTIVE GLASSES, SUN
544 96 38-02



FOREST HELMET, CLASSIC
580 75 43-01



COMBI HOLSTER WITH WEDGE
POCKET
579 21 71-01



ARBORIST HELMET, TECHNICAL
578 09 23-01



IMPACT BAR
577 40 28-01



PROTECTIVE GLASSES, CLEAR X
544 96 37-01



SUN PEAK FOR VISOR
578 17 98-01



TOOL BELT KIT
505 69 90-15



FREE VIEW VISOR
586 40 96-01



FELLING WEDGES
505 69 47-02



FELLING WEDGES
505 69 47-03



FELLING WEDGES
505 69 47-04

MINERAL CHAIN OIL
579 39 60-01

MINERAL CHAIN OIL
579 39 61-01



PROTECTIVE GLASSES, CLEAR
544 96 38-01



HEARING PROTECTORS, H200
AND ALVEO
505 66 53-25



PROTECTIVE GLASSES, GOGGLES
544 96 39-01



REAR TOOL CARRIER
505 69 05-10



FOREST HELMET, TECHNICAL
585 05 84-01