

HUSQVARNA 530iP4

Battery pole saw for professionals with long 4m reach and performance that surpasses petrol equivalents. Maximum performance and durability with low weight, excellent ergonomics and quiet operation for use in any location at any time of day.



Weatherproof (IPX4)

This battery-powered Husqvarna machine fulfils the IPX4 classification for rain resistance. This makes it a long-lasting and reliable tool that can be used all year round in all weather conditions.

Battery through body design (Pat.pend.)

Smart battery pack position, placed horizontally through the body of the machine. Reduces the risk of having dirt, chips, dust and water accumulate in the battery compartment, causing connector issues. Also, it means the weight of the battery can be placed in or near the desired center of gravity and in the rotational axis of the product, resulting in increased maneuverability. The through body design also offers a high degree of flexibility since it allows battery packs of different sizes to be used.

savE™

Choose between normal or savE[™] mode, depending on conditions, for maximum power or maximum runtime. Either way, you'll always get a perfect result.

Intuitive key pad The key pad is very easy to operate.



FEATURES

- Weatherproof (IPX4) Use in all weather conditions
- Choose savE[™] mode for maximum runtime
- Smart battery pack position, placed horizontally through the body of the machine.
- The key pad is very easy to operate.
- In-house developed brushless motor provides a high and consistent Low maintenance and less downtime torque.
- Ergonomic handle with easy access to the controls.

- A harness relieves weight for both arms and shoulders and provides a less strenuous working position.
- Fast, smooth cutting
- Rear impact guard
- Low noise level for a pleasant work environment
- Allows you to quickly switch the same battery between different product applications and keep working.

| Technical Specifications | |
|---|--|
| BATTERY | |
| Battery | No |
| Battery type | Li-lon |
| Battery voltage | 36 V |
| CAPACITY | |
| Chain speed at max power | 20 m/s |
| DIMENSIONS | 2011/3 |
| | C 400 ~ |
| Article gross weight | 6400 g 4400 g |
| Article net weight Bar length | 250 mm |
| Size | 10" |
| Tube diameter | 24 mm |
| Tube length | 1750 mm |
| Weight (excl. battery and cutting equipment) | 3.4 kg |
| Weight (excl. cutting equipment) | 3.4 kg |
| ENGINE | J.+ NY |
| | |
| Motor type | BLDC (brushless) |
| EQUIPMENT | |
| Chain type | HOO |
| Connected digital function set (calc) | : Released 2019–01–01No BT Product w HTV : |
| | Planned N/A 1/4" |
| Pitch | |
| Sprocket type | Spur 8 |
| LUBRICANT | |
| Oil tank volume | 0.151 |
| Power/fuel type | Battery |
| MATERIALS | |
| Master pack: Paper + Cardboard | 0 g |
| Metal total | Og |
| Paper | 5 g |
| Paper + Cardboard total | 5g |
| PE total | Og |
| PET total | 0 g |
| Plastic foil | 0 g |
| Plastic rigid | 73 g |
| Plastic total PS/EPS/HIPS total | 73g 0g |
| | Uğ |
| PACKAGING | |
| Packaging height | 224 mm |
| Packaging length | 2245 mm |
| Packaging volume | 143.83 dm ³ |
| Packaging width | 286 mm |
| Quantity in Master pack | 1 |
| SOUND AND NOISE | |
| Sound power level, guaranteed (LWA) | 98 dB(A) |
| Sound power level, measured | 98 dB(A) |
| Sound pressure level at operators ear | 88 dB(A) |
| VIBRATION | |
| Daily Vibration (Aeqv) | 1.9 m/s ² |
| Daily Vibration Exposure (A8) | 0.5 m/s ² |
| Daily Vibration Time (Time factor) | 0.5 h |
| Equivalent vibration level.(ahv, eq), front handle, collapsed | 1.9 m/s ² |
| Equivalent vibration level (ahv, eq) rear handle | 1.1 m/s ² |
| | |

ACCESSORIES



HUSQVARNA BATTERY BLI100 967 09 18-01



HUSQVARNA BATTERY BLI200 967 09 19-01



HUSQVARNA BATTERY BLI300 967 07 19-01



HUSQVARNA CHARGER QC330 967 09 14-01



HUSQVARNA INVERTER VI600F 967 62 85-01



HUSQVARNA BATTERY BOX L 585 42 88-01



BARS 1/4" 1.3 A318 POLE SAW 575 84 22-64



SAW CHAIN H37 CHAMFER CHISEL 3/8" MINI 1.3 576 93 65-40



SAW CHAIN HO0 1/4" 1,3 MM 501 84 40-64



INTENSIVE CUT 510 09 57-01





INTENSIVE CUT 510 09 57-02



PROTECTIVE GLASSES, SUN 544 96 38-02



FOREST HELMET, FUNCTIONAL 576 41 24-01



FOREST HELMET, FUNCTIONAL 576 41 24-02



PROTECTIVE GLASSES, CLEAR 544 96 38-01



FOREST HELMET, TECHNICAL 585 05 84-01







MINERAL CHAIN OIL 579 39 60-01

HEARING PROTECTION WITH FM
RADIO
578 27 49-01HEARING PROTECTION WITH FM
RADIO
578 27 49-02FOREST HELMET FUNCTIONAL,
WITH FM RADIO
581 04 07-01



MINERAL CHAIN OIL 579 39 61-01

PROTECTIVE GLASSES, GOGGLES 544 96 39-01