# **Husqvarna LC 151**

Husqvarna LC 151 is an easy-to-use push lawnmower with collection, Bioclip® (mulch) and side discharge option, suitable for medium to large sized lawns. The robust 51 cm steel cutting deck and the reliable and easy-start Husqvarna engine are built to tackle difficult mowing with great cutting results, while the ergonomically handle bar with soft grip offers a less-straining mowing experience. Easy foldable handlebar, convenient bail design and easy-adjust cutting height make every mow simpler. Collect blade leaves less clippings on the lawn for a tidy, professional look.



# Central cutting height adjustment

Quick and easy adjustment of the grass cutting height. One lever controls the whole deck.



## Ergonomic handle bar

The ergonomic angle of the handle bar in combination with easy to reach bail arms makes operation easier.

#### 3-in-1 cutting system

This lawnmower offers versatility through several cutting options. Choose the cutting mode you require to achieve optimal results; collection for a tidy lawn, BioClip® (mulching) for lawn fertilization and side discharge for less frequently cut areas.



#### Easy grip for lifting in the front

Easy grip for lifting into storage, the car or carrying up stairs.

### **FEATURES**

- Collection, BioClip® and side discharge
- Ergonomic handle bar
- Central cutting height adjustment
- Easy grip for lifting in the front

- Easily foldable handle bar to facilitate transport and storage
- Dust blocker bag
- Easy adjustable handle bar

Technical Specifications	
BATTERY	
Battery capacity	O Ah
Battery type	
CAPACITY	
Net power at preset rpm	2800 rpm
Power output	2.7 kW
Power rating	2700 W
DIMENSIONS	
Article gross weight	36800 g
Article net weight	32900 g
Collector volume	651
Cutting width	51 cm
Cylinder displacement	166 cm <sup>3</sup>
Handle height adjustment	2 Step
Weight Wheel size, Front	30.3 kg 203 mm
Wheel size, Front Wheel size, Rear	203 mm
Wheelbase	66 cm
ENGINE	00 011
Cylinder displacement	166 cm <sup>3</sup>
Electrode gap	0.75 mm
Engine brand	Husqvarna
Engine cooling	Air
Engine name	HS 166A
Spark plug	Husqvarna HQT-7
EQUIPMENT	
Air filter type	Paper
Ball beared wheels	Yes
BioClip® kit	Available as accessory
BioClip® plug	Not included
Blade brake clutch (BBC)	No
Blade type	Collect
Collector	Included
Collector type	Fabric with dust blocker 65 I
Collector volume  Deck Wash Port	No
Deflector	Included
Drive control Drive control	N/A
Drive system	Push
Drive wheels	N/A
Foldable handle	Yes
Handle type	Ergonomic Handle (Bag Through)
Lawnmower drive type	Push mowers
Side adjustable handle	No
Soft grip	Yes
Throttle control	No
Water hose connection	No
Wheel bearing, front/rear	Yes/Yes Not applicable
Wireless Connectivity  LUBBICANTS	Not applicable
LUBRICANTS  Facility Is the idea to the	Calagh
Engine lubrication type	Splash 407 g/kWh
Fuel consumption Fuel consumption	1.4 l
Oil filter	None
Power/fuel type	Gasoline
MATERIAL	
Cutting deck material	Steel
Master pack: Paper + Cardboard	0 g
Metal total	0 g
Paper + Cardboard total	0 g
PE total	0 g
PET total	0 g
Plastic foil	0 g
Plastic rigid	0 g
Plastic total	0 g
PS/EPS/HIPS total	0 g
Rims, material	Plastic
SOUND AND NOISE	
Sound power level, guaranteed (LWA)	98 dB(A)

Sound power level, measured	96 dB(A)
Sound pressure level at operators ear	86 dB(A)
VIBRATION	
Vibrations handlebar	8.5 m/s <sup>2</sup>
PACKAGING	
Packaging height	450 mm
Packaging length	1040 mm
Packaging volume	267 dm <sup>3</sup>
Packaging width	570 mm
Quantity in Master pack	1