

URBAN|33



**Single Family
Multi-Family**
Lighting and Ceiling Fans

NEW PRODUCTS!

**INTRODUCING OUR CERAMIC
AND ARCHITECTURAL FIXTURES !!!**



CATALOG CONTENTS

PRODUCT CATEGORIES

Ceiling Fans..... Pages 4-18
 Ceiling Fan Accessories..... Pages 20-23
 Vanities..... Pages 25-33
 Flush Mounts..... Pages 35-45
 Pendants and Chandeliers . Pages 47-49
 Wall Sconces Pages 50-51
 Track Lighting..... Pages 52-54
 Under Cabinet..... Page 55
 Exterior Lighting Pages 57-67
 Replacement Glass
 and Lighting Accessories Pages 69-70
 Ceramic Fixtures..... Pages 72-81



DIMENSION CODES

D..... Diameter
 L..... Length
 W..... Width
 H..... Height
 E..... Extension

COLOR FINISH CODES

-10/PB..... Polished Brass
 -15 Chrome
 -30/-40/WH White
 -31/BK..... Black
 -38/BZ Bronze
 -53/SN Satin Nickel
 -49/-66..... Aztec Bronze
 -80 Bright Satin Nickel
 SS..... Stainless Steel

-01/-06/M..... Multi-Finish Option
 (see item details)

LAMP CODES

MB/E26..... Medium Base
 LED Integrated Light Source
 or LED Bulbs
 (see item details)
 KS..... Kelvin Select

FINISHES



-10/PB
Polished Brass



-15
Chrome



-30/-40/WH
White



-31/BK
Black



-38/BZ
Bronze



-53/SN
Satin Nickel



-49/-66
Aztec Bronze



-80
Bright Satin Nickel



SS
Stainless Steel



KELVIN SELECT

Allows for selectable color temperatures, all controlled from a switch. Range settings are 3000 (Warm White), 4000 (Natural White), and 5000 (Cool White) Kelvin. Color temperatures can be used for various applications; Warm white (3000K) is an inviting and relaxing temperature that is most similar to incandescents, Bright white (4000K) is closest to daylight and can be used for energetic and lively settings, and Cool white is a crisp and refreshing setting, good for tasks such as reading or seeing accurate color.



3000K



4000K



5000k



CEILING FANS



<p>SATURN 52-IN 5-BLADE DOWNROD MOUNT FAN WITH MB LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible black gloss and rosewood blades • Frosted Opal Glass MB Bulb Light Kit • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 188*15mm 3-speed reversible motor • 13° blade pitch • Triple lock hanging system • Pull chain controls • Dual mount
ITEM	CF52370-L-MB-SS
REFERENCE	
FINISH	Stainless Steel



<p>SATURN 52-IN 5-BLADE DOWNROD MOUNT FAN WITH MB LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Black blades • Frosted Opal Glass MB Bulb Light Kit • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 188*15mm 3-speed reversible motor • 13° blade pitch • Triple lock hanging system • Pull chain controls • Dual Mount
ITEM	CF52370-L-MB-BK
REFERENCE	
FINISH	Black




<p>AERO 52-IN 5-BLADE DOWNROD MOUNT FAN WITH LIGHT KIT</p>	<ul style="list-style-type: none"> • Chrome Effect Blades • Frosted Opal Glass MB Bulb Light Kit • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 13° blade pitch • Triple lock hanging system • Pull chain controls
ITEM	CF52474-L-MB-SS
REFERENCE	
FINISH	Stainless Steel



<p>AERO 52-IN 5-BLADE DOWNROD MOUNT FAN WITH LIGHT KIT</p>	<ul style="list-style-type: none"> • Black Blades • Frosted Opal Glass MB Bulb Light Kit • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 13° blade pitch • Triple lock hanging system • Pull chain controls
ITEM	CF52474-L-MB-BK
REFERENCE	
FINISH	Matte Black



<p>AERO 52-IN 5-BLADE DOWNROD MOUNT FAN WITH LIGHT KIT</p>	<ul style="list-style-type: none"> • Chrome Effect Blades • Frosted Opal Glass MB Bulb Light Kit • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 13° blade pitch • Triple lock hanging system 
ITEM	CF52474-L-MB-SS-WC
REFERENCE	
FINISH	Stainless Steel



<p>CENTURION 52-IN 4-BLADE DOWNROD MOUNT FAN WITH MB LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Chrome Effect Blades • Frosted Opal Glass MB Bulb Light Kit • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 12° blade pitch • Triple lock hanging system • Pull chain controls
ITEM	CF52374-L-MB-SS
REFERENCE	
FINISH	Stainless Steel



<p>CENTURION 52-IN 4-BLADE DOWNROD MOUNT FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • White Blades • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 12° blade pitch • Triple lock hanging system • Pull chain controls
ITEM	CF52374-L-MB-WH
REFERENCE	
FINISH	White



<p>CENTURION 52-IN 4-BLADE DOWNROD MOUNT FAN WITH LIGHT KIT</p>	<ul style="list-style-type: none"> • Black Blades • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 12° blade pitch • Triple lock hanging system • Pull chain controls
ITEM	CF52374-L-MB-BK
REFERENCE	
FINISH	Black



<p>SKYLARK PC 52-IN 3-BLADE DOWNROD MOUNT FAN WITH LIGHT KIT</p>	<ul style="list-style-type: none"> • Chrome Effect Blades • Frosted Opal Glass • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 13° blade pitch • Dual mount • Pull chain controls
ITEM	CF52874-L-MB-SN
REFERENCE	
FINISH	Satin Nickel

<p>SKYLARK PC 52-IN 3-BLADE DOWNROD MOUNT FAN WITH LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible BBQ Black/Charcoal Black Blades • Frosted Opal Glass • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 13° blade pitch • Dual mount • Pull chain controls
ITEM	CF52874-L-MB-BK
REFERENCE	
FINISH	Matte Black




<p>SKYLARK PC 52-IN 3-BLADE DOWNROD MOUNT FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • White Blades • Frosted Opal Glass • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 13° blade pitch • Dual mount • Pull chain controls
ITEM	CF52874-L-MB-WH
REFERENCE	
FINISH	White

URBAN|33 DUAL MOUNT:


THE URBAN33 DUAL MOUNT FEATURE ALLOWS YOU TWO MOUNTING OPTIONS:
DOWN ROD MOUNT AND FLUSH MOUNT


MOUNTING USING THE DOWNROD ADDS 3- 1/2" TO YOUR FAN'S CEILING CLEARANCE.

FOR LOWER CEILINGS, THE FLUSH MOUNT OPTION ALLOWS MORE FLOOR CLEARANCE.





SKYLARK WC 52-IN 3-BLADE DOWNROD MOUNT FAN WITH LED LIGHT KIT	<ul style="list-style-type: none"> • Chrome Effect Blades • Frosted Opal Glass • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 13° blade pitch • Dual mount • 3-Wire Wall Control Included 
ITEM	CF52873-L-MB-SN
REFERENCE	
FINISH	Satin Nickel

SKYLARK WC 52-IN 3-BLADE DOWNROD MOUNT FAN WITH LED LIGHT KIT	<ul style="list-style-type: none"> • Reversible BBQ Black/Charcoal Black Blades • Frosted Opal Glass • Use (2) 9.5W medium base LED bulbs (included) • 1600 lumens, 3000K, non-dimmable • 153*18mm 3-speed reversible motor • 13° blade pitch • Dual mount • 3-Wire Wall Control Included 
ITEM	CF52873-L-MB-BK
REFERENCE	
FINISH	Matte Black






SPECTRA 52-IN 3-BLADE DOWNROD MOUNT FAN WITH INTEGRAL LED LIGHT KIT	<ul style="list-style-type: none"> • Reversible Black / Charcoal Blades • Frosted Opal Glass • 15WT integrated LED Light Kit • 3000K Dimmable • 172*15mm 3-speed reversible motor • 13° blade pitch • Dual mount • 3-Wire Wall Control Included 
ITEM	CF52773-L-BK/SN-WC
REFERENCE	
FINISH	Matte Black with Satin Nickel Blade Arms

SPECTRA 52-IN 3-BLADE DOWNROD MOUNT FAN WITH INTEGRAL LED LIGHT KIT	<ul style="list-style-type: none"> • Reversible Black / Charcoal Blades • Frosted Opal Glass • 15WT integrated LED Light Kit • 3000K Dimmable • 172*15mm 3-speed reversible motor • 13° blade pitch • Dual mount • 3-Wire Wall Control Included 
ITEM	CF52773-L-BK-WC
REFERENCE	
FINISH	Matte Black



SPECTRA 52-IN 3-BLADE DOWNROD MOUNT FAN WITH INTEGRAL LED LIGHT KIT	<ul style="list-style-type: none"> • Reversible Black / Charcoal Blades • Frosted Opal Glass • 15WT integrated LED Light Kit • 3000K Dimmable • 172*15mm 3-speed reversible motor • 13° blade pitch • Dual mount • 3-Wire Wall Control Included 
ITEM	CF52773-L-SN-WC
REFERENCE	
FINISH	Satin Nickel

ARONDALE 52-IN 3-BLADE DOWNROD MOUNT FAN WITH INTEGRAL LED LIGHT KIT	<ul style="list-style-type: none"> • Rosewood blades • Frosted opal glass LED light kit • 18W integrated dimmable LED array • 1,300 lumens, 3000K, CRI 80 • 3-speed reversible control with triple-capacitor • 13° blade pitch • Includes remote control 
ITEM	CF52359-L-SS
REFERENCE	
FINISH	Stainless Steel



<p>SURFIS 52-IN 3-BLADE DOWNROD MOUNT FAN WITH INTEGRAL LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible Black / Charcoal Blades • Frosted Opal Glass • 19WT integrated LED Light Kit • 3000K Dimmable • 153*13mm 3-speed reversible motor • 10° blade pitch • Dual mount • Pull Chain Included
ITEM	CF52743-L-BK-PC
REFERENCE	
FINISH	Matte Black

<p>SURFIS 52-IN 3-BLADE DOWNROD MOUNT FAN WITH INTEGRAL LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible Chrome Effect / Rosewood Blades • Frosted Opal Glass • 19WT integrated LED Light Kit • 3000K Dimmable • 153*13mm 3-speed reversible motor • 10° blade pitch • Dual mount • Pull Chain included
ITEM	CF52743-L-SS-PC
REFERENCE	
FINISH	Stainless Steel



<p>SURFIS 52-IN 3-BLADE DOWNROD MOUNT FAN WITH INTEGRAL LED LIGHT KIT</p>	<ul style="list-style-type: none"> • White Blades • Frosted Opal Glass • 19WT integrated LED Light Kit • 3000K Dimmable • 153*13mm 3-speed reversible motor • 10° blade pitch • Dual mount • Pull Chain included
ITEM	CF52743-L-WH-PC
REFERENCE	
FINISH	White






<p>SURFIS WC 52-IN 3-BLADE DOWNROD MOUNT FAN WITH INTEGRAL LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible Black / Charcoal Blades • Frosted Opal Glass • 19WT integrated LED Light Kit • 3000K Dimmable • 153*13mm 3-speed reversible motor • 10° blade pitch • Dual mount • 3-Wire Wall Control Included 
ITEM	CF52743-L-BK-WC
REFERENCE	
FINISH	Matte Black



<p>SURFIS WC 52-IN 3-BLADE DOWNROD MOUNT FAN WITH INTEGRAL LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible Chrome Effect / Rosewood Blades • Frosted Opal Glass • 19WT integrated LED Light Kit • 3000K Dimmable • 153*13mm 3-speed reversible motor • 10° blade pitch • Dual mount • 3-Wire Wall Control Included 
ITEM	CF52743-L-SN-WC
REFERENCE	
FINISH	Satin Nickel



<p>SURFIS WC 52-IN 3-BLADE DOWNROD MOUNT FAN WITH INTEGRAL LED LIGHT KIT</p>	<ul style="list-style-type: none"> • White Blades • Frosted Opal Glass • 19WT integrated LED Light Kit • 3000K Dimmable • 153*13mm 3-speed reversible motor • 10° blade pitch • Dual mount • 3-Wire Wall Control Included 
ITEM	CF52743-L-WH-WC
REFERENCE	
FINISH	White



Easy Hang Fan It's as easy as ...

VALORE - EASY HANG 52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT	<ul style="list-style-type: none"> • Quick connect white blades • Frosted white glass dome light kit • Use (3) 9W medium base LED bulbs (included) • 2,400 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Triple lock hanging system • Downrod mount
	ITEM CF52880-L-MB-WH
	REFERENCE
	FINISH White

1 The fan body comes assembled. Install the mounting bracket and connect the wires



2 Attach the blades using the Quick Connect knob.



3 Attach the glass using the threaded socket ring.





HERITAGE FUSION 52-IN 5-BLADE DUAL MOUNT FAN WITH LED LIGHT KIT	<ul style="list-style-type: none"> • Bronze Blades • Twist-on alabaster glass light kit • Use (2) 9.5W medium base LED bulbs (included) • 1,600 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
	ITEM CF52831-L-MB-BZ
	REFERENCE
	FINISH Bronze



HERITAGE FUSION 52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT	<ul style="list-style-type: none"> • White blades • Twist-on alabaster glass light kit • Use (2) 9.5W medium base LED bulbs (included) • 1,600 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
	ITEM CF52831-L-MB-WH
	REFERENCE
	FINISH White



<p>HERITAGE FUSION 52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible black forest and rosewood blades • Twist-on alabaster glass light kit • Use (2) 9.5W medium base LED bulbs (included) • 1,600 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF52831-L-MB-SN
REFERENCE	
FINISH	Satin Nickel



<p>HERITAGE HOME 52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Bronze blades • 3-light Alabaster Bell Glass light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF52836-L-MB-BZ
REFERENCE	
FINISH	Stainless Steel



<p>HERITAGE HOME 52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • White blades • 3-light alabaster bell glass light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF52836-L-MB-WH
REFERENCE	
FINISH	White



<p>HERITAGE HOME 52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible silver oak and rosewood blades • 3-light alabaster bell glass light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF52836-L-MB-SN
REFERENCE	
FINISH	Satin Nickel



<p>HERITAGE HOME - EASY HANG</p> <p>52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible Rosewood / Black blades • 3-light clear hammered glass light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF52889-L-MB-SS
REFERENCE	
FINISH	Stainless Steel



<p>HERITAGE SQUARE</p> <p>52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible silver oak and rosewood blades • 12-in alabaster glass bowl light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF52878-L-MB-SN
REFERENCE	
FINISH	Satin Nickel



<p>HERITAGE SQUARE</p> <p>52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • White blades • 12-in alabaster glass bowl light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF52878-L-MB-WH
REFERENCE	
FINISH	White



<p>ROSEMOUNT</p> <p>52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible rosewood and nude maple blades • 3-light alabaster glass light kit • Use (3) 6.5W medium base LED bulbs (included) • 600 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Hugger mount
ITEM	CF52147-L-MB-SN
REFERENCE	
FINISH	Satin Nickel



<p>MONTEGO BAY 52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible light oak and dark oak blades • 4-light clear ribbed glass light kit • Use (4) 6.5W medium base LED bulbs (included) • 600 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 11° blade pitch • Hugger mount
<p>ITEM</p>	<p>CF52148-L-MB-PB</p>
<p>REFERENCE</p>	
<p>FINISH</p>	<p>Polished Brass</p>



<p>MONTEGO BAY 52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • White blades • 4-light frosted ribbed glass light kit • Use (4) 6.5W medium base LED bulbs (included) • 600 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 11° blade pitch • Hugger mount
<p>ITEM</p>	<p>CF52148-L-MB-WH</p>
<p>REFERENCE</p>	
<p>FINISH</p>	<p>White</p>



<p>CALIFORNIA HOME 52-IN 5-BLADE DUAL MOUNT FAN</p>	<ul style="list-style-type: none"> • White blades • Light kit adaptable • 3-speed reversible control with triple-capacitor • 13° blade pitch • Triple lock hanging system • Dual Mount
ITEM	CF52242-WH
REFERENCE	
FINISH	White



<p>CALIFORNIA HOME 52-IN 5-BLADE DUAL MOUNT FAN</p>	<ul style="list-style-type: none"> • Reversible silver oak and rosewood blades • Light kit adaptable • 3-speed reversible control with triple-capacitor • 13° blade pitch • Triple lock hanging system • Dual Mount
ITEM	CF52242-SN
REFERENCE	
FINISH	Satin Nickel



<p>HUGGER 52-IN 5-BLADE HUGGER FAN</p>	<ul style="list-style-type: none"> • White blades • Light kit adaptable • 3-speed reversible control with triple-capacitor • 12° blade pitch
ITEM	CF52142-30
REFERENCE	
FINISH	White



<p>SAN MARGOS 52-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Mahogany blades • 3-light clear / frost glass light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens (3 X 600), 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF52838-L-MB-SS
REFERENCE	
FINISH	Stainless Steel



<p>RICHMOND 42-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible black and rosewood blades • 3-light clear hammered glass light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF42889-L-MB-SS
REFERENCE	
FINISH	Stainless Steel



<p>HERITAGE SQUARE 42-IN 4-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible silver oak and rosewood blades • Alabaster bowl light kit • Use (2) 6.5W medium base LED bulbs (included) • 1,200 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF42877-L-MB-SN
REFERENCE	
FINISH	Satin Nickel



<p>HERITAGE HOME 42-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • White blades • 3-light frosted ribbed glass light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF42848-L-MB-WH
REFERENCE	
FINISH	White



<p>HERITAGE HOME 42-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible silver oak and rosewood blades • 3-light frosted scalloped glass light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Dual mount
ITEM	CF42848-L-MB-SN
REFERENCE	
FINISH	Satin Nickel

42" CEILING FANS



<p>ROSEMOUNT 42-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible rosewood and nude maple blades • 3-light faux alabaster glass light kit • Use (3) 6.5W medium base LED bulbs (included) • 1,800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Hugger mount
ITEM	CF42147-L-MB-SN
REFERENCE	
FINISH	Satin Nickel



<p>HUGGER - BULLET 42-IN 5-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • White blades • 4-light white bullet light kit • Use (4) 6.5W medium base LED bulbs (included) • 2,400 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Hugger mount
ITEM	CF42837-L-MB-WH
REFERENCE	
FINISH	White



<p>HUGGER - SCHOOLHOUSE 42-IN 4-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • Reversible light oak and dark oak blades • White schoolhouse light kit • Use (1) 9.5W medium base LED bulb (included) • 800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Hugger mount
ITEM	CF42839-L-MB-PB
REFERENCE	
FINISH	Polished Brass



<p>HUGGER - SCHOOLHOUSE 42-IN 4-BLADE CEILING FAN WITH LED LIGHT KIT</p>	<ul style="list-style-type: none"> • White blades • White schoolhouse light kit • Use (1) 9.5W medium base LED bulb (included) • 800 lumens, 3000K, non-dimmable • 3-speed reversible motor with triple-capacitor • 12° blade pitch • Hugger mount
ITEM	CF42839-L-MB-WH
REFERENCE	
FINISH	White

ITEM	DIMENSIONS	FLUSH MOUNTED HEIGHT
CF52370-L-MB-SS	14"H x 52" D	11"
CF52370-L-MB-BK	14"H x 52" D	11"
CF52474-L-MB-SS	15-5/6"H x 52" D	
CF52474-L-MB-BK	15-5/6"H x 52" D	
CF52474-L-MB-SS-WC	15-5/6"H x 52" D	
CF52374-L-MB-SS	15-5/6"H x 52" D	
CF52374-L-MB-WH	15-5/6"H x 52" D	
CF52374-L-MB-BK	15-5/6"H x 52" D	
CF52874-L-MB-SN	16"H x 52"D	12.75"
CF52874-L-MB-BK	16"H x 52"D	12.75"
CF52874-L-MB-WH	16"H x 52"D	12.75"
CF52873-L-MB-SN	17"H x 52"D	12.4"
CF52873-L-MB-BK	17"H x 52"D	12.4"
CF52773-L-BK/SN-WC	13"H x 52"D	
CF52773-L-BK-WC	13"H x 52"D	
CF52773-L-SN-WC	13"H x 52"D	
CF52359-L-SS	17-4/5"H x 52"D	
CF52743-L-BK-PC	15-7/8"H x 52"D	11.34"
CF52743-L-SS-PC	15-7/8"H x 52"D	11.34"
CF52743-L-WH-PC	15-7/8"H x 52"D	11.34"
CF52743-L-BK-WC	15-7/8"H x 52"D	11.34"
CF52743-L-SN-WC	15-7/8"H x 52"D	11.34"
CF52743-L-WH-WC	15-7/8"H x 52"D	11.34"
CF52880-L-MB-WH	18-7/8"H x 52"D	
CF52831-L-MB-BZ	17"H x 52"D	15"
CF52831-L-MB-WH	17"H x 52"D	15"
CF52831-L-MB-SN	17"H x 52"D	15"
CF52836-L-MB-BZ	16-7/8"H x 52"D	13.53"
CF52836-L-MB-WH	16-7/8"H x 52"D	13.53"
CF52836-L-MB-SN	16-7/8"H x 52"D	13.53"
CF52889-L-MB-SS	16-7/8"H x 52"D	13.53"
CF52878-L-MB-SN	18-1/8"H x 52"D	13.2"
CF52878-L-MB-WH	18-1/8"H x 52"D	13.2"
CF52147-L-MB-SN	14"H x 52" D	
CF52148-L-MB-PB	14"H x 52" D	
CF52148-L-MB-WH	14"H x 52" D	
CF52242-WH	11-1/2"H x 52"D	9.45"
CF52242-SN	11-1/2"H x 52"D	9.45"
CF52142-30	8"H x 52"D	
CF52838-L-MB-SS	16-7/8"H x 52"D	13.5"
CF42889-L-MB-SS	16-7/8"H x 42"D	13.53"
CF42877-L-MB-SN	18-1/2"H x 42"D	13.2"
CF42848-L-MB-WH	18-1/2"H x 42"D	13.53"
CF42848-L-MB-SN	18-1/2"H x 42"D	13.53"
CF42147-L-MB-SN	14-1/2"H x 42"D	
CF42837-L-MB-WH	14"H x 42"D	
CF42839-L-MB-PB	12"H x 42"D	
CF42839-L-MB-WH	12"H x 42"D	



CEILING FAN ACCESSORIES



CF-PD-009 (includes receiver)



CF-PD-004



UNIVERSAL CEILING FAN WALL CONTROL KIT	<ul style="list-style-type: none"> Controls 3-fan speeds and light kit on/off Compatible with most downrod ceiling fans 	
ITEM	CF-PD-009	CF-PD-004
REFERENCE		
INSTALLATION	Requires 2 wire and ground wiring	Requires 3 wire and ground wiring
FEATURES	<ul style="list-style-type: none"> Receiver installs into ceiling fan canopy 65,000 code combinations for multifamily applications 	N/A
FINISH	White	White

UNIVERSAL CEILING FAN REMOTE CONTROL KIT	<ul style="list-style-type: none"> Controls 3-fan speeds and light kit on/off Receiver installs into ceiling fan canopy Compatible with most downrod ceiling fans Works with fluorescent, incandescent and LED light kits Approximate 30-ft working range Includes 9V battery and wall bracket 	
ITEM	CF-RM-101-S	
REFERENCE		
FINISH	White	



ON/OFF PULL CHAIN SWITCH	<ul style="list-style-type: none"> Pull chain Commonly used with ceiling fan light kits Sold as Pack of 2 	
ITEM	55-0317-PK	55-0318-20-PK
REFERENCE		
FINISH	Polished Brass	Nickel

3-SPEED PULL CHAIN SWITCH	<ul style="list-style-type: none"> Pull chain Used to control ceiling fan motor speed Sold as Pack of 3 	
ITEM	55-0321-PK	55-0321-20-PK
REFERENCE		
FINISH	Polished Brass	Nickel



REPLACEMENT CEILING FAN PULL CHAINS	<ul style="list-style-type: none"> • Wood Knobs • 6" #6 Bead Chain • Sold in Packs of 4 		
ITEM	20-3020-PK	20-3027-PK	20-3024-PK
REFERENCE			
FINISH	Walnut	White	Silver

REPLACEMENT PULL STRING	<ul style="list-style-type: none"> • #6 Bead Chain Connector • Pack of 24
ITEM	32-0709-PK
REFERENCE	
FINISH	Polished Brass



BULK BEAD CHAIN	<ul style="list-style-type: none"> • #6 Bead Chain • 100' Reels 	
ITEM	32-0713-10	32-0714-20
REFERENCE		
FINISH	Polished Brass	Nickel

BEAD CHAIN CONNECTORS	<ul style="list-style-type: none"> • Connects lengths of #6 Bead Chain • Polished Brass is Pack of 25 • Nickel is Pack of 100 	
ITEM	32-0715-PK	32-0716-PK
REFERENCE	Pack of 25	Pack of 100
FINISH	Polished Brass	Nickel



SHOOLHOUSE GLASS CEILING FAN LIGHT KIT	<ul style="list-style-type: none"> • White Glass with 4" Fitter • Use (1) 9.5W medium base LED bulb (included) • 800 lumens, 3000K, non-dimmable
ITEM	CF7723-L-MB-WH
REFERENCE	
FINISH	White



FUSION TWIST-ON GLASS CEILING FAN LIGHT KIT	<ul style="list-style-type: none"> • Alabaster Glass • Use (2) 9.5W medium base LED bulb (included) • 800 lumens, 3000K, non-dimmable • 10-1/8-in Dia • 7-in Fitter
ITEM	CF7761-L-MB-SN
REFERENCE	
FINISH	Satin Nickel



BULLET CEILING FAN LIGHT KIT	<ul style="list-style-type: none"> • Metal Bullet Style Light Kit • Use (3) 9.5W medium base LED bulb (included) • 800 lumens, 3000K, non-dimmable
ITEM	CF7783-L-MB-WH
REFERENCE	
FINISH	White



Multi Finish Caps Included:
White, Satin Nickel, Bronze,
Stainless Steel, Black

ALABASTER BOWL GLASS CEILING FAN LIGHT KIT	<ul style="list-style-type: none"> • Alabaster Glass • Use (2) 9.5W medium base LED bulb (included) • 800 lumens, 3000K, non-dimmable • 10-1/8-in Dia • 7-in Fitter
ITEM	CF7768-L-MB-M
REFERENCE	
FINISH	Multi: White, Satin Nickel, Bronze, Stainless Steel, Black

CEILING FAN DOWN RODS



Bronze -BZ White -WH Satin Nickel -SN Stainless Steel -SS Black -BK

ALL DOWNRODS ARE THREADED AT BOTH ENDS WITH CROSS PIN TRIPLE-LOCK SECURITY PIN HOLES 3/4" DIAMETER

Item #	Length	Finish
CF-DR12-BK	12IN	Black
CF-DR18-BK	18IN	Black
CF-DR24-BK	24IN	Black
CF-DR36-BK	36IN	Black
CF-DR12-BZ	12IN	Bronze
CF-DR18-BZ	18IN	Bronze
CF-DR24-BZ	24IN	Bronze
CF-DR36-BZ	36IN	Bronze
CF-DR12-53	12IN	Satin Nickel
CF-DR18-53	18IN	Satin Nickel
CF-DR24-53	24IN	Satin Nickel
CF-DR36-53	36IN	Satin Nickel
CF-DR48-53	48IN	Satin Nickel
CF-DR72-53	72IN	Satin Nickel
CF-DR12-SS	12IN	Stainless Steel
CF-DR18-SS	18IN	Stainless Steel
CF-DR24-SS	24IN	Stainless Steel
CF-DR36-SS	36IN	Stainless Steel
CF-DR48-SS	48IN	Stainless Steel
CF-DR72-SS	72IN	Stainless Steel
CF-DR12-WH	12IN	White
CF-DR18-WH	18IN	White
CF-DR24-WH	24IN	White
CF-DR36-WH	36IN	White



ALABASTER 3-LIGHT BELL GLASS CEILING FAN LIGHT KIT

- Alabaster Glass 2-1/4-in Lip Fitter
- Use (3) 9.5W medium base LED bulb (included)
- 800 lumens, 3000K, non-dimmable

ITEM	CF7772-L-MB-WH
REFERENCE	
FINISH	White



TWIST-ON GLASS FOR CEILING FANS

- Alabaster Glass
- 8" Diameter
- Twist-On Glass
- Fits Ceiling Fans: CF52831-XX
- Fits Fan Light Kit: CF7761-XX
- 7" Fitter

ITEM	G67753
REFERENCE	
FINISH	Alabaster



BATH AND VANITY FIXTURES



SENNA VANITY FIXTURE	<ul style="list-style-type: none"> • Use 60W max medium base bulbs (sold separately) • 10-1/4-in H x 7-1/2-in E 				
ITEM	F15061-50	F15062-50	F15063-50	F15064-50	F15065-50
REFERENCE					
BULBS	1-Light	2-Light	3-Light	4-Light	5-Light
WIDTH	5-1/2-in	16-in	25-in	34-5/8-in	44-in
FINISH	Black				



SENNA VANITY FIXTURE	<ul style="list-style-type: none"> • Use 60W max medium base bulbs (sold separately) • 10-1/4-in H x 7-1/2-in E 				
ITEM	F15061-80	F15062-80	F15063-80	F15064-80	F15065-80
REFERENCE					
BULBS	1-Light	2-Light	3-Light	4-Light	5-Light
WIDTH	5-1/2-in	16-in	25-in	34-5/8-in	44-in
FINISH	Bright Satin Nickel				



ROSSINGTON VANITY FIXTURE	<ul style="list-style-type: none"> • 4-in opal glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 13-5/8-in H x 4-7/8-in E 		
ITEM	F12801-80	F12803-80	F12804-80
REFERENCE			
BULBS	1-Light	3-Light	4-Light
WIDTH	5-1/8-in	22-1/4-in	31-1/4-in
FINISH	Bright Satin Nickel		



STANTON LED VANITY FIXTURE	<ul style="list-style-type: none"> • Curved frosted glass • 8WT / 560 Lumens per Lamp • 120V / 3000K Integral LED • 6-in H x 4-1/8-in E 			
ITEM	F13121-80-LED	F13122-80-LED	F13123-80-LED	F13124-80-LED
REFERENCE				
BULBS	1-Light	2-Light	3-Light	4-Light
WIDTH	8-1/4-in	18-3/4-in	28-3/4-in	38-3/4-in
FINISH	Bright Satin Nickel			



STANTON VANITY FIXTURE	<ul style="list-style-type: none"> • Curved frosted glass • 60 WT MB Lamp (Not included) • 6-in H x 4-1/8-in E 			
ITEM	F13121-80	F13122-80	F13123-80	F13124-80
REFERENCE				
BULBS	1-Light	2-Light	3-Light	4-Light
WIDTH	8-1/4-in	18-3/4-in	28-3/4-in	38-3/4-in
FINISH	Bright Satin Nickel			



Allows for selectable color temperatures in Warm White, Natural White, and Cool White. Range settings are 3000, 4000, and 5000 Kelvin. Color temperatures can be used for various applications: Warm white (3000K) is an inviting and relaxing temperature that is most similar to incandescents, Bright white (4000K) is closest to daylight and can be used for energetic and lively settings, and Cool white is a crisp and refreshing setting, good for tasks such as reading or seeing accurate color.



REDONDO LED VANITY FIXTURE	<ul style="list-style-type: none"> • Round White Acrylic Illuminated Tube • Kelvin Select: 3000K/4000K/5000K / 90CRI • Damp Location • Dimmable • 4-3/4-in H x 4-in E 	
ITEM	F18724-31-KS	F18736-31-KS
WATTS / LUMENS	24WT / 1750 Lumens	30WT / 2200 Lumens
WIDTH	25-3/8-in	37-1/2-in
FINISH	Black	



REDONDO LED VANITY FIXTURE	<ul style="list-style-type: none"> • Round White Acrylic Illuminated Tube • Kelvin Select: 3000K/4000K/5000K / 90CRI • Damp Location • Dimmable • 4-3/4-in H x 4-in E 	
ITEM	F18724-80-KS	F18736-80-KS
WATTS / LUMENS	24WT / 1750 Lumens	30WT / 2200 Lumens
WIDTH	24-in	37-1/2-in
FINISH	Bright Satin Nickel	



PLAZA LED VANITY FIXTURE	<ul style="list-style-type: none"> • Square White Acrylic Illuminated Tube • Kelvin Select: 3000K/4000K/5000K / 90CRI • Damp Location • Dimmable • 4-3/4-in H x 4-in E 	
ITEM	F18624-31-KS	F18636-31-KS
WATTS / LUMENS	24WT / 1750 Lumens	30WT / 2200 Lumens
WIDTH	24-in	37-1/2-in
FINISH	Black	



PLAZA LED VANITY FIXTURE	<ul style="list-style-type: none"> • Square White Acrylic Illuminated Tube • Kelvin Select: 3000K/4000K/5000K / 90CRI • Damp Location • Dimmable • 4-3/4-in H x 4-in E 	
ITEM	F18624-80-KS	F18636-80-KS
WATTS / LUMENS	24WT / 1750 Lumens	30WT / 2200 Lumens
WIDTH	24-in	37-1/2-in
FINISH	Bright Satin Nickel	



RACEWAY TIERED VANITY FIXTURE	<ul style="list-style-type: none"> • 5-1/4-in round alabaster glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 7-7/8-in H x 7-7/8-in E 		
ITEM	F12561-38	F12563-38	F12564-38
REFERENCE			
BULBS	1-Light	3-Light	4-Light
WIDTH	5-1/2-in	24-in	30-in
FINISH	Bronze		

RACEWAY TIERED VANITY FIXTURE	<ul style="list-style-type: none"> • 5-1/4-in frosted milk glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 7-7/8-in H x 7-7/8-in E 		
ITEM	F13581-15	F13583-15	F13584-15
REFERENCE			
BULBS	1-Light	3-Light	4-Light
WIDTH	5-1/2-in	24-in	30-in
FINISH	Chrome		



RACEWAY TIERED VANITY FIXTURE	<ul style="list-style-type: none"> • 5-1/4-in round alabaster glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 7-7/8-in H x 7-7/8-in E 		
ITEM	F12561-53	F12562-53	F12563-53
REFERENCE			
BULBS	1-Light	2-Light	3-Light
WIDTH	5-1/2-in	18-in	24-in
FINISH	Satin Nickel		

RACEWAY TIERED VANITY FIXTURE	<ul style="list-style-type: none"> • 5-1/4-in round alabaster glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 7-7/8-in H x 7-7/8-in E 		
ITEM	F12564-53	F12565-53	F12566-53
REFERENCE			
BULBS	4-Light	5-Light	6-Light
WIDTH	30-in	36-in	48-in
FINISH	Satin Nickel		



BATH TIERED VANITY FIXTURE	<ul style="list-style-type: none"> • 5-1/4-in round alabaster glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 7-7/8-in H x 7-7/8-in E 		
ITEM	F13621-15	F13623-15	F13624-15
REFERENCE			
BULBS	1-Light	3-Light	4-Light
WIDTH	5-1/2-in	24-in	32-in
FINISH	Chrome		



ROUND LEXINGTON TIERED VANITY FIXTURE	<ul style="list-style-type: none"> • 5-1/4-in round alabaster glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 7-7/8-in H x 7-7/8-in E 		
ITEM	F12621-53	F12623-53	F12624-53
REFERENCE			
BULBS	1-Light	3-Light	4-Light
WIDTH	5-1/2-in	24-in	32-in
FINISH	Satin Nickel		



BOCA VANITY FIXTURE	<ul style="list-style-type: none"> • 3-1/4-in opal glass • Use 60W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 8-in H x 5-in E 		
ITEM	F12531-80	F12533-80	F12534-80
REFERENCE			
BULBS	1-Light	3-Light	4-Light
WIDTH	6-in	20-in	27-1/4-in
FINISH	Bright Satin Nickel		



MADDOX VANITY FIXTURE	<ul style="list-style-type: none"> • 5-1/4-in alabaster glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 8-in H x 5-in E 		
ITEM	F12501-80	F12503-80	F12504-80
REFERENCE			
BULBS	1-Light	3-Light	4-Light
WIDTH	5-3/8-in	22-7/8-in	31-3/8-in
FINISH	Bright Satin Nickel		



LEXINGTON SQUARE VANITY FIXTURE	<ul style="list-style-type: none"> • 5-in square milk glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 9-1/4-in H x 7-5/8-in E 			
ITEM	F12681-53	F12682-53	F12683-53	F12684-53
REFERENCE				
BULBS	1-Light	2-Light	3-Light	4-Light
WIDTH	5-1/2-in	18-in	24-in	30-in
FINISH	Satin Nickel			



BATH VANITY FIXTURE	<ul style="list-style-type: none"> • 5-in square milk glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 9-1/4-in H x 7-5/8-in E 		
ITEM	F13681-15	F13683-15	F13684-15
REFERENCE			
BULBS	1-Light	3-Light	4-Light
WIDTH	5-1/2-in	24-in	30-in
FINISH	Chrome		



OLEN VANITY FIXTURE	<ul style="list-style-type: none"> • 4-5/8-in opal glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 9-7/8-in H x 7-1/4-in E 		
ITEM	F12811-80	F12813-80	F12814-80
REFERENCE			
BULBS	1-Light	3-Light	4-Light
WIDTH	5-1/2-in	24-1/4-in	33-3/4-in
FINISH	Bright Satin Nickel		



BRISTOL VANITY FIXTURE	<ul style="list-style-type: none"> • 4-1/2-in opal glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 9-7/8-in H x 6-in E 		
ITEM	F12291-80	F12297-80	F12299-80
REFERENCE			
BULBS	1-Light	3-Light	4-Light
WIDTH	4-1/2-in	23-3/4-in	33-3/4-in
FINISH	Bright Satin Nickel		



RACE TRACK VANITY FIXTURE	<ul style="list-style-type: none"> • Use 60W max medium base bulbs (sold separately) • 4-1/4-in H x 2-in E 			
ITEM	F13540-15	F13542-15	F13543-15	F13544-15
REFERENCE				
BULBS	3-Light	4-Light	5-Light	6-Light
WIDTH	18-in	24-in	30-in	36-in
FINISH	Chrome			

RACETRACK VANITY FIXTURE	<ul style="list-style-type: none"> • Use 60W max medium base bulbs (sold separately) • 4-3/4-in H x 2-3/8-in E 			
ITEM	F13540-53	F13542-53	F13543-53	F13544-53
REFERENCE				
BULBS	3-Light	4-Light	5-Light	6-Light
WIDTH	18-in	24-in	30-in	36-in
FINISH	Satin Nickel			



RACETRACK VANITY FIXTURE	<ul style="list-style-type: none"> • Use 60W max medium base bulbs (sold separately) • 4-3/4-in H x 2-3/8-in E
ITEM	F13542-10
REFERENCE	
BULBS	4-Light
WIDTH	24-in
FINISH	Polished Brass



HOLLYWOOD VANITY FIXTURE	<ul style="list-style-type: none"> • Use 60W max medium base bulbs (sold separately) • 4-1/4-in H x 2-in E 			
ITEM	F12252-10	F12253-10	F12254-10	F12255-10
REFERENCE				
BULBS	3-Light	4-Light	5-Light	6-Light
WIDTH	18-in	24-in	30-in	36-in
FINISH	Polished Brass			

HOLLYWOOD VANITY FIXTURE	<ul style="list-style-type: none"> • Use 60W max medium base bulbs (sold separately) • 4-1/4-in H x 2-in E 			
ITEM	F12252-15	F12253-15	F12254-15	F12255-15
REFERENCE				
BULBS	3-Light	4-Light	5-Light	6-Light
WIDTH	18-in	24-in	30-in	36-in
FINISH	Chrome			



HOLLYWOOD VANITY FIXTURE	<ul style="list-style-type: none"> • Use 60W max medium base bulbs (sold separately) • 4-1/4-in H x 2-in E 			
ITEM	F12252-53	F12253-53	F12254-53	F12255-53
REFERENCE				
BULBS	3-Light	4-Light	5-Light	6-Light
WIDTH	18-in	24-in	30-in	36-in
FINISH	Satin Nickel			

PRESTIGE VANITY FIXTURE	<ul style="list-style-type: none"> • Clear cylinder glass • 100 WT MB • 12-in H x 6-1/2-in E 	
ITEM	F15003-80	F15004-80
REFERENCE		
BULBS	3-Light	4-Light
WIDTH	21-in	28-1/2-in
FINISH	Bright Satin Nickel	



BATH VANITY FIXTURE	<ul style="list-style-type: none"> • 5-5/8-in square alabaster glass • Use 100W max medium base bulbs (sold separately) • Optional uplight or downlight installation • 7-1/4-in H x 7-in E 	
ITEM	F13643-80	F13644-80
REFERENCE		
BULBS	3-Light	4-Light
WIDTH	24-in	30-in
FINISH	Bright Satin Nickel	



LUMINETTE VANITY FIXTURE	<ul style="list-style-type: none"> • Opal cylinder glass • 100 WT MB
ITEM	F12863-80
REFERENCE	
BULBS	3-Light
DIMS	9-3/8-In H x 5-7/8-In E x 20-In W
FINISH	Bright Satin Nickel



DENMAN VANITY FIXTURE	<ul style="list-style-type: none"> • Prismatic Clear • 100 WT MB
ITEM	F13574-53
REFERENCE	
BULBS	4-Light
DIMS	7-7/8-In H x 7-7/8-In E x 30-In W
FINISH	Satin Nickel



CHANNEL 7 GLASS FIXTURE	<ul style="list-style-type: none"> • White glass • Use 60W max medium base bulb (sold separately) 		
ITEM	F12075-40	F12060-30	F12061-30
REFERENCE	7"	14"	24"
BULBS	1-Light - with bottom turn switch	2-Light - with convenience outlet	4-Light - with convenience outlet
FINISH	White		



INTERIOR FLUSH MOUNTS

LED FLUSH MOUNT CEILING FIXTURE	<ul style="list-style-type: none"> • Fits 4-in J-Box or converts 5-in or 6-in recessed fixture • Spring clips for recessed housing, includes medium base adapter • 120V dimmable and instant full brightness • Listed for Damp Locations • Kelvin Select 		
ITEM	F18807-30-KS	F18807-31-KS	F18807-80-KS
REFERENCE			
FINISH	White	Black	Bright Satin Nickel
WATTS	12	12	12
CRI	80	80	80
DIMENSIONS	7-3/8-in x 1-3/8-in	7-3/8-in x 1-3/8-in	7-3/8-in x 1-3/8-in
LUMENS	800	800	800
HOURS	50,000	50,000	50,000
KELVIN	3000/4000/5000	3000/4000/5000	3000/4000/5000
DIFFUSER	Frosted Polycarbonate Lens		



LED DISK LIGHT	<ul style="list-style-type: none"> • Fits 4-in J-Box or converts 5-in or 6-in recessed fixture • Spring clips for recessed housing and medium base adapter • 120V dimmable, listed for wet locations 	
ITEM	F19806-30-4K	F19806-30-3K
REFERENCE		
FINISH	White	White
WATTS	12	12
CRI	80	80
DIMENSIONS	7-1/2-in x 1-in	7-1/2-in x 1-in
LUMENS	800	800
HOURS	35,000	35,000
KELVIN	4000	3000
DIFFUSER	White Acrylic Lens	White Acrylic Lens

LED DISK LIGHT	<ul style="list-style-type: none"> • Fits 4-in J-Box or converts 5-in or 6-in recessed fixture • Spring clips for recessed housing and medium base adapter • 120V dimmable, listed for damp locations • Kelvin Select 	
ITEM	F19806-30-KS	
REFERENCE		
FINISH	White	
WATTS	12	
CRI	80	
DIMENSIONS (W X H)	7-1/2-in x 1-in	
LUMENS	900	
HOURS	50,000	
KELVIN	3000/4000/5000	
DIFFUSER	White Acrylic Lens	



LED DISK LIGHT	<ul style="list-style-type: none"> • Fits 4-in J-Box • 120V dimmable, listed for wet locations • F18626-30-KS: Kelvin Select 	
ITEM	F18626-30	F18626-30-KS
REFERENCE		
FINISH	White	White
WATTS	15	15
CRI	90	90
DIMENSIONS (W X H)	7-1/2-in x 1-1/8-in	7-1/2-in x 1-1/8-in
LUMENS	950	950
HOURS	50,000	50,000
KELVIN	3000	3000/4000/5000
DIFFUSER	White Acrylic Lens	White Acrylic Lens



LED DISK LIGHT JA8	<ul style="list-style-type: none"> • 120V dimmable, listed for damp locations
ITEM	F18210-30-1
REFERENCE	
FINISH	White
WATTS	24
CRI	90
DIMENSIONS (W X H)	11-13/16-in x 5/8-in
LUMENS	950
HOURS	50,000
KELVIN	3000
DIFFUSER	White Acrylic Lens

FLUSH MOUNT FIXTURE	<ul style="list-style-type: none"> • Frosted glass • Use 60W max medium base bulbs (sold separately) • Glass attaches to base using three clips • Bright satin nickel 	
ITEM	F17297-80	F17298-80
REFERENCE		
DIMENSIONS	12-in D x 4-in E – 2 Bulb	16-in D x 5-1/4-in E – 3 Bulb



LED CEILING FIXTURES



EURO STYLE CEILING FIXTURE	<ul style="list-style-type: none"> • 120V non-dimmable and instant-on full brightness • F17284-31-KS: Kelvin Select 	
ITEM	F17284-31-KS	F17284-80-3K
REFERENCE		
FINISH	Matte Black	Bright Satin Nickel
WATTS	24	24
DIMENSIONS (D X H)	14-in x 3-5/8-in	14-in x 3-7/8-in
LUMENS	2,000	2,000
HOURS	50,000	50,000
KELVIN	3000/4000/5000	3000
DIFFUSER	White Acrylic	White Acrylic

LED MUSHROOM CEILING FIXTURE	<ul style="list-style-type: none"> • 6-in fitter • 120V non-dimmable and instant-on full brightness 	
ITEM	F13282-53-1-LED	F13283-53-1-LED
REFERENCE		
FINISH	Satin Nickel	Satin Nickel
WATTS	15	15
DIMENSIONS (D X H)	7-1/2-in x 4-1/2-in	7-1/2-in x 4-1/2-in
LUMENS	1,200	1,200
HOURS	50,000	50,000
KELVIN	3000	3000
DIFFUSER	White Acrylic Globe	Faux Alabaster Glass Globe



SQUARE LED CEILING FIXTURE	<ul style="list-style-type: none"> • 120V non-dimmable, listed for damp locations 		
ITEM	F19808-30-1	F19809-30-1	F19810-30-1
REFERENCE			
FINISH	White	White	White
WATTS	26	32	50
CRI	80	80	80
DIMENSIONS	12-1/4-in x 3-in E	14-1/2-in x 3-in E	19-1/2-in x 3-1/8-in E
LUMENS	2,400	3,000	4,800
HOURS	50,000	50,000	50,000
KELVIN	4000	4000	4000
DIFFUSER	White Acrylic	White Acrylic	White Acrylic

LED MUSHROOM CEILING FIXTURE	<ul style="list-style-type: none"> • 8-in fitter, opal glass globe 448525 • 8-7/8-in D x 4-1/2-in H
ITEM	F13284-53-1-LED
REFERENCE	
FINISH	Satin Nickel
WATTS	17
CRI	80
LUMENS	1,360
HOURS	50,000
KELVIN	3000
DIFFUSER	White Opal Glass



LED DOME CEILING FIXTURE	<ul style="list-style-type: none"> • Alabaster glass with matching finial • 120V dimmable and instant-on full brightness • Kelvin Select 	
ITEM	F17630-31-LED-KS	F17632-31-LED-KS
REFERENCE		
FINISH	Matte Black	Matte Black
WATTS	16	20
CRI	80	80
DIMENSIONS	11-in x 5-in	13-in x 5-5/8-in
LUMENS	1,350	1,600
HOURS	50,000	50,000
KELVIN	3000/4000/5000	3000/4000/5000
DIFFUSER	Alabaster Glass	Alabaster Glass



LED DOME CEILING FIXTURE	<ul style="list-style-type: none"> • Alabaster glass with matching finial • 120V dimmable and instant-on full brightness 	
ITEM	F17630-53-LED	F17632-53-LED
REFERENCE		
FINISH	Satin Nickel	Satin Nickel
WATTS	16	20
CRI	80	80
DIMENSIONS (D X H)	11-in x 5-in	13-in x 5-5/8-in
LUMENS	1,350	1,600
HOURS	50,000	50,000
KELVIN	3000	3000
DIFFUSER	Alabaster Glass	Alabaster Glass



LED DOME CEILING FIXTURE	<ul style="list-style-type: none"> • Twist-on glass • 120V dimmable and instant-on full brightness 	
ITEM	F17171-53-LED	F17172-53-LED
REFERENCE		
FINISH	Satin Nickel	Satin Nickel
WATTS	16	20
CRI	80	80
DIMENSIONS (D X H)	12-in x 4-1/2-in	14-in x 4-3/4-in
LUMENS	1,200	1,500
HOURS	50,000	50,000
KELVIN	3000	3000
DIFFUSER	Alabaster Glass	Alabaster Glass



LED DOME CEILING FIXTURE	<ul style="list-style-type: none"> • Twist-on glass • 120V dimmable and instant-on full brightness • Kelvin Select 	
ITEM	F17171-38-LED-KS	F17172-38-LED-KS
REFERENCE		
FINISH	Bronze	Bronze
WATTS	16	20
CRI	80	80
DIMENSIONS	12-in x 4-1/2-in	14-in x 4-3/4-in
LUMENS	1,200	1,500
HOURS	50,000	50,000
KELVIN	3000	3000
DIFFUSER	Alabaster Glass	Alabaster Glass

LED CEILING FIXTURES



ROUND LED CEILING FIXTURE	<ul style="list-style-type: none"> • 120V dimmable, listed for damp locations • F19913-31-KS, F19913-80-KS: Kelvin Select 					
ITEM	F19913-31-KS	F19913-80-KS	F19910-80-3K	F19913-80-1-4K	F19915-80-1-4K	F19916-80-1-4K
REFERENCE						
FINISH	Matte Black	Bright Satin Nickel	Bright Satin Nickel	Bright Satin Nickel	Bright Satin Nickel	Bright Satin Nickel
WATTS	20	20	16	20	26	32
CRI	80	80	80	80	80	80
DIMENSIONS	12-in x 3-in	12-in x 3-in	10-in x 3-in	12-in x 3-in	14-in x 3-1/8-in	16-in x 3-1/2-in
LUMENS	1,750	1,750	1,350	1,750	2,400	3,000
HOURS	50,000	50,000	50,000	50,000	50,000	50,000
KELVIN	3000/4000/5000	3000/4000/5000	3000	4000	4000	4000
DIFFUSER	Etched White Opal Acrylic Lens	Etched White Opal Acrylic Lens	Etched White Opal Acrylic Lens	Etched White Opal Acrylic Lens	Etched White Opal Acrylic Lens	Etched White Opal Acrylic Lens



OVAL LED CEILING FIXTURE	<ul style="list-style-type: none"> • 120V dimmable, damp location listed
ITEM	F19917-80-3-4K
REFERENCE	
FINISH	Bright Satin Nickel
WATTS	53
CRI	80
DIMENSIONS (W X L X H)	18-1/4-in x 32-5/8-in x 4-1/4-in
LUMENS	5,100
HOURS	50,000
KELVIN	4000
DIFFUSER	Etched White Opal Acrylic Lens

14-IN ROUND LED SEMI-FLUSH CEILING FIXTURE	<ul style="list-style-type: none"> • 120V dimmable, listed for damp locations
ITEM	F19945-80-3K
REFERENCE	
FINISH	Bright Satin Nickel
WATTS	26
CRI	80
DIMENSIONS (D X H)	14-in x 7-7/8-in
LUMENS	2,200
HOURS	50,000
KELVIN	3000
DIFFUSER	Etched White Opal Acrylic Lens



EASY TWIST ON GLASS CEILING DOME FIXTURE	<ul style="list-style-type: none"> • Twist-on satin opal glass dome • Use (3) 60W max medium base bulbs (sold separately)
ITEM	F17134-53
DIMENSIONS	15-1/2-in D x 5-1/2-in E
REFERENCE	
FINISH	Satin Nickel



EASY TWIST ON GLASS CEILING DOME FIXTURE	<ul style="list-style-type: none"> • Twist-on satin opal glass dome • Use (2) 60W max medium base bulbs (sold separately) 	
ITEM	F17130-53	F17132-53
DIMENSIONS	12-in D x 4-1/2-in E	14-1/8-in D x 5-in E
REFERENCE		
FINISH	Satin Nickel	Satin Nickel



EASY TWIST ON GLASS CEILING DOME FIXTURE	<ul style="list-style-type: none"> • Twist-on alabaster glass dome • Use (3) 60W max medium base bulbs (sold separately)
ITEM	F17164-53
DIMENSIONS	16-in D x 5-1/2-in E
REFERENCE	
FINISH	Satin Nickel



EASY TWIST ON GLASS CEILING DOME FIXTURE	<ul style="list-style-type: none"> • Twist-on alabaster glass dome • Use (2) 60W max medium base bulbs (sold separately) 	
ITEM	F17166-53	F17162-53
DIMENSIONS	12-in D x 4-3/8-in E	14-3/8-in D x 4-3/8-in E
REFERENCE		
FINISH	Satin Nickel	Satin Nickel



ALABASTER GLASS CEILING DOME FIXTURE	<ul style="list-style-type: none"> • Alabaster glass dome • Use (3) 60W max medium base bulbs (sold separately)
ITEM	F17634-53
DIMENSIONS	15-1/8-in D x 5-1/2-in E
REFERENCE	
FINISH	Satin Nickel

ALABASTER GLASS CEILING DOME FIXTURE	<ul style="list-style-type: none"> • Alabaster glass dome • Use (2) 60W max medium base bulbs (sold separately) 	
ITEM	F17630-53	F17632-53
DIMENSIONS	11-1/4-in D x 5-1/8-in E	13-in D x 5-1/2-in E
REFERENCE		
FINISH	Satin Nickel	Satin Nickel



TWIST ON GLASS CEILING DOME FIXTURE	<ul style="list-style-type: none"> • Twist-on frosted glass dome • Use (3) 60W max medium base bulbs (sold separately)
ITEM	F17280-80
DIMENSIONS	15-in D x 5-3/8-in E
REFERENCE	
FINISH	Bright Satin Nickel

TWIST ON GLASS CEILING DOME FIXTURE	<ul style="list-style-type: none"> • Twist-on frosted glass dome • Use (2) 60W max medium base bulbs (sold separately) 	
ITEM	F17299-80	F17299-31
DIMENSIONS	13-in D x 5-in E	13-in D x 5-in E
REFERENCE		
FINISH	Bright Satin Nickel	Black



MUSHROOM CEILING FIXTURE	<ul style="list-style-type: none"> • 8-in fitter, opal glass globe 448525 • Use (2) 60W max medium base bulbs (sold separately) • 8-7/8-in D x 4-7/8-in H 		
ITEM	F13284-10	F13284-30	F13284-53
REFERENCE			
FINISH	Polished Brass	White	Satin Nickel

DOME CEILING FIXTURE	<ul style="list-style-type: none"> • Twist-on glass • Use (1) 60W max medium base bulbs (sold separately)
ITEM	F17175-53
REFERENCE	
FINISH	Satin Nickel
DIMENSIONS	14-in W x 4-1/2-in H
LUMENS	1,200
DIFFUSER	Opal Glass

ALABASTER GLASS BALL CEILING FIXTURE	<ul style="list-style-type: none"> • 6" Alabaster Glass Ball • Use 60W max medium base bulbs (sold separately) • 3-1/4" Fitter • 6-in Dia X 7-in H
ITEM	F17213-53
REFERENCE	
FINISH	Satin Nickel



MUSHROOM CEILING FIXTURE	<ul style="list-style-type: none"> • 6-in fitter, opal glass globe • Use (2) 60W max medium base bulbs (sold separately) • 7-1/4-in D x 4-1/2-in H 		
ITEM	F17282-10	F17282-40	F17282-53
REFERENCE			
FINISH	Polished Brass	White	Satin Nickel

ALABASTER GLASS MUSHROOM CEILING FIXTURES	<ul style="list-style-type: none"> • Alabaster Glass • Use 60W max medium base bulbs (sold separately) 	
ITEM	F17283-53	F17285-53
REFERENCE		
SIZE	7-1/2-in Dia x 4-1/2-in E – 1 Bulb	9-1/2-in Dia x 5-1/2-in E – 2 Bulb
FINISH	Satin Nickel	Satin Nickel



RIBBED GLASS MUSHROOM CEILING FIXTURE	<ul style="list-style-type: none"> • 6-in fitter, clear ribbed glass • Use (1) 60W max medium base bulbs (sold separately) • 7-1/2-in D x 4-5/8-in H
ITEM	F16108-10
REFERENCE	
FINISH	Polished Brass



RIBBED GLASS CEILING DOME FIXTURE	<ul style="list-style-type: none"> • Frosted swirl glass, matching finial • Use (2) 60W max medium base bulbs (sold separately) • 12-in D x 6-1/8-in H
ITEM	F17510-30
REFERENCE	
FINISH	White



RIBBED GLASS DOME CEILING FIXTURE	<ul style="list-style-type: none"> • Clear Ribbed Glass Dome • Use (2) 60W max medium base bulbs (sold separately) • 12-in D x 6-3/8-in E 		
ITEM	F17500-10	F17500-30	F17500-53
REFERENCE			
FINISH	Polished Brass	White	Satin Nickel



RIBBED GLASS DOME CEILING FIXTURE	<ul style="list-style-type: none"> • Clear Ribbed Glass Dome • Use (2) 60W max medium base bulbs (sold separately) • 13-1/4-in D x 6-7/8-in E 		
ITEM	F17502-10	F17502-30	F17502-53
REFERENCE			
FINISH	Polished Brass	White	Satin Nickel



CLEAR RIBBED GLASS BALL CEILING FIXTURE WITH PULL CHAIN SWITCH	<ul style="list-style-type: none"> • 6" Clear Ribbed Glass Ball • Use 60W max medium base bulbs (sold separately) • 3-1/4" Fitter • 6-in Dia X 7-in H • With Pull Chain Switch
ITEM	F12202-10
REFERENCE	
FINISH	Polished Brass



CLEAR RIBBED GLASS BALL CEILING FIXTURE	<ul style="list-style-type: none"> • 6" Clear Ribbed Glass Ball • Use 60W max medium base bulbs (sold separately) • 3-1/4" Fitter • 6-in Dia X 7-in H 	
ITEM	F12201-10	F12201-53
REFERENCE		
FINISH	Polished Brass	Satin Nickel



GLASS BALL CEILING FIXTURE WITH PULL CHAIN SWITCH	<ul style="list-style-type: none"> • 6" White Glass Ball • Use 60W max medium base bulbs (sold separately) • 3-1/4" Fitter • 6-in Dia X 7-in H • With Pull Chain Switch 	
ITEM	F17204-40	F17204-53
REFERENCE		
FINISH	White	Satin Nickel



GLASS BALL CEILING FIXTURE	<ul style="list-style-type: none"> • 6" White Glass Ball • Use 60W max medium base bulbs (sold separately) • 3-1/4" Fitter • 6-in Dia X 7-in H 	
ITEM	F17203-40	F17203-53
REFERENCE		
FINISH	White	Satin Nickel



CEILING DRUM FIXTURE	<ul style="list-style-type: none"> • White and Clear Glass Drum • Use 2 X 60W max medium base bulbs (sold separately) • 8" Fitter • 8-5/8-in Dia X 4-7/8-in E
ITEM	F13277-30
REFERENCE	
FINISH	White



CEILING DRUM FIXTURE	<ul style="list-style-type: none"> • White and Clear Glass Drum • Use 60W max medium base bulbs (sold separately) • 6" Fitter • 6-3/4-in Dia X 3-7/8-in E 	
ITEM	F13276-15	F13276-30
REFERENCE		
FINISH	Chrome	White



BENT GLASS BEDROOM SQUARE FIXTURE	<ul style="list-style-type: none"> • White 12" Square Bent Glass • Use (2) 60W max medium base bulbs (sold separately) • 12-in D x 5-1/2-in H
ITEM	F17962-40
REFERENCE	
FINISH	White



CEILING DRUM FIXTURE	<ul style="list-style-type: none"> • White and Clear Glass Drum • Use 2 X 60W max medium base bulbs (sold separately) • 10" Fitter • 10-1/2-in Dia X 4-7/8-in E
ITEM	F13278-30
REFERENCE	
FINISH	White

INTERIOR PENDANT FIXTURES





3-LIGHT ALTON PENDANT FIXTURE	<ul style="list-style-type: none"> • Alabaster glass • Use (3) 100W max medium base bulbs (sold separately) • 17-3/4-in D x 25-1/2-in H
ITEM	F16433-53
REFERENCE	
FINISH	Satin Nickel



ALTON 3-ARM CHANDELIER	<ul style="list-style-type: none"> • Alabaster glass • Use (3) 100W max medium base bulbs (sold separately) • 18-1/2-in D x 12-1/2-in H
ITEM	F15453-53
REFERENCE	
FINISH	Satin Nickel



ALTON 2-LIGHT SEMI-FLUSH PENDANT MOUNT FIXTURE	<ul style="list-style-type: none"> • Alabaster glass • Use (2) 100W max medium base bulbs (sold separately) • 15-1/2-in D x 9-3/4-in H
ITEM	F14082-53
REFERENCE	
FINISH	Satin Nickel



SEMI-FLUSH SCHOOLHOUSE FIXTURE	<ul style="list-style-type: none"> • Opal glass • Use (1) 60W max medium base bulbs (sold separately) • 12-in D x 10-1/2-in H
ITEM	F21616-50
REFERENCE	
FINISH	Black



SCHOOLHOUSE PENDANT FIXTURE	<ul style="list-style-type: none"> • Opal glass • Use (1) 60W max medium base bulbs (sold separately) • 12-in D x 54-in H (Max Height with all rods attached) • Downrods included: 2 x 4", 2 x 6", 2 x 12"
ITEM	F21615-50
REFERENCE	
FINISH	Black



1-LIGHT PENDANT FIXTURE	<ul style="list-style-type: none"> • Alabaster glass • Use (1) 150W max medium base bulb (sold separately) • 16-in D x 9-in H
ITEM	F17978-53
REFERENCE	
FINISH	Satin Nickel



2-LIGHT PENDANT FIXTURE	<ul style="list-style-type: none"> • Alabaster glass • Use (2) 60W max medium base bulbs (sold separately) • 15-in D x 17-in H
ITEM	F17676-53
REFERENCE	
FINISH	Satin Nickel



3-LIGHT DESIGNER PENDANT FIXTURE	<ul style="list-style-type: none"> • Alabaster glass • Use (3) 60W max medium base bulbs (sold separately) • 20-1/4-in D x 24-in H
ITEM	F17678-53
REFERENCE	
FINISH	Satin Nickel



TEMPEST 5-ARM CHANDELIER	<ul style="list-style-type: none"> • Use (5) 100W max medium base bulbs (sold separately) • 22-1/8-in D x 22-1/2-in H
ITEM	F12485-53
REFERENCE	
FINISH	Satin Nickel



TEMPEST 3-ARM CHANDELIER	<ul style="list-style-type: none"> • Use (3) 100W max medium base bulbs (sold separately) • 17-3/8-in D x 19-1/8-in H
ITEM	F12483-53
REFERENCE	
FINISH	Satin Nickel



INTERIOR WALL SCONCES



LED WALL SCONCE	<ul style="list-style-type: none"> • Opal round bent glass • 120/277V • 17W, 1,400 lumens, 3000K, CRI 80, dimmable • 7-1/2-in W x 12-1/4-in H x 4-in E
ITEM	F19919-80-2
REFERENCE	
FINISH	Bright Satin Nickel

LEDBURY LED WALL SCONCE	<ul style="list-style-type: none"> • Opal Etched Glass • 120V • Use (1) 100W max medium base bulbs (sold separately) • 4-3/8-in W x 7-1/4-in H x 6-1/2-in E
ITEM	F13151-80
REFERENCE	
FINISH	Bright Satin Nickel



RIBBED GLASS WALL SCONCE	<ul style="list-style-type: none"> • Clear prismatic glass • Use (1) 60W max candelabra base bulb (sold separately) • Includes polished brass, satin nickel, and oil rubbed bronze trims • 12-in W x 7-in H x 6-in E
ITEM	F19045-01
REFERENCE	
FINISH	Multi-Finish Trim



WALL SCONCE	<ul style="list-style-type: none"> • Alabaster glass shade • Use (1) 100W max medium base bulb (sold separately) • 15-in W x 7-1/2-in H X 4-3/4-in E
ITEM	F19071-53
REFERENCE	
FINISH	Satin Nickel Trim



CLASSIC TURN KNOB WALL SCONCE	<ul style="list-style-type: none"> • Grape Etched Glass • Use (1) 60W max medium base bulb (sold separately) • Bottom Turn Knob • 4-1/2-in W x 7-5/8-in H x 5-3/8-in E
ITEM	F12830-10
REFERENCE	
FINISH	Polished Brass



ONE LIGHT QUARTER WALL SCONCE	<ul style="list-style-type: none"> • Etched Glass lens • Use (1) 100W Max Medium Base Bulb (sold separately) • Includes polished brass, satin nickel, and oil rubbed bronze trims • 8-in W x 8-1/8-in H x 4-in E
ITEM	F12018-06
REFERENCE	
FINISH	Multi Finish Trim



TRACK LIGHTING FIXTURES



ROUND BACK TRACK LIGHT KIT	<ul style="list-style-type: none"> • 3 Adjustable rotating round back heads • Includes floating power canopy • Uses (3) 65W Max Medium Base BR 30 Bulbs (Sold Separately) • 48in Track Length 	
	ITEM	F12916-30 F12916-80
REFERENCE		
FINISH	White	Bright Satin Nickel



BRIGHT SATIN NICKEL WAVE TRACK LIGHT	<ul style="list-style-type: none"> Adjustable frosted glass heads Use 50W max 120V halogen MR16 GU10 base bulb (included) 7-1/4-in height 	
ITEM	F12987-80	F12988-80
REFERENCE		
LIGHTS/LENGTH	4-Light, 34-in Track	6-Light, 44-in Track

BRIGHT SATIN NICKEL WAVE TRACK LIGHT	<ul style="list-style-type: none"> Adjustable rotating gimbal heads with decorative swivel arms Use 50W max 120V halogen MR16 GU10 base bulb (included) 6-1/2-in height 		
ITEM	F12990-80	F12991-80	F12992-80
REFERENCE			
LIGHTS/LENGTH	3-Light, 26-in Track	4-Light, 34-in Track	6-Light, 44-in Track



BRIGHT SATIN NICKEL LED WAVE TRACK LIGHT	<ul style="list-style-type: none"> Adjustable frosted glass heads Use 6.5W GU10 LED bulbs (included) 500 lumens per bulb, 3000K, CRI 80 120V dimmable, 25,000 average rated hours 7-1/4-in height 	
ITEM	F12987-80-LED	
REFERENCE		
LIGHTS/LENGTH	4-Light, 34-in Track	

BRIGHT SATIN NICKEL LED WAVE TRACK LIGHT	<ul style="list-style-type: none"> Adjustable rotating gimbal heads with decorative swivel arms Use 6.5W GU10 LED bulbs (included) 500 lumens per bulb, 3000K, CRI 80 120V dimmable, 25,000 average rated hours 6-1/2-in height 		
ITEM	F12990-80-LED	F12991-80-LED	F12992-80-LED
REFERENCE			
LIGHTS/LENGTH	3-Light, 26-in Track	4-Light, 34-in Track	6-Light, 44-in Track



BRIGHT SATIN NICKEL TRACK LIGHT	<ul style="list-style-type: none"> Fully adjustable sliding heads with gimbal rings Includes floating power canopy Use 75W max PAR30 medium base bulbs (sold separately) 	
ITEM	F12958-80	F12960-80
REFERENCE		
LIGHTS/LENGTH	3-Light, 48-in Track	4-Light, 48-in Track



BRIGHT SATIN NICKEL WAVE TRACK LIGHT	<ul style="list-style-type: none"> Adjustable designer metal heads with square arms Use 50W max 120V halogen MR16 GU10 base bulb (included) 8-1/2-in height 	
ITEM	F12984-80	F12985-80
REFERENCE		
LIGHTS/LENGTH	4-Light, 34-in Track	6-Light, 44-in Track



WAVE TRACK LIGHT	<ul style="list-style-type: none"> Adjustable rotating gimbal heads with decorative swivel arms 3 50W max 120V halogen MR16 GU10 base bulb (included) 12-in height 31-1/2-in Track 	
ITEM	F12963-80	
REFERENCE		
FINISH	Bright Satin Nickel	

ADJUSTABLE ARM WAVE TRACK LIGHT	<ul style="list-style-type: none"> Adjustable rotating gimbal heads with decorative swivel arms 4 50W max 120V halogen MR16 GU10 base bulb (included) 5-1/4-in height 34-in Track 	
ITEM	F12981-80	
REFERENCE		
FINISH	Bright Satin Nickel	

UNDER CABINET FIXTURES



<p>12-IN UNDER CABINET LED FIXTURE</p>	<ul style="list-style-type: none"> • Acrylic prismatic lens • 4W integrated LED array • 330 lumens, 3000K, 50,000 average rated hours • 120V non-dimmable with on/off rocker switch • Includes 6-1/2-in linking cable to connect multiple fixtures • 11-1/2-in W x 1-1/8-in D x 1-1/2-in H 	<p>16-IN UNDER CABINET LED FIXTURE</p>	<ul style="list-style-type: none"> • Acrylic prismatic lens • 7W integrated LED array • 630 lumens, 3000K, 50,000 average rated hours • 120V non-dimmable with on/off rocker switch • Includes 6-1/2-in linking cable to connect multiple fixtures • 16-in W x 1-1/8-in D x 1-1/2-in H 	<p>20-IN UNDER CABINET LED FIXTURE</p>	<ul style="list-style-type: none"> • Acrylic prismatic lens • 7W integrated LED array • 630 lumens, 3000K, 50,000 average rated hours • 120V non-dimmable with on/off rocker switch • Includes 6-1/2-in linking cable to connect multiple fixtures • 20-1/2-in W x 1-1/8-in D x 1-1/2-in H
<p>ITEM</p>	<p>F18812-30-1</p>	<p>ITEM</p>	<p>F18816-30-1</p>	<p>ITEM</p>	<p>F18822-30-1</p>
<p>REFERENCE</p>		<p>REFERENCE</p>		<p>REFERENCE</p>	
<p>FINISH</p>	<p>White</p>	<p>FINISH</p>	<p>White</p>	<p>FINISH</p>	<p>White</p>



<p>12-IN UNDER CABINET LED FIXTURE</p>	<ul style="list-style-type: none"> • Acrylic prismatic lens • 5W integrated LED DOB • 280 lumens, 3000K-4000K, 50,000 average rated hours • 120V dimmable with on/off rocker switch • 12-in W x 3-1/2-in D x 1-in H
<p>ITEM</p>	<p>F19112-30-LED</p>
<p>REFERENCE</p>	
<p>FINISH</p>	<p>White</p>

EXTERIOR FIXTURES





ARCHITECTURAL LIGHTS - RECTANGULAR

ITEM:	F6891-31	F6891-44	F6892-31	F6892-44
REFERENCE:				
DIMENSIONS:	8"H x 4-3/8"W x 6-1/8"D	8"H x 4-3/8"W x 6-1/8"D	15"H x 4-3/8"W x 6-1/8"D	15"H x 4-3/8"W x 6-1/8"D
FINISH:	Black	Bronze	Black	Bronze
SHADE:	N/A	N/A	Clear Top Lens	Clear Top Lens
LAMP TYPE:	(1) Medium Base PAR20	1 Medium Base PAR20	(2) Medium Base PAR20	(2) Medium Base PAR20
SAFETY RATING:	Wet Location	Wet Location	Wet Location	Wet Location



ARCHITECTURAL LIGHTS - CYLINDERS

ITEM:	F6901-31	F6901-44	F6902-31	F6902-44
REFERENCE:				
DIMENSIONS:	8"H x 5"W x 7-1/8"D	8"H x 5"W x 7-1/8"D	15"H x 5"W x 7-1/8"D	15"H x 5"W x 7-1/8"D
FINISH:	Black	Bronze	Black	Bronze
SHADE:	N/A	N/A	Clear Top Lens	Clear Top Lens
LAMP TYPE:	(1) Medium Base PAR30	1 Medium Base PAR30	(2) Medium Base PAR30	(2) Medium Base PAR30
SAFETY RATING:	Wet Location	Wet Location	Wet Location	Wet Location



LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Steel Body • Clear Seedy Glass Lens • 9W, 400 lumens, 3000K, CRI 80 • 120V Listed for Wet Locations • 5-5/8"W x 11-3/4"H x 7-1/4"E
ITEM	F19957-31-1
PRODUCT	
FINISH	Black



LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Clear Seedy Glass Lens • 9W, 450 lumens, 3000K, CRI 80 • 120V Listed for Wet Locations • 6"W x 11-1/5"H x 9"E
ITEM	F19953-31-1
PRODUCT	
FINISH	Black



LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Clear Water Glass Lens • 9W, 500 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations • 6-3/8"W x 11"H x 7-7/16"E
ITEM	F19921-31
PRODUCT	
FINISH	Black



LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Frosted glass lens • 9W, 400 lumens, 3000K, CRI 80 • 120V Listed for Wet Locations • 50,000 average rated hours • 7-in W x 13-in H x 8-1/2-in E
ITEM	F19990-31-1
PRODUCT	
FINISH	Black



Photocell Option



Photocell Option

LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Frosted Glass Lens • 9W, 450 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations • 6-1/2"W x 10-1/4"H x 7-1/2"E 	
ITEM	F19958-31	F19952-31-1
PRODUCT		
FINISH	Black	Black with Photocell

LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Frosted Glass Lens • 9W, 550 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations • 6"W x 11"H x 8"E 	
ITEM	F19971-31	F19951-31-1
PRODUCT		
FINISH	Black	Black with Photocell



LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body with Screen • 9W, 300 lumens, 3000K, CRI 80 • 120V Listed for Wet Locations • 4"W x 6-3/4"H x 5-1/2"E
ITEM	F19991-31-1
PRODUCT	
FINISH	Black

LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Frosted Glass Lens • 9W, 460 lumens, 3000K, CRI 80 • 120V Listed for Wet Locations • 6-1/2"W x 12-1/4"H x 7-5/8"E
ITEM	F19955-31-1
PRODUCT	
FINISH	Black

CAST ALUMINUM WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • White Acrylic Ball Lens • 9 Watt DOB, 850 Lumens, 4000K • 120V Listed for Wet Locations • 5-7/8"W x 7-1/4"H x 6-7/8"E
ITEM	F19938-31-4K
PRODUCT	
FINISH	Black



LED BLACK CEILING FIXTURE	<ul style="list-style-type: none"> • Steel Body • Frosted Glass Lens • 12W, 650 lumens, 4000K, CRI 80 • 120V Listed for Damp Locations • 9-7/8"W x 5-3/4"H
ITEM	F19025-31-2-4K
PRODUCT	
FINISH	Black



LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Frosted Glass Lens • 9W, 500 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations • 8"W x 12-1/8"H x 5-1/8"E 	
ITEM	F19927-31-2-4K	F19937-31-2-4K
PRODUCT		
FINISH	Black	Black with Photocell



LED BLACK MINI-WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Frosted Glass Lens • 9W, 600 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations • 7-1/8"W x 9-3/4"H x 3-3/4"E
ITEM	F19959-31-1
PRODUCT	
FINISH	Black



LED BLACK MINI-WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Frosted Glass Lens • 9W, 550 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations • 7-1/8"W x 9-3/4"H x 3-3/4"E
ITEM	F19954-31-1
PRODUCT	
FINISH	Black



Photocell Option



Photocell Option

LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • White Acrylic Lens • 9W, 500 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations • 4-1/2"W x 7-3/4"H x 6"E 	
ITEM	F19922-31-4K	F19932-31-2-4K
PRODUCT		
FINISH	Black	Black with Photocell

LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Frosted Acrylic Lens • 9W, 500 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations • 7-3/4" W x 9-1/2"H x 4-1/2"E 	
ITEM	F19923-31-2-4K	F19933-31-2-4K
PRODUCT		
FINISH	Black	Black with Photocell



Photocell Option



Photocell Option

LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Opal Polycarbonate Lens • 9W, 500 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations • 5-3/8"W x 8-5/8"H x 2-1/2"E 	
ITEM	F19920-31-2-4K	F19930-31-2-4K
PRODUCT		
FINISH	Black	Black with Photocell

LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Clear Prismatic Acrylic Lens • 9W, 550 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations • 4-1/2"W x 7-3/4"H x 6"E 	
ITEM	F19926-31-2-4K	F19936-31-2-4K
PRODUCT		
FINISH	Black	Black with Photocell



LED CEILING MOUNT FIXTURE	<ul style="list-style-type: none"> • White Metal Housing • Clear Prismatic Acrylic Lens • 850 lumens, 4000K, CRI 80 • 120V Listed for Wet Locations 	
ITEM	F19026-30	F19027-30
PRODUCT		
WATTS	9 Watt	12 Watt
FINISH	White Base / Clear Lens	



LED CEILING/WALL MOUNT FIXTURE	<ul style="list-style-type: none"> • White Metal Housing • Frosted Acrylic Lens • 10.5W, 1,100 lumens, 3000K, CRI 80 • 120V Listed for Wet Locations • 6"W x 10-1/2"H x 4-1/4"E 	
ITEM	F17211-30-LED	
PRODUCT		
FINISH	White Base / Frosted Lens	



LED CEILING/WALL MOUNT FIXTURE	<ul style="list-style-type: none"> • White Metal Housing • Frosted Acrylic Lens • 10.5W, 1,100 lumens, 3000K, CRI 80 • 120V Listed for Wet Locations • 4-3/8"W x 13"H x 3-1/4"E 	
ITEM	F19204-30-LED	
PRODUCT		
FINISH	White Base / Clear Lens	



LED CEILING/WALL MOUNT FIXTURE	<ul style="list-style-type: none"> • White Metal Housing • Frosted Acrylic Lens • 10.5W, 1,000 Fixture Lumens, 3000K • 120V Listed for Wet Locations • 5-1/8"W x 7-1/2"H x 4"E 	
ITEM	F17201-30-LED	
PRODUCT		
FINISH	White Base / Clear Lens	



CAST ALUMINUM LANTERN FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Clear Beveled Glass Lens • Use (1) 100W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 4-5/8"W x 7-3/4"H x 6"E
ITEM	F17802-31
PRODUCT	
FINISH	Black



METAL LANTERN FIXTURE	<ul style="list-style-type: none"> • Solid Brass Body • Clear Beveled Glass Lens • Use (1) 100W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 4-1/2"W x 8-1/4"H x 5-7/8"E
ITEM	F16840-10
PRODUCT	
FINISH	Polished Brass



CAST ALUMINUM LANTERN FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Clear Beveled Glass Lens • Use (1) 100W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 6-5/8"W x 17"H x 8-1/16"E
ITEM	F17815-31
PRODUCT	
FINISH	Black



COACH LANTERN	<ul style="list-style-type: none"> • Steel Body • Clear Beveled Glass Lens • Use (1) 60W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 4-5/8"W x 15"H x 5-1/2"E
ITEM	F16884-31
PRODUCT	
FINISH	Black



METAL PEANUT JAR FIXTURE	<ul style="list-style-type: none"> • Steel Body • Clear Glass Jar • Use (1) 60W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 4-1/2"W x 7-1/8"H x 5-7/8"E
ITEM	F14600-31
PRODUCT	
FINISH	Black



CAST ALUMINUM LANTERN FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Clear Beveled Glass • Use (1) 100W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 5-5/8"W x 10"H x 6-1/8"E
ITEM	F17851-31
PRODUCT	
FINISH	Black



POLYCARBONATE PEANUT JAR FIXTURE	<ul style="list-style-type: none"> • Polycarbonate Body • Clear Glass Jar • Use (1) 60W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 4-3/8"W x 6-3/8"H x 5-3/8"E
ITEM	F14310-31
PRODUCT	
FINISH	Black



POLYCARBONATE WALL FIXTURE WITH PHOTOCELL	<ul style="list-style-type: none"> • Polycarbonate Body • 6-in White Acrylic Globe • Use (1) 60W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 6"W x 7-1/8"H x 6-1/2"E
ITEM	F14307-31
PRODUCT	
FINISH	Black



POLYCARBONATE WALL FIXTURE	<ul style="list-style-type: none"> • Polycarbonate Body • Opal Glas Ball • Use (1) 60W max Medium Base Bulb • Bulb Not Included • 120V Listed for Damp Locations • 6"W x 7-1/4"H x 6-1/2"E
ITEM	F14308-31
PRODUCT	
FINISH	Black



POLYCARBONATE PORCH FIXTURE	<ul style="list-style-type: none"> • Polycarbonate Body • Frosted Glass Panels • Use (1) 60W max Medium Base Bulb • Bulb Not Included • 120V Listed for Damp Locations • 4-3/4"W x 9-1/2"H x 4-3/4"E
ITEM	F14345-31
PRODUCT	
FINISH	Black



METAL CEILING FIXTURE	<ul style="list-style-type: none"> • Polypropylene Body • Textured Glass Panels • Use (1) 60W or (2) 40W max Medium Base Bulb (see below) • Bulb Not Included • 120V Listed for Damp Locations 				
ITEM	F12400-31 F12402-31				
PRODUCT					
DIMS / FINISH	<table border="1"> <tr> <td>7.5" W x 7.5" L x 5" E</td> <td>9.25" W x 9.25" L x 5" E</td> </tr> <tr> <td>1 Bulb - Black</td> <td>2 Bulb - Black</td> </tr> </table>	7.5" W x 7.5" L x 5" E	9.25" W x 9.25" L x 5" E	1 Bulb - Black	2 Bulb - Black
7.5" W x 7.5" L x 5" E	9.25" W x 9.25" L x 5" E				
1 Bulb - Black	2 Bulb - Black				



POST TOP FIXTURE	<ul style="list-style-type: none"> • Polypropylene Body • Clear Flemish Panels • Use (1) 60W max Medium Base Bulb • Bulb Not Included • Fits 3" Diameter Pole • 120V Listed for Wet Locations • 8-in W x 12-1/2-in H
ITEM	F14380-31
PRODUCT	
FINISH	Black




BULKHEAD SCONCE	<ul style="list-style-type: none"> • Cast Aluminum Body • Clear Beveled Glass Lens • Use (1) 60W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 6-5/8"W x 11"H x 5"E
ITEM	F17991-31
PRODUCT	
FINISH	Black

BULK HEAD FIXTURE	<ul style="list-style-type: none"> • Cast Aluminum Body • Frosted Prismatic Glass • Use (1) 60W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 10"W x 5-1/8"H
ITEM	F17987-31
PRODUCT	
FINISH	Black



POLY BULKHEAD FIXTURE	<ul style="list-style-type: none"> • Poly Body • White Acrylic Lens • Use (1) 60W max Medium Base Bulb • Bulb Not Included • 120V Listed for Wet Locations • 5-7/8"W x 10-3/8"H x 4-1/8"E
ITEM	F17993-31
PRODUCT	
FINISH	Black



30W ULTRA-SLIM LED FLOOD LIGHT	<ul style="list-style-type: none"> • Integrated LED SMD Chip technology • 110° Spread • Threaded Knuckle Included • 30W / 3,450 Fixture Lumens • 100V - 277V • 4000 Kelvin • Listed for Wet Locations • 6-1/2"W x 1-1/2"D x 9-7/16"L
ITEM	F17503-49-4K
PRODUCT	
FINISH	Aztec Bronze

50W ULTRA-SLIM LED FLOOD LIGHT	<ul style="list-style-type: none"> • Integrated LED SMD Chip technology • 110° Spread • Threaded Knuckle Included • 50W / 5,800 Fixture Lumens • 100V - 277V • 4000 Kelvin • Listed for Wet Locations • 8-1/4"W x 1-1/2"D x 11-13/16"L
ITEM	F17505-49-4K
PRODUCT	
FINISH	Aztec Bronze



LED BLACK WALL FIXTURE	<ul style="list-style-type: none"> • Polycarbonate Body • Frosted Acrylic Lens • 17W DOB / 4000K / 120/227V / 80CRI • Listed for Wet Locations • 7-1/2"W x 10"H x 4-1/4"E • Includes Photocell
ITEM	F19928-31
PRODUCT	
FINISH	Black

35W LED WALL PACK	<ul style="list-style-type: none"> • Die-cast aluminum housing • Prismatic clear lens • 35W / 3,210 Fixture Lumens • 100V - 277V • 5700 Kelvin • Listed for Wet Locations • 6-1/8"W x 7-9/16"H x 4"E
ITEM	F17419-66
PRODUCT	
FINISH	Aztec Bronze



REPLACEMENT GLASS AND LIGHTING ACCESSORIES



WHITE GLOBE - LIP FITTER	<ul style="list-style-type: none"> • 3-1/4" Lip • 6" Diameter • White Glass • Pack of 4
ITEM	G67230-PK4
REFERENCE	
FINISH	White

WHITE GLOBE - THREADED FITTER	<ul style="list-style-type: none"> • 3-1/4" Threaded Lip • 6" Diameter • White Glass • Pack of 4
ITEM	G65955-PK4
REFERENCE	
FINISH	White



WHITE MUSHROOM	<ul style="list-style-type: none"> • 6" Lip • 7-1/2" Diameter • White Glass • Pack of 4 	<ul style="list-style-type: none"> • 8" Lip • 9-1/2" Diameter • White Glass • Pack of 4
ITEM	G65921-PK4	G65922-PK4
REFERENCE		
FINISH	White	White

JELLY JAR FIXTURE GLASS	<ul style="list-style-type: none"> • 3-1/4" Lip • 5" Height • Clear Glass • Pack of 4
ITEM	G65903-PK4
REFERENCE	
FINISH	Clear



LARGE PENDANT REPLACEMENT GLASS DISH	<ul style="list-style-type: none"> • Alabaster Glass • 15-3/4" Diameter • Fits Fixture number F17678-XX
ITEM	G65313
REFERENCE	
FINISH	Satin Nickel



FIXTURE AND FAN BELL GLASS SHADE	<ul style="list-style-type: none"> • 2-1/4" Threaded Lip • Also fits Neckless Glass Vanity Fixtures • 5" Diameter • 4-1/3" Height • Alabaster Glass Glass • Pack of 4
ITEM	G65305-PK4
REFERENCE	
FINISH	White



CEILING MEDALLION	<ul style="list-style-type: none"> • 16" Diameter • Durable Plastic Construction
ITEM	24-0503-30
REFERENCE	
FINISH	White (Paintable)



JUNCTION BOX BLANK UP PLATE	<ul style="list-style-type: none"> • Steel Construction • White Enamel Finish • 5" Diameter • Holes 3-1/2" Center-to-Center • Includes 2 X 8-32 Screws
ITEM	24-0296-40
REFERENCE	
FINISH	White



CERAMIC FIXTURES

MADE IN USA



STANDARD-PAINTED



08 - RAW PAINTABLE BISQUE




10 - TERRA COTTA




11 - GRAY



12 - BRICK



24 - ROSE



DB - DARK BRONZE

PREMIUM-GLAZE



14 - GLOSS WHITE



15 - GLOSS EGGSHELL



18 - GLOSS BLACK

PATTERNS



Blank/No Pattern



Cut 53. Reversing Aztec Stairs



Cut 54. Aztec Stairs



Cut 56. Aztec Cross Diffuser Recommended



Cut 58. Coyotes



Cut 51. Dots & Grooves




Cut 59. Small Border Holes




Cut 59B. Large border Holes



Cut 64. Dots & Rectangles



Cut 65. Geckos



Cut 66. Kokopelli 1




Cut KO. Kokopelli 2



Cut 67. Saguaro Cactus



Cut 68. Aztec Mesa Symbol



Cut 72. Palm Trees



Cut 75. Arches Diffuser Recommended



Cut 76. Arrow & Diamond Border



Cut 85. Tire Tracks



Cut 113. Square Side Openings



Cut 114. Triangles Border

NOTES: In the paintable bisque finish, ceramic remains very durable and can be cleaned with a fine sandpaper to original condition. All of the Standard finishes can be painted by the end user upon receipt or when a finish change is desired.


CYLINDER



HALF CYLINDER - SMALL

- 3088 = 8.75"H x 6"W x 4"Ext
- 3091 = 9"H x 8.25"W x 4.75"Ext
- 3092 = 9.25"H x 7.25"W x 5"Ext
- 3098 = 10"H x 8"W x 4"Ext

Closed Top:



WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

Open and Closed Top Available



HALF CYLINDER - MEDIUM

- 3120 = 12"H x 8.875"W x 4.5"Ext
- 3122 = 13"H X 9.75"W X 4.75"Ext
- 3130 = 15"H X 9.75"W X 4.5"Ext



WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

Open and Closed Top Available

Closed Top:



HALF CYLINDER - LARGE

- 32 = 20"H X 6.375"W X 4"Ext
- 33 = 20"H x 8"W x 5"Ext



WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

Open and Closed Top Available

Closed Top:



Dark Sky Compliant and Turtle Safe Compliant fixture options available in Closed Top Configurations.



Turtle Safe Bulbs are Available

CYLINDER



ROUND TOP CYLINDER

3087 = 8.5"H x 6.125"W x 4"Ext
 3096 = 12"H x 8.875"W x 4"Ext

WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

Closed Top:



ROUND TOP CYLINDER

3095 = 9.75"H x 7.625"W x 5"Ext
 3097 = 15"H x 9.875"W x 4.5"Ext

WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



Dark Sky Compliant and Turtle Safe Compliant fixture options available in Closed Top Configurations.



Turtle Safe Bulbs are Available

RECTANGLE



RECTANGLE - SMALL

950 = 9"H x 5"W x 4"Ext
994 = 9"H x 9"W x 4"Ext



WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

Closed Top:

Open and Closed Top Available



RECTANGLE - MEDIUM

1145 = 11"H x 4.5"W x 4"Ext

WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

Open and Closed Top Available



Closed Top:



CURVED RECTANGLE

1221 = 12.25"H x 5.25"W x 4"Ext

WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



Dark Sky Compliant and Turtle Safe Compliant fixture options available in Closed Top Configurations.



Turtle Safe Bulbs are Available

QUARTER SPHERE



QUARTER SPHERE

1100 = 5.125"H x 11"W x 5.125"Ext

DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

(Also available with Peephole upon request)

QUARTER SPHERE WITH PEEPHOLE

1130 = 6.375"H x 13.75"W x 6.125"Ext

DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



DETAILED QUARTER SPHERE WITH PEEPHOLE



1132 = 7.5"H x 12.875"W x 6.125"Ext

DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

ZIGGURAT



ZIGGURAT - SMALL

3171 = 9"H x 8.25"W x 4"Ext

3172 = 10.25"H x 10.5"W x 5.25"Ext



WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

Open and Closed Top Available

ZIGGURAT - MEDIUM

3170 = 13.875"H x 10.5"W x 5"Ext

WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

Open and Closed Top Available



HALF ZIGGURAT

1170 = 9.5"H x 10.5"W x 5"Ext

WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W

Open and Closed Top Available



CONES



QUARTER CONE

770 = 7.5"H x 6.875"W x 4.75"Ext
 990 = 9.125"H x 8.75"W x 6.5"Ext

DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



HALF CONE

1475 = 14"H x 7.5"W x 4.875"Ext

DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



HALF SQUARE CONE

1115 = 15.25"H x 12.375"W x 6.375"Ext

DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



ADDITIONAL



STEPPED QUARTER CONE

1201 = 11.25”H x 12.625”W x 6”Ext

DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



STEPPED QUARTER SPHERE

1134 = 9.875”H x 12.75”W x 5.625”Ext

DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



CURVED QUARTER CONE

1140 = 7.5”H x 14”W x 7”Ext

DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



NEW ITEMS

LA PALMA HALF CYLINDER

3000 = 11.25"H x 7"W x 4.5"Ext

WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



SLANT RECTANGLE

951 = 9"H x 5"W x 4"Ext

1146 = 11"H x 4.5"W x 4"Ext

WET/ DAMP LOCATION: 1 x Medium Base Par, 75W

DRY LOCATION: 1 x Medium Base, 60W



Closed Top:



MANTRA SCONCE

3400 = 14.75"H x 8"W x 4"Ext

WET/ DAMP LOCATION: 1 x Medium Base Par, 75W


DRY LOCATION: 1 x Medium Base, 60W



NEW PATTERNS

Cut 200. Kraken Pattern


Only available for Half Cylinder Fixtures
Hole size: 1" Diameter



Cut 201. Tile Pattern

Currently available for 950 and 1145 Fixtures
Please call or email for other fixture inquiries


Square hole size: 3/4" x 3/4"



Cut 202. Perforated Pattern

Currently available for 950 and 1145 Fixtures
Please call or email for other fixture inquiries

Hole size: 1/2" Diameter



Cut 203. Grate Pattern

Currently available for 950 and 1145 Fixtures
Please call or email for other fixture inquiries



Custom pattern designs available.
Please call or email for pricing and information.

Item Number Index

1100.....	76	CF-PD.....	20	F12561.....	28
1115.....	78	CF-RM.....	20	F12562.....	28
1130.....	76	CF42147.....	17	F12563.....	28
1132.....	76	CF42837.....	17	F12564.....	28
1134.....	79	CF42839.....	17	F12565.....	28
1140.....	79	CF42848.....	16	F12566.....	28
1145.....	75	CF42877.....	16	F12621.....	29
1146.....	80	CF42889.....	16	F12623.....	29
1170.....	77	CF52142.....	15	F12624.....	29
1201.....	79	CF52147.....	13	F12681.....	30
1221.....	75	CF52148.....	14	F12682.....	30
1475.....	78	CF52242.....	15	F12683.....	30
20-3020.....	21	CF52359.....	8	F12684.....	30
20-3024.....	21	CF52370.....	4	F12801.....	26
20-3027.....	21	CF52374.....	5	F12803.....	26
24-0296.....	70	CF52474.....	4, 5	F12804.....	26
24-0503.....	70	CF52743.....	9, 10	F12811.....	30
3000.....	80	CF52773.....	8	F12813.....	30
3087.....	74	CF52831.....	11, 12	F12814.....	30
3088.....	73	CF52836.....	12	F12830.....	51
3091.....	73	CF52838.....	15	F12863.....	33
3092.....	73	CF52873.....	7	F12916.....	52
3095.....	74	CF52874.....	6	F12958.....	54
3096.....	74	CF52878.....	13	F12960.....	54
3097.....	74	CF52880.....	11	F12963.....	54
3098.....	73	CF52889.....	13	F12981.....	54
3120.....	73	CF7723.....	22	F12984.....	54
3122.....	73	CF7761.....	22	F12985.....	54
3130.....	73	CF7768.....	22	F12987.....	53
3170.....	77	CF7772.....	23	F12988.....	53
3171.....	77	CF7783.....	22	F12990.....	53
3172.....	77	F12018.....	51	F12991.....	53
32.....	73	F12060.....	33	F12992.....	53
32-0709.....	21	F12061.....	33	F13121.....	26
32-0713.....	21	F12075.....	33	F13122.....	26
32-0714.....	21	F12201.....	44	F13123.....	26
32-0715.....	21	F12202.....	44	F13124.....	26
32-0716.....	21	F12252.....	32	F13151.....	50
33.....	73	F12253.....	32	F13276.....	45
3400.....	80	F12254.....	32	F13277.....	45
55-0317.....	20	F12255.....	32	F13278.....	45
55-0318.....	20	F12291.....	30	F13282.....	37
55-0321.....	20	F12297.....	30	F13283.....	37
770.....	78	F12299.....	30	F13284.....	37, 42
950.....	75	F12400.....	65	F13540.....	31
951.....	80	F12402.....	65	F13542.....	31
990.....	78	F12483.....	49	F13543.....	31
994.....	75	F12485.....	49	F13544.....	31
CF-DR12.....	23	F12501.....	29	F13574.....	33
CF-DR18.....	23	F12503.....	29	F13581.....	28
CF-DR24.....	23	F12504.....	29	F13583.....	28
CF-DR36.....	23	F12531.....	29	F13584.....	28
CF-DR48.....	23	F12533.....	29	F13621.....	29
CF-DR72.....	23	F12534.....	29	F13623.....	29

F13624.....	29	F17632.....	38, 41	F19952.....	59
F13643.....	33	F17634.....	41	F19953.....	58
F13644.....	33	F17676.....	49	F19954.....	60
F13681.....	30	F17678.....	49	F19955.....	59
F13683.....	30	F17802.....	63	F19957.....	58
F13684.....	30	F17815.....	63	F19958.....	59
F14082.....	47	F17851.....	64	F19959.....	60
F14307.....	64	F17962.....	45	F19971.....	59
F14308.....	65	F17978.....	48	F19990.....	58
F14310.....	64	F17987.....	66	F19991.....	59
F14345.....	65	F17991.....	66	F21615.....	48
F14380.....	65	F17993.....	66	F21616.....	48
F14600.....	64	F18210.....	36	F6891.....	57
F15003.....	32	F18624.....	27	F6892.....	57
F15004.....	32	F18626.....	36	F6901.....	57
F15061.....	25	F18636.....	27	F6902.....	57
F15062.....	25	F18724.....	27	G65305.....	70
F15063.....	25	F18736.....	27	G65313.....	70
F15064.....	25	F18807.....	35	G65903.....	69
F15065.....	25	F18812.....	55		
F15453.....	47	F18816.....	55		
F16108.....	43	F18822.....	55		
F16433.....	47	F19025.....	60		
F16840.....	63	F19026.....	62		
F16884.....	63	F19027.....	62		
F17130.....	40	F19045.....	51		
F17132.....	40	F19071.....	51		
F17134.....	40	F19112.....	55		
F17162.....	40	F19204.....	62		
F17164.....	40	F19806.....	35		
F17166.....	40	F19808.....	37		
F17171.....	38	F19809.....	37		
F17172.....	38	F19810.....	37		
F17175.....	42	F19910.....	39		
F17201.....	62	F19913.....	39		
F17203.....	44	F19915.....	39		
F17204.....	44	F19916.....	39		
F17211.....	62	F19917.....	39		
F17213.....	42	F19919.....	50		
F17280.....	41	F19920.....	61		
F17282.....	42	F19921.....	58		
F17283.....	42	F19922.....	61		
F17284.....	37	F19923.....	61		
F17285.....	42	F19926.....	61		
F17297.....	36	F19927.....	60		
F17298.....	36	F19928.....	67		
F17299.....	41	F19930.....	61		
F17419.....	67	F19932.....	61		
F17500.....	43	F19933.....	61		
F17502.....	43	F19936.....	61		
F17503.....	67	F19937.....	60		
F17505.....	67	F19938.....	59		
F17510.....	43	F19945.....	39		
F17630.....	38, 41	F19951.....	59		



URBAN|33

Los Angeles, CA | Houston, TX
Phone: 323.282.7041
Fax: 323.446.7534
CustServ@urban33.com
www.Urban33.com

