




## MODEL 346 - 14 LIFT BAG SET

Total Lift Capacity: 412.9 US Ton / 374.6 Metric Ton




| Part No.    | Net Weight: lb | kg    |
|-------------|----------------|-------|
| 22-889346G2 | 262.0          | 118.8 |

| Quantity | Part No.    | Model   | Dimensions in              | Dimensions mm            | Max Lifting Capacity US Ton / Met Ton | Max Lifting Height in / mm | WEIGHT lb / kg |
|----------|-------------|---------|----------------------------|--------------------------|---------------------------------------|----------------------------|----------------|
| 1        | 22-888110G2 | KPI-1   | 6 in x 6 in x 3/4 in       | 152 mm x 152 mm x 19 mm  | 1.5 / 1.3                             | 3.0 / 76                   | 1.2 / 0.6      |
| 1        | 22-888120G2 | KPI-3   | 6 in x 12 in x 3/4 in      | 152 mm x 305 mm x 19 mm  | 3.5 / 3.2                             | 3.5 / 89                   | 2.3 / 1.0      |
| 1        | 22-888130G2 | KPI-5   | 10 in x 10 in x 3/4 in     | 254 mm x 254 mm x 19 mm  | 5.4 / 4.9                             | 5.4 / 137                  | 3.1 / 1.4      |
| 1        | 22-888135G2 | KPI-8   | 11.9 in x 11.9 in x 7/8 in | 303 mm x 303 mm x 22 mm  | 8.2 / 7.5                             | 6.4 / 163                  | 5.5 / 2.5      |
| 1        | 22-888138G2 | KPI-10  | 12 in x 18 in x 7/8 in     | 305 mm x 457 mm x 22 mm  | 12.9 / 11.7                           | 7.1 / 180                  | 8.3 / 3.7      |
| 1        | 22-888140G2 | KPI-12  | 15 in x 15 in x 7/8 in     | 381 mm x 381 mm x 22 mm  | 13.7 / 12.4                           | 8.1 / 206                  | 8.8 / 4.0      |
| 1        | 22-888150G2 | KPI-17  | 15 in x 21 in x 7/8 in     | 381 mm x 533 mm x 22 mm  | 15.0 / 13.6                           | 9.0 / 229                  | 12.0 / 5.4     |
| 1        | 22-888160G2 | KPI-22  | 20 in x 20 in x 7/8 in     | 508 mm x 508 mm x 22 mm  | 20.2 / 18.3                           | 11.0 / 279                 | 15.9 / 7.2     |
| 1        | 22-888165G2 | KPI-28  | 20 in x 26 in x 7/8 in     | 508 mm x 660 mm x 22 mm  | 34.0 / 30.9                           | 11.8 / 299                 | 20.1 / 9.1     |
| 1        | 22-888170G2 | KPI-32  | 24 in x 24 in x 7/8 in     | 610 mm x 610 mm x 22 mm  | 38.0 / 34.4                           | 13.0 / 330                 | 22.0 / 10.0    |
| 1        | 22-888180G2 | KPI-35L | 15 in x 42 in x 7/8 in     | 381 mm x 1066 mm x 22 mm | 39.5 / 35.8                           | 9.5 / 241                  | 24.5 / 11.1    |
| 1        | 22-888190G2 | KPI-44  | 28 in x 28 in x 7/8 in     | 711 mm x 711 mm x 22 mm  | 52.7 / 47.8                           | 15.3 / 388                 | 30.0 / 13.6    |
| 1        | 22-888195G2 | KPI-55  | 32 in x 32 in x 1 in       | 812 mm x 812 mm x 25 mm  | 69.7 / 63.3                           | 17.0 / 432                 | 45.2 / 20.5    |
| 1        | 22-888200G2 | KPI-74  | 37 in x 37 in x 1 in       | 939 mm x 939 mm x 25 mm  | 89.2 / 80.9                           | 20.0 / 508                 | 58.0 / 26.3    |

## MODEL 136 - 11 LIFT BAG SET

Total Lift Capacity: 276.0 US Ton / 150.3 Metric Ton



| Part No.    | Net Weight: lb | kg   |
|-------------|----------------|------|
| 22-889136G2 | 147.5          | 66.9 |

| Quantity | Part No.    | Model  | Dimensions in          | Dimensions mm           | Max Lifting Capacity US Ton / Met Ton | Max Lifting Capacity in / mm | WEIGHT lb / kg |
|----------|-------------|--------|------------------------|-------------------------|---------------------------------------|------------------------------|----------------|
| 1        | 22-888110G2 | KPI-1  | 6 in x 6 in x 3/4 in   | 152 mm x 152 mm x 19 mm | 1.5 / 1.3                             | 3.0 / 76                     | 1.2 / 0.6      |
| 1        | 22-888120G2 | KPI-3  | 6 in x 12 in x 3/4 in  | 152 mm x 305 mm x 19 mm | 3.5 / 3.2                             | 3.5 / 89                     | 2.3 / 1.0      |
| 1        | 22-888130G2 | KPI-5  | 10 in x 10 in x 3/4 in | 254 mm x 254 mm x 19 mm | 5.4 / 4.9                             | 5.4 / 137                    | 3.1 / 1.4      |
| 1        | 22-888140G2 | KPI-12 | 15 in x 15 in x 7/8 in | 381 mm x 381 mm x 22 mm | 13.7 / 12.4                           | 8.1 / 206                    | 8.8 / 4.0      |
| 2        | 22-888150G2 | KPI-17 | 15 in x 21 in x 7/8 in | 381 mm x 533 mm x 22 mm | 15.0 / 13.6                           | 9.0 / 229                    | 12.0 / 5.4     |
| 2        | 22-888160G2 | KPI-22 | 20 in x 20 in x 7/8 in | 508 mm x 508 mm x 22 mm | 20.2 / 18.3                           | 11.0 / 279                   | 15.9 / 7.2     |
| 2        | 22-888170G2 | KPI-32 | 24 in x 24 in x 7/8 in | 610 mm x 610 mm x 22 mm | 38.0 / 34.4                           | 13.0 / 330                   | 22.0 / 10.0    |
| 1        | 22-888190G2 | KPI-44 | 28 in x 28 in x 7/8 in | 711 mm x 711 mm x 22 mm | 52.7 / 47.8                           | 15.3 / 388                   | 30.0 / 13.6    |




## MODEL 245 - 10 LIFT BAG SET

Total Lift Capacity: 322.1 US Ton / 292.2 Metric Ton

Part No. Net Weight: lb kg

**22-889245G2** 182.0 82.6




| Quantity | Part No.    | Model   | Dimensions in          | Dimensions mm            | Max Lifting Capacity US Ton / Met Ton | Max Lifting Height in / mm | WEIGHT lb / kg |
|----------|-------------|---------|------------------------|--------------------------|---------------------------------------|----------------------------|----------------|
| 1        | 22-888110G2 | KPI-1   | 6 in x 6 in x 3/4 in   | 152 mm x 152 mm x 19 mm  | 1.5 / 1.3                             | 3.0 / 76                   | 1.2 / 0.6      |
| 1        | 22-888120G2 | KPI-3   | 6 in x 12 in x 3/4 in  | 152 mm x 305 mm x 19 mm  | 3.5 / 3.2                             | 3.5 / 89                   | 2.3 / 1.0      |
| 1        | 22-888130G2 | KPI-5   | 10 in x 10 in x 3/4 in | 254 mm x 254 mm x 19 mm  | 5.4 / 4.9                             | 5.4 / 137                  | 3.1 / 1.4      |
| 1        | 22-888140G2 | KPI-12  | 15 in x 15 in x 7/8 in | 381 mm x 381 mm x 22 mm  | 13.7 / 12.4                           | 8.1 / 206                  | 8.8 / 4.0      |
| 1        | 22-888150G2 | KPI-17  | 15 in x 21 in x 7/8 in | 381 mm x 533 mm x 22 mm  | 15.0 / 13.6                           | 9.0 / 229                  | 12.0 / 5.4     |
| 1        | 22-888160G2 | KPI-22  | 20 in x 20 in x 7/8 in | 508 mm x 508 mm x 22 mm  | 20.2 / 18.3                           | 11.0 / 279                 | 15.9 / 7.2     |
| 1        | 22-888170G2 | KPI-32  | 24 in x 24 in x 7/8 in | 610 mm x 610 mm x 22 mm  | 38.0 / 34.4                           | 13.0 / 330                 | 22.0 / 10.0    |
| 1        | 22-888180G2 | KPI-35L | 15 in x 42 in x 7/8 in | 381 mm x 1066 mm x 22 mm | 39.5 / 35.8                           | 9.5 / 241                  | 24.5 / 11.1    |
| 1        | 22-888190G2 | KPI-44  | 28 in x 28 in x 7/8 in | 711 mm x 711 mm x 22 mm  | 52.7 / 47.8                           | 15.3 / 388                 | 30.0 / 13.6    |
| 1        | 22-888200G2 | KPI-74  | 37 in x 37 in x 1 in   | 939 mm x 939 mm x 25 mm  | 89.2 / 80.9                           | 20.0 / 508                 | 58.0 / 26.3    |

## MODEL 92 - 9 LIFT BAG SET

Total Lift Capacity: 145.9 US Ton / 132.3 Metric Ton

Part No. Net Weight: lb kg

**22-889092G2** 95.5 43.3



| Quantity | Part No.    | Model  | Dimensions in          | Dimensions mm           | Max Lifting Capacity US Ton / Met Ton | Max Lifting Capacity in / mm | WEIGHT lb / kg |
|----------|-------------|--------|------------------------|-------------------------|---------------------------------------|------------------------------|----------------|
| 1        | 22-888110G2 | KPI-1  | 6 in x 6 in x 3/4 in   | 152 mm x 152 mm x 19 mm | 1.5 / 1.3                             | 3.0 / 76                     | 1.2 / 0.6      |
| 1        | 22-888120G2 | KPI-3  | 6 in x 12 in x 3/4 in  | 152 mm x 305 mm x 19 mm | 3.5 / 3.2                             | 3.5 / 89                     | 2.3 / 1.0      |
| 1        | 22-888130G2 | KPI-5  | 10 in x 10 in x 3/4 in | 254 mm x 254 mm x 19 mm | 5.4 / 4.9                             | 5.4 / 137                    | 3.1 / 1.4      |
| 1        | 22-888140G2 | KPI-12 | 15 in x 15 in x 7/8 in | 381 mm x 381 mm x 22 mm | 13.7 / 12.4                           | 8.1 / 206                    | 8.8 / 4.0      |
| 2        | 22-888150G2 | KPI-17 | 15 in x 21 in x 7/8 in | 381 mm x 533 mm x 22 mm | 15.0 / 13.6                           | 9.0 / 229                    | 12.0 / 5.4     |
| 2        | 22-888160G2 | KPI-22 | 20 in x 20 in x 7/8 in | 508 mm x 508 mm x 22 mm | 20.2 / 18.3                           | 11.0 / 279                   | 15.9 / 7.2     |
| 1        | 22-888170G2 | KPI-32 | 24 in x 24 in x 7/8 in | 610 mm x 610 mm x 22 mm | 38.0 / 34.4                           | 13.0 / 330                   | 22.0 / 10.0    |






## MODEL 117 - 8 LIFT BAG SET

Total Lift Capacity: 218.4 US Ton / 198.1 Metric Ton

| Part No.           | Net Weight: lb | kg   |
|--------------------|----------------|------|
| <b>22-889117G2</b> | 134.8          | 61.1 |




| Quantity | Part No.           | Model          | Dimensions in          | Dimensions mm            | Max Lifting Capacity<br>US Ton / Met Ton | Max Lifting Height<br>in / mm | WEIGHT<br>lb / kg |
|----------|--------------------|----------------|------------------------|--------------------------|--|-------------------------------|-------------------|
| 1        | <b>22-888140G2</b> | <b>KPI-12</b>  | 15 in x 15 in x 7/8 in | 381 mm x 381 mm x 22 mm  | 13.7 / 12.4                              | 8.1 / 206                     | 8.8 / 4.0         |
| 2        | <b>22-888150G2</b> | <b>KPI-17</b>  | 15 in x 21 in x 7/8 in | 381 mm x 533 mm x 22 mm  | 15.0 / 13.6                              | 9.0 / 229                     | 12.0 / 5.4        |
| 2        | <b>22-888160G2</b> | <b>KPI-22</b>  | 20 in x 20 in x 7/8 in | 508 mm x 508 mm x 22 mm  | 20.2 / 18.3                              | 11.0 / 279                    | 15.9 / 7.2        |
| 2        | <b>22-888170G2</b> | <b>KPI-32</b>  | 24 in x 24 in x 7/8 in | 610 mm x 610 mm x 22 mm  | 38.0 / 34.4                              | 13.0 / 330                    | 22.0 / 10.0       |
| 1        | <b>22-888180G2</b> | <b>KPI-35L</b> | 15 in x 42 in x 7/8 in | 381 mm x 1066 mm x 22 mm | 39.5 / 35.8                              | 9.5 / 241                     | 24.5 / 11.1       |

## MODEL 140 - 8 LIFT BAG SET

Total Lift Capacity: 285.8 US Ton / 259.2 Metric Ton

| Part No.           | Net Weight: lb | kg   |
|--------------------|----------------|------|
| <b>22-889140G2</b> | 169.4          | 76.8 |




| Quantity | Part No.           | Model          | Dimensions in          | Dimensions mm            | Max Lifting Capacity<br>US Ton / Met Ton | Max Lifting Height<br>in / mm | WEIGHT<br>lb / kg |
|----------|--------------------|----------------|------------------------|--------------------------|--|-------------------------------|-------------------|
| 1        | <b>22-888140G2</b> | <b>KPI-12</b>  | 15 in x 15 in x 7/8 in | 381 mm x 381 mm x 22 mm  | 13.7 / 12.4                              | 8.1 / 206                     | 8.8 / 4.0         |
| 2        | <b>22-888160G2</b> | <b>KPI-22</b>  | 20 in x 20 in x 7/8 in | 508 mm x 508 mm x 22 mm  | 20.2 / 18.3                              | 11.0 / 279                    | 15.9 / 7.2        |
| 2        | <b>22-888170G2</b> | <b>KPI-32</b>  | 24 in x 24 in x 7/8 in | 610 mm x 610 mm x 22 mm  | 38.0 / 34.4                              | 13.0 / 330                    | 22.0 / 10.0       |
| 1        | <b>22-888180G2</b> | <b>KPI-35L</b> | 15 in x 42 in x 7/8 in | 381 mm x 1066 mm x 22 mm | 39.5 / 35.8                              | 9.5 / 241                     | 24.5 / 11.1       |
| 2        | <b>22-888190G2</b> | <b>KPI-44</b>  | 28 in x 28 in x 7/8 in | 711 mm x 711 mm x 22 mm  | 52.7 / 47.8                              | 15.3 / 388                    | 30.0 / 13.6       |

## MODEL 48 - 3 LIFT BAG SET

Total Lift Capacity: 91 US Ton / 82.5 Metric Ton

| Part No.           | Net Weight: lb | kg   |
|--------------------|----------------|------|
| <b>22-889048G2</b> | 54.3           | 24.6 |




| Quantity | Part No.           | Model         | Dimensions in          | Dimensions mm           | Max Lifting Capacity<br>US Ton / Met Ton | Max Lifting Height<br>in / mm | WEIGHT<br>lb / kg |
|----------|--------------------|---------------|------------------------|-------------------------|--|-------------------------------|-------------------|
| 1        | <b>22-888150G2</b> | <b>KPI-17</b> | 15 in x 21 in x 7/8 in | 381 mm x 533 mm x 22 mm | 15.0 / 13.6                              | 9.0 / 229                     | 12.0 / 5.4        |
| 1        | <b>22-888165G2</b> | <b>KPI-28</b> | 20 in x 26 in x 7/8 in | 508 mm x 660 mm x 22 mm | 34.0 / 30.9                              | 11.8 / 299                    | 20.1 / 9.1        |
| 1        | <b>22-888170G2</b> | <b>KPI-32</b> | 24 in x 24 in x 7/8 in | 610 mm x 610 mm x 22 mm | 38.0 / 34.4                              | 13.0 / 330                    | 22.0 / 10.0       |



## MODEL 234 - 7 LIFT BAG SET

Total Lift Capacity: 277.2 US Ton / 251.4 Metric Ton



Part No. Net Weight: lb kg  
**22-889234G2** 174.0 78.9

| Quantity | Part No.    | Model   | Dimensions in          | Dimensions mm            | Max Lifting Capacity US Ton / Met Ton | Max Lifting Height in / mm | WEIGHT lb / kg |
|----------|-------------|---------|------------------------|--------------------------|---------------------------------------|----------------------------|----------------|
| 1        | 22-888140G2 | KPI-12  | 15 in x 15 in x 7/8 in | 381 mm x 381 mm x 22 mm  | 13.7 / 12.4                           | 8.1 / 206                  | 8.8 / 4.0      |
| 1        | 22-888150G2 | KPI-17  | 15 in x 21 in x 7/8 in | 381 mm x 533 mm x 22 mm  | 15.0 / 13.6                           | 9.0 / 229                  | 12.0 / 5.4     |
| 1        | 22-888160G2 | KPI-22  | 20 in x 20 in x 7/8 in | 508 mm x 508 mm x 22 mm  | 20.2 / 18.3                           | 11.0 / 279                 | 15.9 / 7.2     |
| 1        | 22-888170G2 | KPI-32  | 24 in x 24 in x 7/8 in | 610 mm x 610 mm x 22 mm  | 38.0 / 34.4                           | 13.0 / 330                 | 22.0 / 10.0    |
| 1        | 22-888180G2 | KPI-35L | 15 in x 42 in x 7/8 in | 381 mm x 1066 mm x 22 mm | 39.5 / 35.8                           | 9.5 / 241                  | 24.5 / 11.1    |
| 1        | 22-888190G2 | KPI-44  | 28 in x 28 in x 7/8 in | 711 mm x 711 mm x 22 mm  | 52.7 / 47.8                           | 15.3 / 388                 | 30.0 / 13.6    |
| 1        | 22-888200G2 | KPI-74  | 37 in x 37 in x 1 in   | 939 mm x 939 mm x 25 mm  | 89.2 / 80.9                           | 20.0 / 508                 | 58.0 / 26.3    |

## MODEL 50 - 5 LIFT BAG SET

Total Lift Capacity: 102.9 US Ton / 93.3 Metric Ton




Part No. Net Weight: lb kg  
**22-889050G2** 65.0 29.5

| Quantity | Part No.    | Model  | Dimensions in          | Dimensions mm           | Max Lifting Capacity US Ton / Met Ton | Max Lifting Height in / mm | WEIGHT lb / kg |
|----------|-------------|--------|------------------------|-------------------------|---------------------------------------|----------------------------|----------------|
| 1        | 22-888140G2 | KPI-12 | 15 in x 15 in x 7/8 in | 381 mm x 381 mm x 22 mm | 13.7 / 12.4                           | 8.1 / 206                  | 8.8 / 4.0      |
| 2        | 22-888150G2 | KPI-17 | 15 in x 21 in x 7/8 in | 381 mm x 533 mm x 22 mm | 15.0 / 13.6                           | 9.0 / 229                  | 12.0 / 5.4     |
| 2        | 22-888160G2 | KPI-22 | 20 in x 20 in x 7/8 in | 508 mm x 508 mm x 22 mm | 20.2 / 18.3                           | 11.0 / 279                 | 15.9 / 7.2     |

## MODEL 52 - 5 LIFT BAG SET

Total Lift Capacity: 117.5 US Ton / 106.5 Metric Ton



Part No. Net Weight: lb kg  
**22-889052G2** 72.2 32.7

| Quantity | Part No.    | Model  | Dimensions in          | Dimensions mm           | Max Lifting Capacity US Ton / Met Ton | Max Lifting Height in / mm | WEIGHT lb / kg |
|----------|-------------|--------|------------------------|-------------------------|---------------------------------------|----------------------------|----------------|
| 1        | 22-888120G2 | KPI-3  | 6 in x 12 in x 3/4 in  | 152 mm x 305 mm x 19 mm | 3.5 / 3.2                             | 3.5 / 89                   | 2.3 / 1.0      |
| 2        | 22-888150G2 | KPI-17 | 15 in x 21 in x 7/8 in | 381 mm x 533 mm x 22 mm | 15.0 / 13.6                           | 9.0 / 229                  | 12.0 / 5.4     |
| 2        | 22-888170G2 | KPI-32 | 24 in x 24 in x 7/8 in | 610 mm x 610 mm x 22 mm | 38.0 / 34.4                           | 13.0 / 330                 | 22.0 / 10.0    |