AMERICAN MADE TOUGH.



PERFORMANCE FIREFIGHTERS DEPEND ON.

American Made Tough.

BullDog Hose Company, part of Puck Enterprises, is a legend in firefighting hose technology. With a commitment to firefighters that is unparalleled, BullDog is at the forefront of fire hose design and construction. From our earliest hose to Hi-Combat® II, Firepower™ II, Hi-Vol and Ultima, our dedication to constant research and development has positioned us as a premier innovator in fire hose products. BullDog, the hose of choice for the majority of fire departments throughout the USA, has come to stand for high performance, durability and safety, with American-made products that are built to last. BullDog is a quality manufacturer of firefighting hose and flexible pipeline systems.



BullDog's Industrial Hose Two-Year Warranty bulldoghose.com/resources



BullDog's Municipal Fire Hose Ten-Year Warranty bulldoghose.com/resources











Excellent Kink Resistance & Lowest Drag Coefficiency











SETTING THE STANDARD FOR EXCELLENCE.

HI-COMBAT II®


Ultimate Aggressive Interior Attack Fire Hose

Hi-Combat II® is the ultimate in firefighting hose technology for aggressive interior combat operations. Its unique design gives combat firefighters the performance, flexibility, and endurance to deal with the toughest challenges. A special weave, high-tech nylon-polyester outer jacket encases an inner lining consisting of a one-piece, extruded-through-the-weave hose for optimum performance and reliability.



_		Pressure			Weight	Coil Diameter
Size	Service	Proof	Burst	Bowl Size	(50'/15M)	(50'/15M)
inch mm	psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm
1-3/4 45 UC	500 3500	1000 7000	1500 10500	2-1/8	18 8.1	16.5 419
2 50	500 3500	1000 7000	1500 10500	2-3/8	20 9.07	17.5 445
2-1/2 65 (ULC)	500 3500	1000 7000	1500 10500	2-7/8	23 10.4	18.5 470















SUPERIOR PERFORMANCE.

FIREPOWER II™

Aggressive Interior Attack Fire Hose

Firepower II™ is an extremely durable double-jacketed hose made from a high-tech nylon-polyester outer jacket, with durability and flow that make it an invaluable firefighting tool. This product has excellent packing capabilities for a premium hose and improves hose-handling applications with an easy-to-grip material.

_	Pressure			Weight	Coil Diameter		
Size	Service	Proof	Burst	Bowl Size	(50'/15M)	(50'/15M)	
inch mm	psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm	
1-3/4 45 (UC)	500 3500	1000 7000	1500 10500	2-1/8	18 8.1	16.5 419	
2 50	500 3500	1000 7000	1500 10500	2-3/8	20 9.1	17.5 445	
2-1/2 65 (ULC)	500 3500	1000 7000	1500 10500	2-7/8	23 10.4	18.5 470	













ENGINEERED FOR DURABILITY AND FLEXIBILITY.

ULTIMA™

Double Jacket Rubber-Lined Attack Fire Hose

BullDog Ultima™ is a durable, double-jacketed hose, constructed with staple-polyester, both warp and filler, and lined with a high-tech EPDM tube. Its engineered design, for 75 PSI and higher nozzle applications, guarantees minimum weight with maximum durability and packability with minimal friction loss. The standard color for Ultima Hose is white. Other colors available with our innovative Armour Jacket abrasionresistant coatings are red, yellow, blue, black, green, tan, orange.



						Weight	Coil Diameter	
	Size	Standard color	Service	Proof	Burst	Bowl Size	(50'/15M)	(50'/15M)
	inch mm		psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm
	1-1/2 38 (1)	White	400 2800	800 5600	1200 8400	1-15/16	13 5.9	18 457
	1-3/4 45 (4)	White	400 2800	800 5600	1200 8400	2-1/8	15 6.8	18 457
	2 50	White	400 2800	800 5600	1200 8400	2-2/5	17 7.7	19 483
	2-1/2 65 UL	White	400 2800	800 5600	1200 8400	3	22 10.0	21 533
	3 75	White	400 2800	800 5600	1200 8400	3-1/2	29 13.2	21 533

Pressure







Superior Efficiency, ^+

Delivers More GPM U





Smooth Inner Liner Reduces Friction Loss



LIGHTWEIGHT. COMPACT. DURABLE

HI-VOL®

Large Diameter Supply Hose

Hi-Vol® is a tough supply hose that maintains excellent water flow. It is the premium extruded-through-the-weave, large-diameter, nitrile-rubber hose with the ability to deliver more water. This supply hose is compact and durable with a high resistance to oils, chemicals, UV and ozone. A tough, high-tensile cover and lining, permanently interlocked with the synthetic reinforcement, provides greater abrasion and puncture resistance, along with unmatched kink resistance.



		Pressure				Weight	Coil Diameter	
Size	Standard color	Service	Proof	Burst	Bowl Size	(100'/30M)	(100'/30M)	
inch mm		psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm	
3 75	Yellow/Red	300 2100	600 4200	900 6300	3-5/16	60 27.2	25 635	
4 100 UL	Yellow/Red	225 1575	450 3150	675 4725	4-5/32	84 38.1	24 610	
5 125 (1)	Yellow/Red	200 1400	400 2800	600 4200	5-3/8	104 47.2	27 686	
6 150	Yellow	200 1400	400 2800	600 4200	6-15/32	148 67.1	32 813	



Ultra Lightweight \ & Compact //



TPU Construction and Ultra-Smooth Liner Reduces **Friction Loss**

IMPROVED PACKABILITY, HI-VISIBILITY.

HI-VOL TPU™

Large Diameter Supply Hose

Hi-Vol TPU™ is an extruded-through-the-weave TPU hose that provides excellent abrasion resistance, reduced weight, and improved kink resistance in comparison to rubber, as well as UV and ozone resistance. The smooth finish allows for easier deployment and retrieval. Hi-Vol TPU is the next generation of supply hose.



	Pressure				Coil Diameter	
Size	Service	Proof	Burst	Bowl Size	Weight (100'/30M)	(100'/30M)
inch mm	psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm
4 100	200 1400	400 2800	600 4200	4-5/16	75 34.0	22 560
5 125	200 1400	400 2800	600 4200	5-3/8	94 42.6	26 660







Superior Abrasion Performance











HIGH RESISTANCE. LOWMAINTENANCE.

FLOMASTER™

Rubber Covered Lightweight Attack and Supply Fire Hose

BullDog FloMasterTM is a lightweight hose with Nitrile/PVC through-the-weave rubber covered construction. It's design gives high resistance to oil, gasoline, and a wide range of chemicals with no maintenance or drying required. FloMaster is available in red and yellow.




			Pressure			Weight		Coil Diameter	
	Size	Standard color	Service	Proof	Burst	Bowl Size	(50'/15M)	(50'/15M)	
	inch mm		psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm	
	1-1/2 38	Red	300 2100	600 4200	900 6300	1-13/16	16 7.2	18 457	
	1-3/4 45	Red	300 2100	600 4200	900 6300	2-1/16	19 8.6	18 457	



FLOMASTER™

		Pressure				Weight	Coil Diameter	
Size	Standard color	Service	Proof	Burst	Bowl Size	(50'/15M)	(50'/15M)	
inch mm		psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm	
2 50	Red	300 2100	600 4200	900 6300	2-3/8	22 10.0	19 483	
2-1/2 65	Red	300 2100	600 4200	900 6300	2-7/8	28 12.7	20 508	
3 75	Red	250 1800	500 3500	750 5200	3-1/4	29 13.2	20 508	
4 100	Red	250 1800	500 3500	750 5200	4-3/8	40 18.1	20 508	
5 125	Red	225 1600	450 3150	675 4725	5-3/8	52 23.6	21 533	















VIRTUALLY MAINTENANCE FREE.

RED/YELLOW CHIEF®

Heavy Duty Attack Hose

BullDog's exclusive heavy-rib outer cover combines with a unique nitrile-PVC rubber through-the-weave construction to provide the backbone of excellent hose performance in Red Chief® and Yellow Chief®. The heavy-rib construction makes the hoses highly resistant to cuts, punctures, and abrasion. Red Chief and Yellow Chief are ideally suited to meet the specifications and tough demands of most municipal fire departments. Agency approvals by UL, ULC, or FM are available on select sizes and colors, inquire for details.



				Pressure			Weight	Coil Diameter	
	Size	Standard color	Service	Proof	Burst	Bowl Size	(50'/15M)	(50'/15M)	
	inch mm		psi kpa	psi kpa	psi kpa	inch	lbs kg	inch mm	
	1-1/2 38 (UC)	Red/Yellow	300 2100	600 4200	900 6300	1-13/16	14 6.4	14-3/4 375	
	1-3/4 45 (1)	Red/Yellow	300 2100	600 4200	900 6300	2-1/16	18 8.2	14-3/4 375	
	2 50	Red/Yellow	300 2100	600 4200	900 6300	2-5/16	22 10.0	16 406	
	2-1/2 65 (11)	Red/Yellow	300 2100	600 4200	900 6300	2-7/8	26 11.8	16-1/2 419	
	3 75	Red/Yellow	300 2100	600 4200	900 6300	3-13/32	30 13.6	16-1/2 419	



Chemical & Water Resistant Liner















HIGH-RISE PERFORMANCE.

HI-POWER™

High-Rise Fire Hose

High-rise firefighting has unique tactical and equipment requirements. While weight is important, functionality and ease of use are far more important. Reliable hose performance is crucial in high-rise environments, and Hi-Power™ delivers. Engineered by BullDog, Hi-Power is an ultra-lightweight, maneuverable, nitrile-rubber hose designed specifically for fighting fires in high-rise buildings.



















NEXT LEVEL PERFORMANCE.


FIREGUARD®

Aggressive Interior Attack Fire Hose

FireguardTM, BullDog's latest innovation, is a premium hose available in 10' lengths that takes your average attack line to the next level. Its unique design gives combat firefighters the performance, flexibility and endurance to deal with the toughest challenges. A special weave, high-tech polyester outer jacket encases an inner lining consisting of a one-piece, extruded-through-the-weave hose for optimum performance and reliability. It combines higher heat, abrasion and chemical resistance with unmatched kink resistance and superior ease of drag.



Size	Service	Proof	Burst	Bowl Size	
inch mm	psi kpa	psi kpa	psi kpa	inch	
1-3/4 45	500 3500	1000 7000	1500 10500	2-1/8	



Superior Abrasion Performance











LONG-TERM RELIABILITY.

AQUA GUARD™

Potable Water Hose

A premium flexible layflat hose designed for the transfer of potable water to remote locations that need drinkable water. Aqua GuardTM is NSF61 certified and features a unique "through-the-weave" one piece construction totally encapsulated in a tough elastomeric polyurethane cover and lining. Designed for long life and maintenance free service in even the harshest environments. Aqua GuardTM is available in blue and tan.



	Pres	sure		
Size	Working	Burst	Wall Thickness	Weight
inch mm	psi kpa	psi kpa	inch mm	lbs/ft kg
2 50	300 2100	600 4200	.08 2.03	.21 0.095
2-1/2 65	300 2100	600 4200	.08 2.03	.30 0.136
3 75	300 2100	600 4200	.09 2.28	.45 0.168
*4 100	300 2100	600 4200	.09 2.28	.56 0.254
6 150	300 2100	600 4200	.1 2.54	1.22 0.553
7-1/4 184	250 1800	500 3500	.16 4.06	1.89 0.859
8 200	250 1800	500 3500	.18 4.57	2.1 0.95
10 250	250 1800	500 3500	.2 5.08	2.85 1.29

^{*} NSF-61 Certification not currently available on 4" Aqua Guard.



Superior Abrasion Performance











RESISTANT TO HARSH ENVIRONMENTS.

WAT-HOG

Fuel & Water Delivery Hose

A premium flexible layflat hose designed for the transfer of fuel, wastewater, sewer, treated and reclaimed water. WAT-Hog™ features a unique "through-the-weave" one piece construction comprising a circular woven high tenacity polyester reinforcement totally encapsulated in a tough elastomeric polyurethane cover and lining.

		Pressure		Wall		
	Size	Working	Burst	Thickness	Weight	
	inch mm	psi kpa	psi kpa	inch mm	lbs/ft kg	
	2 50	300 2100	600 4200	.08 2.03	.21 0.095	
	2-1/2 65	300 2100	600 4200	.08 2.03	.30 0.136	
	3 75	300 2100	600 4200	.09 2.28	.37 0.168	
	4 100	300 2100	600 4200	.09 2.28	.56 0.254	
	6 150	300 2100	600 4200	.1 2.54	1.22 0.553	
	7-1/4 184	250 1800	500 3500	.16 4.06	1.89 0.859	
	8 200	250 1800	500 3500	.18 4.57	2.1 0.95	
	10 250	250 1800	500 3500	.2 5.08	2.85 1.29	

LEGENDARYHOSE TECHNOLOGY.

Only the best will do

For those who risk their lives to protect others, only the best will do. We are proud that firefighters across North America trust our products to enable them to do their job in the face of danger.

BullDog has a wide range of hoses for safely tackling every type of fire or task and newer, even more effective methods are being developed every day.

Contact us today for more info:

P 712.655.9201

TF 833.655.9201

bulldogsales@bulldoghose.com





Keep up with BullDog at www.bulldoghose.com















BullDog Hose Company · 141 Junny Rd. · Angier, NC 27501 · p 712.655.9201 · tr 833.655.9201 · bulldogsales@bulldoghose.com · bulldoghose.com · A proud product of **PUCK**™ ENTERPRISES.

BullDog Hose Company maintains ongoing product improvement and development programs. Therefore BullDog reserves the right to modify any product or specification without prior notice. If necessary, please contact BullDog Hose Company customer service to ensure that all claims and technical data are current.