

## EDGE3860 Oven Cut-sheet General Information:


EDGE-3860 ovens can be stacked up to three high. Each oven has a 38" wide conveyor belt and a 60" long baking chamber. Features the G2 touch control system.

Customer	)LP-1 )LP-2 )LP-3
Job Number	E3860LP- E3860LP- E3860LP-
	E3860NG-1 E3860NG-2 E3860NG-3

## **STANDARD FEATURES:**

- **INTELLIGENT DIAGNOSTICS:** The diagnostic features of the G2 Control system brings the serviceability of the EDGE oven to a new level. Information flows from the oven components to this innovative control, allowing for exceptionally fast diagnostics and performance evaluation.
- **RECIPE DRIVEN MENU:** The G2 Control system is more than just a pretty screen that responds to your touch. 30 recipes can be configured to meet the demands of your business. <u>Recipes can be copied from oven to oven and even from store to store</u>.
- **CONTROL SYSTEM LOCK:** A custom access PIN can be setup to prevent recipe tampering and help ensure that the product your customer expects, is the product they receive.
- LOW OPERATING COSTS: Operation of the EDGE-3860M can be as little as \$0.45 per hour based on an oven temperature of 475-deg F, (Estimate based on an MCF price of \$6.80 and a KWh price of \$0.12. Estimate calculated after a 1 hour pre-heat.)
- **RELIABILITY:** The G2 Control system takes a leap forward in service and reliability. <u>Belt Jam Detection</u> prevents costly damage due to misplaced objects. Critical components are monitored and information is brought forward for viewing, reducing down-time and wasted service visits. The EDGE conveyor system uses a high quality brushless motor, eliminating brush replacement.
- **CONSTRUCTION:** EDGE3860 ovens are manufactured to exacting tolerances and use stainless steel inside and out. The EDGE oven still has welded corners, a testament to our dedication to quality and traditional craftmanship.
- WARRANTY: EDGE3860 ovens come with a detailed FIVE YEAR Parts and Labor Warranty.

MF&B Restaurant Systems, Inc. MF&B Restaurant Systems, Inc. 119 ICMI Road, Suite 300 • Dunbar, PA 15431 1.888.480.EDGE • www.edgeovens.com



## DOUBLE FRONT VIEW

TRIPLE FRONT VIEW

All measurements	in inch	Single	Double	Triple			Single	Double	Triple	
A Chamber (W)		39.50"	39.50"	39.50"	G Window (L)		35.00"	35.00"	35.00"	
B Window (D)		2.40"	2.40"	2.40"	H Cont. Cab. (L)		17.75"	17.75"	17.75"	
C Conveyor (L)		93.75"	93.75"	93.75"	J Chamber (H)		3.50"	3.50"	3.50"	
D Oven (D)		62.60"	62.60"	62.60"	K Motor (D)		3.75"	3.75"	3.75"	
E Floor-Oven (H)		44.00"	64.13"	68.50"	L Leg/Caster (H	I)	21.50"	21.50"	5.75"	
F Floor-Conveyor (H) b		31.50"	31.50"	15.50"						
m			52.00"	36.00"						
t				56.25"	Weight per package	packaged oven		1270 lbs.		
Gas Type	Volts	Frequ	ency	Amps	Supply Pressure	BTU/H	TU/Hr Rating		Manifold Pressure	
NATURAL	120	60 Hz		5.5	6" - 8" WC	150,000		4.5" WC		
PROPANE	120	60 Hz		5.5	10" - 13" WC	150,000		10" WC		

MF&B Restaurant Systems, Inc. • 119 ICMI Road, Suite 300 • Dunbar, PA 15431

1.888.480.EDGE • www.edgeovens.com