


EDGE3870

3870NG-2 3870NG-1

EDGE3870 ovens are designed with a 38" wide conveyor belt and can bake two 18" pizzas side -by-side. The 70" baking chamber provides the highest output for 18" pizzas as a single oven or stacked two or three high, multiplying pizza production.



STANDARD FEATURES:

- INTELLIGENT DIAGNOSTICS: The diagnostic features of the G2 Control system brings the serviceability of the EDGE oven to a new level. Information flows from the oven components to this innovative control, allowing for exceptionally fast diagnostics and performance evaluation.
- RECIPE DRIVEN MENU: The G2 Control system is more than just a pretty screen that responds to your touch. 30 recipes can be configured to meet the demands of your business. Recipes can be copied from oven to oven and even from store to store.
- CONTROL SYSTEM LOCK: A custom access PIN can be setup to prevent recipe tampering and help ensure that the product your customer expects, is the product they receive.
- LOW OPERATING COSTS: Operation of the EDGE3870 can be as little as \$0.465 per hour based on an oven temperature of 475deg F, (Estimate based on an MCF price of \$6.80 and a KWh price of \$0.12. Estimate calculated after a 1 hour pre-heat.)
- With our G2 control at the helm, the EDGE3870 oven can go where other ovens cannot, and do it better!
- SPLIT BELT OPTION: For additional flexibility, the EDGE3870 can be configured with a split belt. The split belt has an independent control, allow both timing and direction to be modified.
- RELIABILITY: The G2 Control system takes a leap forward in service and reliability. Belt Jam Detection prevents costly damage due to misplaced objects. Critical components are monitored and information is brought forward for viewing, reducing downtime and wasted service visits. The EDGE conveyor system uses a high quality brushless motor, eliminating brush replacement.
- CONSTRUCTION: EDGE3870 ovens are manufactured to exacting tolerances and use stainless steel inside and out. The EDGE oven still has welded corners, a testament to our dedication to quality and traditional craftmanship.
- WARRANTY: EDGE3870 ovens come with a detailed FIVE YEAR Parts and Labor Warranty.







Customer	
Job Number	

G-1 E3870LP-1 G-2 E3870LP-2 G-3 E3870LP-3

E3870NG-1 E3870NG-2 E3870NG-3


CHILD CHAPTER CONTINUES CO






OVEN TOP VIEW

SINGLE FRONT VIEW





DOUBLE FRONT VIEW

TRIPLE FRONT VIEW

		Single	Double	Triple		Single	Double	Triple
A Chamber (W)		39.50"	39.50"	39.50"	G Window (L)	35.00"	35.00"	35.00"
B Window (D)		2.40"	2.40"	2.40"	H Cont. Cab. (L)	17.75"	17.75"	17.75"
C Conveyor (L)		103.75"	103.75"	103.75"	J Chamber (H)	3.50"	3.50"	3.50"
D Oven (D)		63.1"	63.1"	63.1"	K Motor (D)	3.75"	3.75"	3.75"
E Floor-Oven (H)		44.00"	64.13"	68.50"	L Leg/Caster (H)	21.50"	21.50"	5.75"
F Floor-Conveyor (H)	b	31.50"	31.50"	15.50"				
	m	·	52.00"	36.00"	*Chamber (L)	68.5"		
	t	·		56.25"	*Chamber w/plugs (L)	69.5"		·

Gas Type	Volts	Frequency	Amps	Supply Pressure	BTU/Hr Rating	Manifold Pressure
NATURAL	120	60 Hz	5.5	6" - 8" WC	185,000	4.5" WC
PROPANE	120	60 Hz	5.5	10" - 13" WC	185,000	10" WC