



SAFETY DATA SHEET

1. Identification

Product identifier	Red-B-Gone®
Other means of identification	Not available.
Recommended use	Rust & Stain Remover
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	Pro Products LLC
Address	6714 Pointe Inverness Way Suite 200 Fort Wayne IN 46804-7935 United States
Telephone	260-483-2519
E-mail	Not available.
Emergency phone number	1-800-424-9300 (CHEMTREC)
Supplier	See above.

2. Hazard identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	
Label elements		



Signal word	Danger	
Hazard statement	Causes serious eye damage.	
Precautionary statement		
Prevention	Wear eye protection.	
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of container in accordance with local, regional, national and international regulations.	
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	Contact with acids liberates toxic gas.	
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	Contact with acids liberates toxic gas.	
Hazard(s) not otherwise classified (HNOC)	Contact with acids liberates toxic gas.	
Supplemental information	None.	

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Sodium hydrosulfite		7775-14-6	15 - 40
Sodium carbonate		497-19-8	10 - 30

Chemical name	Common name and synonyms	CAS number	%
Sodium metabisulfite		7681-57-4	10 - 30
Citric Acid		77-92-9	1 - 5
Sodium sulfite		7757-83-7	1 - 5

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.
CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	May include and are not limited to: Oxides of sulfur. Oxides of carbon.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Use only non-sparking tools. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	---

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Absorb spillage to prevent material damage. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.

7. Handling and storage

Precautions for safe handling

Keep cool. Avoid contact with eyes, skin and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep only in the original container. Store away from other materials. Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits**Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)**

Components	Type	Value
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

Canada. New Brunswick Regulation 91-191, as amended

Components	Type	Value
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 2020. S-15.1 Reg. 10. Table 18)

Components	Type	Value
Sodium metabisulfite (CAS 7681-57-4)	15 minute	10 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Sodium metabisulfite (CAS 7681-57-4)	TWA	5 mg/m3
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Impervious gloves. Confirm with reputable supplier first.	
Other	Wear suitable protective clothing. As required by employer code.	
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).	
Thermal hazards	Not applicable.	
General hygiene considerations	When using, do not eat, drink or smoke. When using do not eat or drink.	

9. Physical and chemical properties

Appearance	Powder.
Physical state	Solid.
Form	Powder. Free flowing solid
Color	White
Odor	Mint
Odor threshold	Not available.
pH	5.5 - 6.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Specific gravity	Not available.
Flash point	None
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.2 - 1.3 g/ml
Solubility(ies)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

Other information**Pour point** Not available.**Dust explosion properties****St class** No explosion.**Explosive properties** Not explosive.**Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity This product may react with strong oxidizing agents.**Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.**Chemical stability** Material is stable under normal conditions.**Conditions to avoid** Do not mix with other chemicals.**Incompatible materials** Strong oxidizing agents. Combustible material.

Not corrosive to SAE 1020 Steel or non-clad Aluminum based on test data (UN Manual of Tests and Criteria, Part III, Section 37.1 -Corrosion to metals).

Hazardous decomposition products May include and are not limited to: Oxides of sulfur. Oxides of carbon.

11. Toxicological information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.**Information on likely routes of exposure****Ingestion** May cause stomach distress, nausea or vomiting.**Inhalation** Dust may irritate respiratory system. Prolonged inhalation may be harmful.**Skin contact** Dust or powder may irritate the skin.**Eye contact** Causes serious eye damage.**Symptoms related to the physical, chemical and toxicological characteristics** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes.**Information on toxicological effects****Acute toxicity****Components** **Species** **Test Results**

Citric Acid (CAS 77-92-9)

Acute*Dermal*

LD50 Rat > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Not available

Oral

LD50 Mouse 5400 mg/kg, ECHA

Rat 11700 mg/kg, ECHA

Sodium carbonate (CAS 497-19-8)

Acute*Dermal*

LD50 Rabbit > 2000 mg/kg, ECHA

*Inhalation*LC50 Rat 2300 mg/m³, 2 Hours, ECHA*Oral*

LD50 Rat 2800 mg/kg, ECHA, HSDB

Sodium hydrosulfite (CAS 7775-14-6)

Acute*Dermal*

LD50 Rat > 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat > 22 mg/L, 4 Hours, ECHA

Components	Species	Test Results
		> 5.5 mg/L, 4 Hours, ECHA
<i>Oral</i> LD50	Rat	2500 mg/kg, ECHA
Sodium metabisulfite (CAS 7681-57-4)		
Acute		
<i>Dermal</i> LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i> LC50	Rat	> 5.5 mg/L, 4 Hours, ECHA
<i>Oral</i> LD50	Rat	1540 mg/kg, ECHA
Sodium sulfite (CAS 7757-83-7)		
Acute		
<i>Dermal</i> LD50	Rat	> 2000 mg/kg, 24 Hours, ECHA
<i>Inhalation</i> LC50	Rat	> 5.5 mg/L, 4 Hours, ECHA
<i>Oral</i> LD50	Rat	2610 mg/kg, ECHA
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitization		
Canada - Alberta OELs: Irritant		
Sodium metabisulfite (CAS 7681-57-4)		Irritant
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	See below.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Sodium metabisulfite (CAS 7681-57-4)		Volume 54 - 3 Not classifiable as to carcinogenicity to humans.
Sodium sulfite (CAS 7757-83-7)		Volume 54 - 3 Not classifiable as to carcinogenicity to humans.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)		
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Teratogenicity	Not available.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	

12. Ecological information

Ecotoxicity	See below
--------------------	-----------

Ecotoxicological data

Components			Species	Test Results
Citric Acid (CAS 77-92-9)				
<i>Acute</i>				
Crustacea	EC50		Daphnia magna	120 mg/L, 72 hr
Aquatic				
<i>Acute</i>				
Fish	LC50		Bluegill (<i>Lepomis macrochirus</i>)	1516 mg/L, 96 hr
Sodium carbonate (CAS 497-19-8)				
Crustacea	EC50		Daphnia	265 mg/L, 48 Hours
Aquatic				
Crustacea	EC50		Water flea (<i>Ceriodaphnia dubia</i>)	156.6 - 298.9 mg/L, 48 hours
Fish	LC50		Bluegill (<i>Lepomis macrochirus</i>)	300 mg/L, 96 hours
Sodium hydrosulfite (CAS 7775-14-6)				
Algae	IC50		Algae	120 mg/L, 72 Hours
Crustacea	EC50		Daphnia	98 mg/L, 48 Hours
Sodium metabisulfite (CAS 7681-57-4)				
Algae	IC50		Algae	48 mg/L, 72 Hours
Sodium sulfite (CAS 7757-83-7)				
Aquatic				
Fish	LC50		Western mosquitofish (<i>Gambusia affinis</i>)	660 mg/L, 96 hours
Persistence and degradability	No data is available on the degradability of this product.			
Bioaccumulative potential				
Mobility in soil	No data available.			
Mobility in general	Not available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			

13. Disposal considerations

Disposal instructions	Consult authorities before disposal. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification	Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.
---	--

General

Not corrosive to SAE 1020 Steel or non-clad Aluminum based on test data (UN Manual of Tests and Criteria, Part III, Section 37.1 -Corrosion to metals).

TDG: Marine Pollutants Exemption. 1.45.1. : Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, do not apply to substances that are classified as marine pollutants in accordance with section 2.43 of Part 2, Classification, if they are in transport solely on land by road vehicle or railway vehicle. However, substances may be identified as marine pollutants on a shipping document and the required dangerous goods safety marks may be displayed when they are in transport by road or railway vehicle. (SOR/2008-34, s. 23)

DOT: CFR 171.4 (c): (1) Except when all or part of the transportation is by vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk packagings transported by motor vehicle, rail car or aircraft. (2) Single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other requirements of this subchapter provided the packagings meet the general requirements in §§173.24 and 173.24a. This exception does not apply to marine pollutants that are a hazardous waste or a hazardous substance. In the case of marine pollutants also meeting the criteria for inclusion in another hazard class, all provisions of this subchapter relevant to any additional hazards continue to apply.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions

Not applicable

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

No

SARA 311/312 Hazardous chemical

Yes

Classified hazard categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) Section 112(r) (40 CFR 68.130)

Hazardous substance

US state regulations

See below

US - California Hazardous Substances (Director's): Listed substance

Sodium metabisulfite (CAS 7681-57-4) Listed.

US - Minnesota Haz Subs: Listed substance

Sodium metabisulfite (CAS 7681-57-4) Listed.

US - Texas Effects Screening Levels: Listed substance

Citric Acid (CAS 77-92-9) Listed.
Sodium carbonate (CAS 497-19-8) Listed.
Sodium hydrosulfite (CAS 7775-14-6) Listed.
Sodium metabisulfite (CAS 7681-57-4) Listed.
Sodium sulfite (CAS 7757-83-7) Listed.

US. Massachusetts RTK - Substance List

Sodium hydrosulfite (CAS 7775-14-6)
Sodium metabisulfite (CAS 7681-57-4)

US. New Jersey Worker and Community Right-to-Know Act

Sodium hydrosulfite (CAS 7775-14-6)
Sodium metabisulfite (CAS 7681-57-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Sodium hydrosulfite (CAS 7775-14-6)
Sodium metabisulfite (CAS 7681-57-4)

US. Rhode Island RTK

Sodium hydrosulfite (CAS 7775-14-6)
Sodium metabisulfite (CAS 7681-57-4)

US. California Proposition 65

Not Listed.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 3
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

The data contained in this material safety data sheet was obtained from sources that were technically accurate, reliable, and state of the art when this document was prepared. If data was unavailable to complete certain sections, the absence of that data is identified in this document. Because the supplier cannot know the exact circumstances during actual use of this product, other hazards, exposure scenarios, disposal considerations, and regulations may apply and it is the responsibility of the user to read and understand the product label and this document before use. Do not use the product for purposes other than those stated in Section 1.

Issue date

01-February-2024

Version #

04

Effective date

31-January-2024

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Further information

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.
Redbook revision # 17, 12/14/17